

vce10839_formatted

Number: 000-000
Passing Score: 800
Time Limit: 120 min
File Version: 1.0

C2070-981

IBM FileNet Content Manager V5.2, Specialist

Exam: C2070-981

A

QUESTION 1

Which tool is used to create a connection point to an existing Process Engine isolated region?

- A. Workplace XT.
- B. Process Administrator.
- C. FileNet Enterprise Manager.
- D. Process Configuration Console.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

How can you start and stop P8 components?

- A. IBM FileNet Enterprise Manager.
- B. Command-line based instruction only for Unix.
- C. Graphical user interface (GUI) only for Windows.
- D. Graphical user interface (GUI) based or command-line-based instruction.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

Which two attributes can a file storage area have? (choose Two.)

- A. Can be a raw file system.
- B. Can be a Unix file system.
- C. Can be a Windows NTFS volume.
- D. Can be an encrypted NTFS volume.
- E. Only a one-to-one relationship with a Content Engine server.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

Which of the selections below may improve performance during high volume conditions?

- A. Adjust Fixed Content Device retention parameters.
- B. Modify your Content Engine Web Service Transport (CEWS).
- C. Adjust your Lightweight Third Party Authentication (LTPA) parameters.
- D. Increase the maximum connections for the application server connection pools.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

Content Search Services Client files are installed on which of the following P8 servers?

- A. Content Engine.
- B. Process Engine.
- C. Application Engine.
- D. Legacy Content Search Engine.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

Which two of the following actions can be performed on a subclass? (choose two.)

- A. Remove an inherited custom property.
- B. Change the default value of an inherited property.
- C. Set a property to optional if it is required by the parent class.
- D. Turn off versioning when the parent class allows versioning.
- E. Increase the maximum permitted value on an inherited property.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

In a production environment a Process Engine client fix pack has been applied to the Content Engine. During fix pack install all the default options are selected. Which one of the following tasks needs to be done after the fix pack is installed?

- A. Content Engine is not affected by PE client install.
- B. Redeploy Content Engine Enterprise Archive (ear) file.
- C. Stop and Start Content Engine after the fix pack install.
- D. Rebuild and redeploy Content Engine Enterprise Archive (ear) file.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 8

The Content Engine supports Lightweight Directory Access Protocol (LDAP) failover for authorization with which directory service provider?

- A. CA Directory.
- B. Active Directory.
- C. Novell eDirectory.
- D. Oracle Internet Directory.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9

What protocol does FileNet Enterprise Manager use to communicate to the Content Engine?

- A. Java Database Connectivity (JDBC).
- B. Java API over the web services (HTTP) interface.
- C. .NET API over the web services (HTTP) interface.
- D. Java API over Internet Inter Operable Protocol (IIOP).

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

What type of user can create and modify the search criteria used in search templates?

- A. Any administrator.
- B. Only administrators authorized to access Search Designer.
- C. Any administrator, plus end users who are authorized to access Search Designer.
- D. Administrators and end users who are both authorized to access Search Designer.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

In a Disaster Recovery implementation, the Content Engine bootstrapped Engine-ws.ear file is copied from a PRODUCTION environment to a DR environment for deployment.

What is the reason for this?

- A. It speeds up DR deployment.
- B. It reduces administrative work.

- C. It reduces the cost of DR deployment.
- D. It contains the Master Key for the GCD.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

Disaster Recovery (DR) planning includes establishing RPO (Recovery Point Objective) and RTO (Recovery Time Objective) values. What is RTO?

- A. The RTO is the amount of time it takes to start the DR servers.
- B. The RTO is the amount of time it takes to replicate databases from PRODUCTION to DR site.
- C. The RTO is the amount of time users are switched to DR site before switching back to original PRODUCTION site.
- D. The RTO is the amount of time that passes from the time a disaster strikes until data center operations have resumed and recovery is complete.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

To verify a file storage area, you log onto the machine where the Content Engine Server is installed and examine the contents of the file storage area directory. This directory should contain which of the following objects?

- A. Two subdirectories -- content and inbound
- B. Three subdirectories -- content, inbound and outbound
- C. An XML file, named fn_stakefile, and two subdirectories, content and inbound
- D. An XML file, named fn_stakefile, and two subdirectories, inbound and outbound

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14

Which of the following is NOT a step in the FileNet Deployment Manager deployment process?

- A. Create a deploy dataset.
- B. Create an export manifest.
- C. Update an export manifest.
- D. Create a property hash table.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15

What middleware software needs to be installed prior to using the Composite Platform Installation Tool?

- A. Database
- B. Content Engine
- C. Application Server
- D. It requires no middleware software

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

For a new install of Content Engine, you have just completed the following steps: Which two of the following URLs would you use to validate the Content Engine deployment? (choose two.)

- A. <http://server:port/FileNet/Ping>
- B. <http://server:port/P8CE/Health>
- C. <http://server:port/FileNet/Engine>
- D. <http://server:port/FileNet/Engine>
- E. <http://server:port/wsi/FNCEWS40MTOM>

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

Of the following statements about searches, which two are true? (choose two.)

- A. Stored searches are versionable documents.
- B. Stored searches are customizable at run time.
- C. Search templates allow for searching across multiple object stores.
- D. Search templates can contain only property-based search parameters.
- E. Stored searches can only be created through the FileNet Enterprise Manager.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

The Process Engine service user (pe_service_user) is used by the Process Engine to connect to the Content Engine. What type of account should you create for the pe_service_user?

- A. Database account.
- B. Directory server account.
- C. Application server account.
- D. Operating system account.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

The IBM FileNet Web Application Toolkit is part of which product?

- A. Workplace
- B. Workplace XT
- C. Content Engine
- D. IBM FileNet Enterprise Manager

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

Which of the following is NOT reported to IBM FileNet Dashboard?

- A. Remote procedure call counts and durations.
- B. Number of documents stored in the Content Engine.
- C. System specifications, operating system version, and product version.
- D. Real-time graphing of performance data, including CPU load and memory utilization.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21

You are performing a P8 installation. The site has already configured WebSphere Security along with SSL. Which statement below, with reference to running the FileNet Configuration Manager tool, is valid?

- A. FileNet Configuration Manager with SSL is not supported.
- B. In SSL scenario, only command line option works. You can not use GUI.
- C. Continue running the FileNet Configuration Manager, even though the test connection fails.
- D. Copy the SSL signer key file as per the FileNet documentation and run FileNet Configuration Manager.

Correct Answer: D

Section: (none)

Explanation**Explanation/Reference:****QUESTION 22**

When creating an Isolated Region, which tool is used to initialize the Isolated Region?

- A. Process Designer.
- B. Process Administrator.
- C. FileNet Enterprise Manager.
- D. Process Configuration Console.

Correct Answer: D

Section: (none)

Explanation**Explanation/Reference:****QUESTION 23**

What is a user implemented action that the Content Engine system performs when a document moves from one state to another called?

- A. Event action.
- B. Publish action.
- C. Lifecycle action.
- D. Versioning action.

Correct Answer: C

Section: (none)

Explanation**Explanation/Reference:****QUESTION 24**

An object valued property can be used to enforce which two of the following? (choose two.)

- A. Annotations.
- B. Referential integrity.

- C. Security inheritance.
- D. Content classification.
- E. Maximum content size.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 25

Which Content Engine table is used to query audit records?

- A. Event table.
- B. Event Class Definition table.
- C. Audit Configuration Event table.
- D. Audit Processing Bookmark table.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26

What contains a record of specific system or workflow related events that are useful for tracking workflow activity?

- A. PE Queues
- B. PE Work Item
- C. PE Event Logs
- D. PE Application Spaces

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27

Why is it important for audit processing clients to use audit bookmarks?

- A. To mark important audit records for further investigation.
- B. To lock the audit record so other clients will not process the same audit entry.
- C. To mark the document associated with the audit record for further investigation.
- D. To let the audit disposition process know which records have been processed and are eligible for deletion.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

Which of the following content operations is NOT possible for the document content within an online storage area?

- A. Copy
- B. Delete
- C. Create
- D. Append

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 29

Which Workplace and WorkplaceXT Site Preferences setting allows for user information to be passed from one application to another to avoid having to log in again?

- A. WebDAV.
- B. User Tokens.
- C. Access Roles.
- D. Application Integration.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30

A customer needs to change the logging level of the IBM Content Search Services server to determine the cause of an indexing failure. What are two different logging levels that can be set using the IBM Content Search Services command-line administration tool?

- A. Fatal
- B. Finer
- C. Trace
- D. Debug
- E. Warning

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31

An index file can be accessed by how many index servers at a time?

- A. 1
- B. 2
- C. 3
- D. Unlimited

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32

FileNet Configuration Manager offers only one JDBC connection for an object store by default. What are the two ways of adding additional JDBC

connections for object stores.
(choose two.)

- A. It is not possible to create multiple JDBC data source.
- B. Configure a new JDBC data source using the application server console.
- C. Create a new profile, for the JDBC data source in FileNet Configuration Manager .
- D. Add New Task "Configure Object Store JDBC Data Sources" in FileNet Configuration Manager.
- E. The same JDBC data source will work for the preference object store. No need to create a new one.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 33

What is the primary objective to be considered when implementing a disaster recovery solution for a FileNet P8 platform?

- A. Maintain data integrity for the GCD, objectstore databases, storage areas and index data in the event of a disk failure.
- B. Maintain data integrity for the GCD, objectstore databases, storage areas and index data in the event of data corruption or human error.
- C. Provide high availability through redundant hardware and software so that normal operations can continue uninterrupted after a single failure has occurred.
- D. Provide procedures and infrastructure to ensure business continuity in the event of any failure due to simultaneous failures of all the redundant components or a full disaster.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 34

Which one of the following Content Engine Client's will have better performance?

- A. CE Client using .NET API.
- B. CE Client using COM API.
- C. CE Client using Java API over EJB transport.
- D. CE Client using Java API over WSI transport.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35

A Content Platform Engine is reporting authentication errors in the trace logs. What should the system administrator first be concerned with?

- A. Single Sign On (SSO)
- B. Security Assertion Markup Language (SAML)
- C. Web Service Extensible Authentication Framework
- D. The Java Authentication and Authorization Service (JAAS)

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 36

Which of the following actions can be performed within the query builder?

- A. Execute Java code.
- B. Search across object stores.
- C. Perform content-based retrieval.
- D. Save searches in an object store.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 37

Workplace XT hosts and manages a component that enables the Process Engine to make calls on external components. What is this component called?

- A. PEOperations
- B. Process Adaptor
- C. Component Manager
- D. Process Administrator

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 38

Which of the following is a valid reason for moving content into an encrypted storage area?

- A. To encrypt content that is currently unencrypted.
- B. To re-encrypt currently encrypted content using a custom key.
- C. To force encryption of existing unencrypted content already in the target storage area.
- D. To improve access performance by moving content to a storage area that has fewer encryption keys.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39

A fixed storage area consists of what type of storage repository?

- A. A hierarchy of folders on a local device.
- B. The database used by the object store.
- C. A staging area and a fixed content device.
- D. A hierarchy of folders on a shared network device.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 40

Which of the following identifies all of the available source-destination pair data maps?

- A. Property map, service map and user security map.
- B. Domain map, property map and user security map.
- C. Domain map, object store map and security principal map.
- D. Object store map, security principal map and service map.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 41

The FileNet Enterprise Manager export manifest function determines the number of XML output files based on which of the following criteria?

- A. The specified rollover size.
- B. The exported objects' object type and rollover size.
- C. The specified rollover size and amount of available memory.
- D. All information is contained in one large XML file if the rollover size is set arbitrarily high.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42

How can you optimize performance for large content uploads and downloads in a Content Engine (CE) server farm?

- A. Take advantage of file store replication.
- B. Increase the size of your upload and download directories.
- C. Specifying a server affinity setting in the CE client application.
- D. Adjust your load balancer to use all the CE servers in the Farm.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 43

What type of object has two pointers, one of which points to a single folder while the other points to a document or custom object?

- A. Reflective
- B. Task relationship
- C. Component relationship
- D. Referential containment relationship

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 44

An IBM FileNet P8 system administrator needs to plan what user and group accounts will be used during installation and configuration of the FileNet P8 Content Platform Engine (CPE). Which two of these statements is true about the cpe_bootstrap_admin account?

- A. The cpe_bootstrap_admin account is a Directory Service account.
- B. The cpe_bootstrap_admin account is an operating system account.
- C. CPE will not be able to start if the cpe_bootstrap_admin user cannot authenticate.
- D. The cpe_bootstrap_admin account is able to create, modify, and delete CPE domain resources.
- E. The cpe_bootstrap_admin account is used by the configuration manager tool to connect to the application server.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 45

Which two of the following resource statuses can an offline storage area have?

- A. Full
- B. Locked
- C. Standby
- D. Disabled
- E. Reserved

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 46

Which user account is used by the Content Engine to establish a connection with the application server, access the application server's Java Naming and Directory Interface (JNDI) tree, look up the data sources for accessing the GCD, and start up Content Engine's background tasks?

- A. GCD administrator account (gcd_admin).
- B. Content Engine bootstrap account (ce_bootstrap_admin).
- C. Content Engine operating system user account (ce_os_user).
- D. Application server administrative console user (appserver_console_user).

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 47

What type of object represents the discrete set of possible values that a property object can hold?

- A. Pick list.
- B. Choice list.
- C. Access control list.
- D. Controlled value list.

Correct Answer: B

Section: (none)
Explanation

Explanation/Reference:

QUESTION 48

When an access control list of an object is modified, which type of security is computed when the object is next accessed?

- A. Direct.
- B. Default.
- C. Inherited.
- D. Template.

Correct Answer: C
Section: (none)
Explanation

Explanation/Reference:

QUESTION 49

If a user is a member of more than one access role, and the access roles have conflicting allow and deny access rights, which of the following will occur?

- A. The user is allowed access.
- B. The user is NOT allowed access.
- C. The access will be determine by the object store access.
- D. The user is allowed only if they are a member of one of the default access roles.

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 50

For a new Content Engine server, what information must be provided by the database administrator and recorded in the installation and upgrade worksheet?

- A. GCD and objectstore database names, database port numbers.
- B. GCD and objectstore database names, database user accounts and passwords.
- C. GCD and objectstore database names, database user accounts and passwords, data source names.
- D. GCD and objectstore database names, database port numbers, database user accounts and passwords.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 51

Where does the Content Engine store object metadata (including security)?

- A. LDAP
- B. Database
- C. File System
- D. Global Configuration Database

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 52

What are two different logging levels that can be set using the IBM Content Search Services command-line configuration tool? (choose two.)

- A. Fatal
- B. Finer
- C. Trace
- D. Debug
- E. Warning

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:**QUESTION 53**

In IBM Legacy Content Search Engine if a document does not have a property, or the value of the property is null, how the document indexed?

- A. The document is not indexed.
- B. It is indexed into any non-full collection.
- C. It is indexed into any non-full collection that has Start Date and End Date set to null.
- D. It is indexed into any non-full collection that has Start Date and End Date set to an earlier date and End Date set to null.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:**QUESTION 54**

If the following tree in a nested choice list is selected (Branch1 -> Branch2 -> Branch3 -> Branch4), what is stored as the value: (assume the values below represent the actual values of the selections, not just the display value)?

- A. Branch4
- B. Branch3->Branch4
- C. Branch2->Branch3->Branch4
- D. Branch1->Branch2->Branch3->Branch4

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:**QUESTION 55**

A company plans to implement the out-of-the-box workflows provided with IBM FileNet Content Manager. The system administrator needs to configure this functionality In order to accomplish this, a workflow system needs to be configured. Which of the following is a characteristic of a workflow system?

- A. A workflow system is a collection of isolated regions.
- B. A workflow system is another name for an isolated region.

- C. A workflow system is edited using Process Task Manager.
- D. A workflow system is created using Process Configuration Console.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 56

When using Deployment Manager, after preparing P8 assets for deployment in the source environment, you need to create which one of the following?

- A. A set of source object bundles.
- B. A deploy dataset of exported objects.
- C. A set of custom property conversion maps.
- D. An export manifest of property information in the target system.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 57

When you delete a storage area, which of the following two conditions apply? (choose two.)

- A. All storage policies using the storage area are also removed.
- B. The storage area is no longer available to the Content Engine.
- C. The directories and files for the storage area are automatically deleted.
- D. The storage area can only be deleted once no classes list this in their storage policy.
- E. Document classes that do not have an alternate storage area are automatically deleted.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 58

High-availability concerns typically steer Application Engine deployments towards which two items? (choose two.)

- A. One dual-CPU system.
- B. Two single-CPU systems.
- C. Single location for configuration information.
- D. Smaller and more numerous Application Engine servers.
- E. One Object Store for each Application Engine to access.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 59

What is the Content Engine domain hierarchy?

- A. domain > site > virtual server > server
- B. domain > site > server > virtual server
- C. domain > server > site > virtual server
- D. site > domain > server > virtual server

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 60

In a High Availability environment for Content Engine, how should IBM FileNet Enterprise Manager be connected to the Content Engine server?

- A. Using Enterprise JavaBeans (EJB) protocol for a specific node.
- B. Using WSI protocol for multiple nodes (e.g. load-balancer URL).
- C. Using Web Service Interoperability (WSI) protocol for a specific node.
- D. Using EJB protocol for multiple nodes (e.g. corbaloc URL for WebSphere).

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 61

Which of the following statements about half maps is true?

- A. Half maps create a deploy dataset.
- B. Half maps analyze objects for import.
- C. Half maps store environment specific data.
- D. Half maps are used to create an export manifest.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 62

Indexing properties in the Content Engine objectstore database can improve the performance. In addition to the vendor supplied database tools, which FileNet tool can be used to create single-property indexes (unless the indexes are for a FileNet P8 system property)?

- A. IBM FileNet System Monitor.
- B. IBM FileNet Enterprise Manager.
- C. IBM FileNet Deployment Manager.
- D. IBM FileNet Content Engine Configuration Manager.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 63

Why would you horizontally scale Content Engine in a farm?

- A. A farm is required if you have over 500 users.
- B. To support increased workload requirements.
- C. Passive Content Engines will increase user login times.
- D. Multiple application server vendors are supported in a farm.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 64

Which of the following is true about the Directory configuration properties (User tab) -> User Search Filter property?

- A. The search filter must contain a clause with "cn={0}".
- B. The search filter is read-only and cannot be modified.
- C. The search filter must contain a clause with "objectClass=user".
- D. The attributes supplied to the search filter may be specific to the directory provider.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 65

What is an event action?

- A. Is system defined.
- B. Calls a subscription.
- C. A user implemented action.
- D. An object on which a subscription acts.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 66

An administrator is planning the installation of an IBM FileNet Content Manager V5.2 system and is reviewing database requirements. Which one of the following is true?

- A. It is required that there is a separate database for each object store.
- B. It is required that there is a separate data source for each object store.
- C. It can be configured to use the same data source for multiple object stores.
- D. It is required that the database user has full dba rights on the object store database.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 67

What is the primary objective of the Content Engine security cache?

- A. To improve performance by caching directory provider entries on the Content Engine server.
- B. To help with consistency of queries by keeping a list of frequently used directory provider queries.
- C. To ensure that users and groups that are deleted from the directory server are still valid for the Content Engine.
- D. To improve accuracy of directory provider queries by querying several directory servers and consolidating the results.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 68

For a new Content Engine server, what tasks must be completed by a database administrator in the database prior to installing and configuring the Content Engine software?

- A. Create the GCD and objectstore databases.
- B. Create the GCD and objectstore database user accounts.
- C. Create the GCD and objectstore databases and database user accounts.

D. Create the GCD and objectstore databases, data sources and database user accounts.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 69

What two services does the Content Engine supply? (choose two.)

- A. Content storage.
- B. Workflow management.
- C. Life cycle management.
- D. Thin client user front end.
- E. User and group management.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 70

When the Content Engine launches a workflow, it needs to communicate with which component?

- A. Workplace XT.
- B. Application Engine.
- C. Process Engine service.
- D. Process Engine database.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 71

For which of the following components is it required to set session affinity (sticky session) on a load balancer?

- A. Content Engine.
- B. Process Engine.
- C. Application Engine.
- D. Content Search Engine/Server.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 72

In which directory on the Content Engine server will you find sample log4j client and server configuration files log4j.properties.and log4j.properties.server?

- A. FileNet\Config.
- B. FileNet\ContentEngine\config.
- C. FileNet\ContentEngine\samples.
- D. FileNet\ContentEngine\config\samples.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 73

Custom Access Roles can be used in Workplace and Workplace XT to control a user access to which of the following?Custom Access Roles can be used in Workplace and Workplace XT to control a user? access to which of the following?

- A. Deny access to certain folders.
- B. Access rights to objects stores.
- C. Primary Views, My Workplace, and Actions preferences.
- D. Security access rights to create folders, documents, and custom objects.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 74

Which is the only supported transport protocol for the Content Engine .NET API?

- A. Enterprise Java Beans (EJB).
- B. Java 2 Enterprise Edition (J2EE).
- C. Content Engine Web Services (CEWS).
- D. Representational State Transfer (REST).

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 75

The Content Consistency Checker is used to?

- A. Validate P8 systems.
- B. Validate storage areas.
24 <http://www.troytec.com>
C2070-981
- C. Validate if an install is successful.
- D. Validate Content Engine data with Process Engine data.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 76

Which two statements describe content encryption? (choose two.)

- A. Content is decrypted at the client.
- B. Content is decrypted by the Content Engine.
- C. Content encryption pertains only to the storage area.
- D. Content encryption is system wide and pertains to all storage areas.
- E. Content encryption applies to file stores, fixed files stores, and database stores.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 77

When using the FileNet Enterprise Manager import manifest function, the "Retry Failed Imports" option handles which one of the following situations?

- A. A transient error has occurred, and the importer will continue trying until the import is successful.
- B. The import of an object has failed, so the importer will create the object with as much information as it has, then log an error.
- C. The import of an object failed, so the importer will suspend itself while it searches for another definition of the object in another export XML file.
- D. Object A has a dependency on Object B, but Object B appears after Object A in the export XML file, and the importer will resolve the error when Object B is encountered.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 78

A developer is creating entry templates to make it easy to add documents, folders, and custom objects to an object store. Document entry templates allow the designer to force values for which of the following items?

- A. Location, class, properties, and security
- B. Class, properties, security, but not location
- C. Location, class, properties, but not security
- D. Location, class, security, but not properties

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 79

What components need to be available for the Content Engine to start?

- A. Databases only.
- B. Process Engine.
- C. Directory service only
- D. Directory service and databases.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 80

In which two of the following views can you run the FileNet Enterprise Manager query builder? (choose two.)

- A. SQL
- B. Basic
- C. Visual
- D. Simple
- E. Advanced

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 81

Which of the following assets CANNOT be exported or imported by FileNet Deployment Manager?

- A. Custom objects.
- B. Workplace stored searches.
- C. Workplace XT stored searches.
- D. FileNet Enterprise Manager saved searches.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 82

The Process Engine authenticates via which P8 component?

- A. Workplace XT.
- B. Content Engine.
- C. Application server.
- D. Lightweight Directory Access Protocol server.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 83

For documents in which a date based property is a primary identifier, which type of partitioning will reduce query retrieval time?

- A. Date partitioning.
- B. Index partitioning.
- C. Interval partitioning.
- D. Collection partitioning.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 84

A Content Search Services index is associated with which Content Engine object?

- A. Class
- B. Property
- C. Index Area
- D. Storage Area

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 85

What are the two types of transport protocols supported by the Content Engine? (choose two.)

- A. .NET
- B. Enterprise Java Beans (EJB)
- C. Java 2 Enterprise Edition (J2EE)
- D. Content Engine Web Services (CEWS)
- E. Representational State Transfer (REST)

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 86

Content Federation Services (CFS) provides a number of operations. Which operation is only available with IBM Content Integrator (CFS-ICI) with out-of-the-box tools?

- A. Move
- B. Delete
- C. Create

D. Update

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 87

When preparing to deploy a system using Deployment Manager, which one of the following files contains the list of assets to be exported?

- A. Half map.
- B. Export dataset.
- C. Export manifest.
- D. Deployment dataset.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 88

Document entry templates allow the designer to force values for which of the following items?

- A. Location, class, properties, and security.
- B. Class, properties, security, but not location.
- C. Location, class, security, but not properties.
- D. Location, class, properties, but not security.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 89

What component is hosted within Workplace/Workplace XT that enables the Process Engine to make calls to external components such as custom

Java components, web services, or Java Message Service queues?

- A. Component Manager
- B. Process Task Manager
- C. IBM Configuration Manager
- D. FileNet Enterprise Manager

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 90

Consider the following distributed P8 configuration:

Server A - Content Engine; Content Search Engine

Server B - Process Engine; Workplace XT

Server C - Relational database server

Database files - located on local storage on server C

Index collection files - located on local storage on server A

Objectstore file storage files - located on network attached storage (NAS)

All object stores contain file storage areas and are configured for content based retrieval (CBR). A complete offline backup of the system runs daily at 10 PM. If server A crashes at 2 PM and must be replaced, how should the administrator recover the system?

- A. Restore all files for server A from backup.
- B. Restore all files for server A from backup and re-index the object stores.
- C. Restore all files for server A from backup and restore the database files to server C.
- D. Restore all files for server A from backup and restore the file storage files to the NAS device.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 91

Data replication for disaster recovery can be accomplished at the application, host, storage or network level. Which of the following statements describes replication at the storage level for a FileNet P8 system?

- A. Replication is configured and implemented by the FileNet P8 product.
- B. Replication is configured and implemented by the host operating system.
- C. Replication is managed by the storage device, typically to another device of the same model.
- D. A device on the network, such as the IBM SAN Volume Controller (SVC), that intercepts device writes and replicates them to a corresponding storage device at a remote site.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 92

Security Policies support what security management mechanism where security is applied to both versionable and non-versionable objects as the object transitions from one state to another?

- A. Marking Set Security.
- B. Version State Security.
- C. Object-managed State Security.
- D. Application-managed State Security.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 93

Component Manager hosts a component that can be used to execute certain content- related operations against the Content Engine. What is this component called?

- A. Event action.
- B. CEOperations.
- C. Integration Tier.

D. Web Application Toolkit.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 94

How many database storage areas are allowed per object store?

- A. 1
- B. 5
- C. 10
- D. Unlimited

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 95

A Workplace XT application has just been updated with a new Fix Pack (FP). What must be done to the Content Platform Engine (CPE) in order to complete the FP installation?

- A. The CPE must be redeployed.
- B. Nothing, the CPE is not affected by a Workplace XT FP installation.
30 <http://www.troytec.com>
C2070-981
- C. The Workplace XT client FP must be installed on the CPE and the CPE restarted.
- D. The Workplace XT client FP must be installed on the CPE and the CPE redeployed.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 96

P8 Content Federation Services (CFS) natively supports which two of the following configurations for federation? (choose two):

- A. SAP (CFS-SAP)
- B. Sharepoint (CFS-SP)
- C. OnDemand (CFS-OD)
- D. Lotus Quickr (CFS-LQ)
- E. IBM Content Integrator (CFS-ICI)

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 97

A company has purchased an IBM FileNet Content Manager system to use as their enterprise content management repository. The system administrator is engaged in the planning phase of the FileNet Content Manager installation. How does the Content Platform Engine leverage directory service providers for authentication?

- A. Content Platform Engine uses the Java EE application server's directory service providers for authentication.
- B. Content Platform Engine implements its own authentication module and connects directly to a directory service provider.
- C. Content Platform Engine uses FileNet Enterprise Manager (FEM) to connect to the directory service provider for authentication.
- D. Content Engine connects directly to the directory service provider for authentication and Process Engine leverages the Content Engine for its authentication.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 98

The event subsystem is strongly related to which subsystem?

- A. Audit.
- B. Storage.

- C. Security.
- D. Federation.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 99

The Content Engine provides extensible security parent-child relationships by means of what type of property placed on the meta data of custom object-valued properties?

- A. Security Folder.
- B. Security Parent.
- C. Security Template.
- D. Security Proxy Type.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 100

For a current production environment of Content Engine 4.5.1 and Process Engine 4.5.1 and a staged upgrade for only the Process Engine to 5.1 (Content Engine remains at 4.5.1), which of the following P8 clients will have to be installed as part of the upgrade process?

- A. Content Engine Client 5.1
- B. Process Engine Client 5.1
- C. Content Engine Client 4.5.1
- D. Process Engine Client 4.5.1

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 101

What is the recommended approach for load balancing an Enterprise JavaBeans (EJB) transport of the Content Engine?

- A. Using a IBM http plugin.
- B. Using a software load balancer.
- C. Using a hardware load balancer.
- D. Using a native Application Server load balancing software.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 102

Before updating a Content Engine and process Engine with a fix pack, how will you verify the supported product versions?

- A. Plan and prepare guide.
- B. Fix pack compatibility matrix.
- C. All fix packs are supported on any product versions.
- D. No need to verify anything, always use latest version.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 103

Which two of the following indicators are only defined in a property template? (choose two.)

- A. Data type.
- B. Cardinality.
- C. Choice list.
- D. Default value.
- E. Class association.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 104

Which of the following IBM FileNet Components does NOT support the IBM FileNet Dashboard?

- A. IBM FileNet Business Process Manager.
- B. IBM FileNet Panagon Capture Professional.
- C. IBM FileNet Image Services Resource Adapter.
- D. IBM FileNet Panagon Web Services / Open Client.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 105

The security administrator has created the Content Engine service user account and provided you the following Idif export information for the user:

```
dn: uid=ceServiceUser,ou=users,cn=p8,o=ibmtest
uid: ceServiceUser
objectclass: top
objectclass: inetOrgPerson
objectclass: organizationalPerson
objectclass: person
sn: ceServiceUser
cn: ceServiceUser
```

When running the Configure Local Directory Access Protocol (LDAP) task using the Content Engine Configuration Manager tool, what value should you use for the directory service bind user name field?

- A. ceServiceUser
- B. uid=ceServiceUser

- C. ceServiceUser.users.p8.ibmtest
- D. uid=ceServiceUser,ou=users,cn=p8,o=ibmtest

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 106

What is the key concept to achieving high availability and avoiding a single point of failure?

- A. Auditing
- B. Redundancy
- C. Recoverability
- D. Vertical scalability

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 107

When using Workplace XT and a user is out of the office (e.g., vacation), where can they specify an alternate person to receive their Process Engine work items?

- A. Site Preferences.
- B. Process Configuration Console.
- C. Task Settings under User Preferences.
- D. General Settings under User Preferences.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 108

What P8 domain level entity allows specific meta data attributes to be identified that control the effective access of an object in conjunction with the object's Access Control List (ACL)?

- A. Marking sets.
- B. Storage area.
- C. Add-on feature.
- D. Security inheritance.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 109

When a property is added to a class, what is created?

- A. Choice list.
- B. Property template.
- C. Property description.
- D. Default property value.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 110

Consider the following distributed P8 configuration: All objectstores are configured to use file storage areas and content based retrieval (CBR). A complete offline backup of the system runs daily at 10 PM. If a disk failure occurs at 2 PM on server C and all database files are lost, how should the administrator recover the system?

- A. Restore database files to server C
- B. Restore database files to server C, and index collection files to server B
- C. Restore database files to server C, and file storage files to the NAS device

D. Restore database files to server C, index collection files to server B, and file storage files to the NAS device

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 111

In which two scenarios should the Content Consistency Checker be used? (choose two.)

- A. Content Engine is performing slow.
- B. If search templates are not working.
- C. After restoring a storage area from backup media.
- D. To troubleshoot Fixed Content Device connectivity.
- E. If users are unable to view the content of a document when the content is stored in a file storage area, even when they have view-content permissions on the document.

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 112

Which items are associated with a Content Engine site?

- A. Marking sets, storage areas and virtual servers.
- B. Content cache areas, add-ons and object stores.
- C. Object stores, storage areas and fixed content devices.
- D. Storage areas, content cache areas and virtual servers.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

