

HP0-S41.examcollection.premium.exam.60q



Number: HP0-S41
Passing Score: 800
Time Limit: 120 min
File Version: 14.0



Exam code: HP0-S41

Exam name: Building HP Server Solution

Version 14.0

Exam A**QUESTION 1**

A customer's data center has both HP ProLaint Gen9 rack server and HP BladeSystem Gen9 Blade Server in addition to HP intelligent Power Distribution Unit (PDU), which component will be part of the HP intelligent Power Discovery Services?

- A. HP Common Slot (CS) Platinum supply
- B. HP OneView Power Advisor
- C. HP Rack 1100 intelligent G2 Series
- D. HP Flexible Slot Power Supplys

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 2

A customer is anticipating a 20 percent growth in their data center operations over the next 12 month. you need to conduct a site survey to document the AC input power drawn by their blade enclosures, Which HP tool should you use to complete the task?

- A. iLO Power Meter
- B. Power Advisor
- C. insight Power Manager
- D. Onboard Administrator

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 3

A Customer need an inexpensive fault tolerant storage solution for their new HP Prolaint Gen9 server. The server application will not benefit from adding cache. The application is not mission critical, but it does require RAID 5 fault tolerance and will be configured on SATA drive with a maximum transfer rate of 6G. Which HP controller should you recommend for this design?

- A. P44ar
- B. H240ar
- C. B140i
- D. P244br

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 4

A customer is experiencing iSCSI storage related performance bottleneck within their virtualized environment. The environment is comprised of the follow attributes; Which action should you recommend to resolve the performance bottleneck problem?

- A. configure additional vCPUs per VM
- B. Allocate additional bandwidth per VM for storage and IP traffic
- C. Configure additional RAM per VM
- D. Add a 10GB uplink to the network core
- E.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

A customer is experiencing downtime in their data center, which is designed for converged network. They need to implement a high availability solution but are concerned about the high costs of acquisition and maintenance. Which solution meets the customer's needs?

- A. a rack of 1U servers
- B. a collection of tower servers
- C. a collection of blade servers
- D. high-performance technical cluster
- E.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 6

Which method will allow you to manage and maintain all operation system drivers and system firmware for every server in a customer's data center?

- A. Create a Converged infrastructure group in HP OneView for applicable servers deploy updates.
- B. Use HP Smart Update solution to deploy updates.
- C. Use HP SUM and iLO Federation group to deploy updates
- D. Use the HP REST API and the Embedded UEFI Shell to deploy updates.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 7

A customer with ProLaint Gen8 servers runs a database application with a read-intensive workload. The server have two drive bays and four memory DIMM slots free. The customer need to accelerate this workload without making a large equipment investement. Which upgrade solution should you recommend?

- A. Install an HP Performance Advisor
- B. Add an IO accelerator card
- C. Add HP SmartCache with one SSD
- D. Fill free memory slots with NVDIMMs.
- E.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 8

You have designed a server solution for a customer that included ProLiant BL460c Gen9 server blade with Smart array P244br storage. The customer need to be able to configure, manage, and troubleshoot the locally attached storage in this solution. Which HP tool should you recommend for this customer?

- A. HP Array Configuration Utility
- B. HP insight remote support
- C. HP iLO
- D. HP Smart storage Administrator

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 9

A customer need to increase the performance of their Microsoft Hyper-V cluster, especially the performance around live Migration. The customer has c7000 enclosures with BL460c Gen8 blade. interconnect slots 1 and 2 have HP Virtual Connect Flexthe customer Flex-10/10D Module installed. The BL460c Gen8 blades use HP FlexFabric 10Gb 2-port 534FLB FlexibleLOM .Which implementation plan should you recommend to meet customer needs?

- A. Upgrade the FlexLOM and FlexFabric interconnect modules to modules to models that support SMB Direct over RoCE and configure Hyper-V.
- B. Upgrade the Virtual connect FlexFabric interconnect modules to models that support SMB Direct over RoCE and configure Hyper-V.
- C. Enable RoCE on the FlexLOM and configure SMB Direct to allow Hyper-V Migration on the adapter
- D. Add two Virtual Connect FlexFabric interconnect modules that support SMB Direct over RoCE into bays 3 and 4 and reconfigure the FlexLOM

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

<http://www8.hp.com/h20195/V2/getpdf.aspx/4AA4-8174ENW.pdf?ver=2.0>

QUESTION 10

You are planning a deployment of HP OneView. The customer provide you with a list of network they need to use inside a Bladesystem enclosure. Which detail is required for a network in HP OneView when that network is to be configured as a member of network set?

- A. VLAN ID
- B. Gateway
- C. 802.1p
- D. Network mask

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 11

While discussing how your customer manages their environment with HP insight remote support, you learn that they recently acquired another company. The acquired company also uses HP insight Remote support. Which tool should you recommend your customer use for a consolidated view of both environments?

- A. HP insight Remote Support central connect
- B. HP insight Remote Support through the HP insight Online portal
- C. HP insight Online with HP OneView
- D. HP insight Online direct connect

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 12

You are designing a Blade c7000 solution that needs to incorporate cost-effective 1GB switching and router with resiliency and stacking. Which Ethernet switch should you recommend?

- A. Mellanox SX1018HP
- B. Cisco B22HP Fabric Extender
- C. HP 6125XLG
- D. HP 6125G

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

A customer is expanding their data center and needs to monitor and manage the power consumption of each server. Which HP power distribution unit (PDU) should you recommend?

- A. HP UPS Network Module
- B. HP Modular PDU
- C. HP intelligent PDU
- D. HP Location Discovery Service

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 14

After adding several high-density servers to their data center, a customer experiences trouble regulating the temperature in the environment. Which HP product should you recommend to the customer?

- A. Intelligent Power Distribution Unit
- B. Modular Cooling System G2
- C. Active Cool Fans
- D. Intelligent Series Rack

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 15

Which HP Gen9 server family support the H34ar Smart HBA?

- A. Apollo
- B. Rack and Tower Server
- C. Blade server
- D. Moonshot

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

https://h20392.www2.hp.com/portal/swdepot/displayProductInfo.do?productNumber=ILO_TRIALS

QUESTION 16

A customer needs to reduce their datacenter cooling expenses. They are considering options for air-cooled solution with the potential to reduce cooling costs. Which standard should you recommend the customer consider when purchasing new equipment?

- A. EN 298
- B. ISO 9000
- C. IEEE 3000
- D. ASHRAE

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 17

Which Data should you collect in order to add HP ProLiant DL Gen9 Servers to HP OneView? (Select two)

- A. iLO username and Password
- B. SNMP community string
- C. IP address of server

- D. iLO IP address
- E. iLO MAC address

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 18

What is an appropriate procedure to deploy HP OneView ?

- A. Deploy an Open Virtual Appliance (OVA) package to a vSphere Hypervisor
- B. Install an HP OneView application and plug in components to a Windows 2012 R2 server
- C. Install an HP OneView application and plug in components to a LAN server
- D.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

<http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA5-0351ENW.pdf>

QUESTION 19

You are describing different server management tools. You are asked about tracking service events and warranty information. Which tool should you demonstrate?

- A. HP Intelligent Provisioning
- B. HP Insight Online
- C. HP Smart Update Manager
- D. HP Onboard Administrator

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:
Reference:

QUESTION 20

A Customer is concerned about buying counterfeit memory for the HP ProLiant Gen9 servers in its data center. Which HP innovation should you explain to the customer?

- A. SmartCache
- B. DDR4 UDIMMs
- C. LRDIMM
- D. SmartMemory

Correct Answer: D
Section: (none)
Explanation

Explanation/Reference:

QUESTION 21

A customer has a BladeSystem c7000 enclosure that is partially populated with HP server blades. The customer needs to add server with maximum memory capacity for virtual workloads and flexible enough for other applications. The enclosure has three empty half-height slots. Which server blade should you recommend?

- A. HP ProLiant BL420c Gen8
- B. HP ProLiant BL465c Gen8
- C. HP D2220sb
- D. HP ProLiant BL660c Gen8

Correct Answer: B
Section: (none)
Explanation

Explanation/Reference:
Reference:

QUESTION 22

A small business customer is expanding their data center. The customer needs a rack server solution that provide dense storage, good performance, virtualization capacity, and easy expansion. Which HP ProLiant server should you recommend to meet the customer's needs?

- A. DL380p Gen8
- B. DL180 Gen9
- C. DL380 Gen9
- D. DL580 Gen8

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 23

A customer needs to purchase a number of Gen9 servers for projects that will be deployed for performance-oriented application. A high level of fault tolerance is required. The customer plans to use the Smart Array B140i Controller as the storage controller for the server. Why should you recommend again this? (Select two.)

- A. it consumes a PCIe slot.
- B. Support is limited to one internal and eight mini-SAS double-wide connector
- C. No Cache memory available
- D. No RAID 6 support
- E. No SATA Drive support

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 24

A customer needs a high level fault tolerant solution for critical data stored on their HP ProLiant Gen9 server. The customer uses eight large capacity SAS drives as one disk volume. Which RAID level protection should you recommend to protect the customer against double drive failure?

- A. RAID 5
- B. RAID 5 with a hot spare
- C. RAID 6
- D. RAID 1 with a hot spare

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c03031952

QUESTION 25

A customer needs to implement NVDIMM technology in their HP ProLiant server. When designing the solution, which aspect of NVDIMMs should you consider?

- A. The presence of persistent memory in NVDIMMs limits the amount of total memory size that is available.
- B. The presence of persistent memory in NVDIMMs doubles the amount of total memory size that is available
- C. NVDIMMs use a controller to drive data signals, which makes them more vulnerable to non-recoverable memory conditions.
- D. The higher performance of NVDIMMs over RDIMMs is accompanied by greater heat generation.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26

You are performing a needs analysis for a customer who plans to transition from rack mount servers to blade server. The customer has asked for an on-premise management strategy and needs to use Virtual Connect as the network interconnect to take advantage of network virtualization. The customer needs a powerful API to be made available. Which product should you demonstrate to support and manage the proposed HP BladeSystem solution?

- A. HP Virtual Connect Manager
- B. HP OneView
- C. HP Systems insight Manager
- D. HP Virtual Connect Enterprise Manager

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c03236853

QUESTION 27

An architect is designing a new data center that will host multi-vendor equipment. Which questions are relevant to the design of the data center? (Select two.)

- A. Will there be a designated area for the data center operators to meet in an emergency?
- B. Who is the raised flooring manufacturer?
- C. Will the data center emergency lighting be direct or indirect?
- D. Will new or existing fire suppression and alarm system be implemented?
- E. Will the site have more than one electrical power feed?

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

A customer needs to meet data privacy compliance regulations. Which HP ProLiant features should you discuss with the customer? (Select two.)

- A. Advanced Data Mirroring
- B. Trusted Platform Module
- C. Secure Shell
- D. Secure Encryption
- E. Advanced Memory Protection

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 29

Which HP item should you use to estimate the power requirements for an HP ProLiant server solution?

- A. Thermal Logic

- B. Dynamic Power Capping
- C. Power Advisor
- D. 3D Sea of Sensors

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

<http://h20564.www2.hp.com/hpsc/doc/public/display?docId=c02885443>

QUESTION 30

Which technology has HP developed for Gen9 server to provide backup power for all installed Smart Array controllers?

- A. Hybrid DIMMs
- B. System board battery
- C. Flash-backed write cache (FBWC)
- D. Smart Storage Battery

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference:

http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c02049593

QUESTION 31

A customer needs faster way to implement firmware updates on their Gen9 servers. Which enabling technology should you recommend to the customer to speed up their deployment?

- A. iLO Federation
- B. VCEM
- C. VEFI Secure boot
- D. Smart Storage Administrator

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:**QUESTION 32**

Which HP server product allows you to implement HP Agentless Management with SNMP alerts regardless of the state of the host server?

- A. OneView
- B. Intelligent Provisioning
- C. iLO
- D. UEFI

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

<http://h20564.www2.hp.com/hpsc/doc/public/display?docId=c02885443>

QUESTION 33

A customer subcontracts for the automotive industry and needs a compute infrastructure that support advanced design modeling applications and can scales as the business grows. The customer has space constraints in their data center and will use their existing racks. Which HP server series should you recommend to the customer?

- A. ProLiant DL
- B. ProLaint SL
- C. ProLaint ML
- D. ProLaint BL

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:**QUESTION 34**

You recommend that your customer perform an online update of the firmware and drivers for their windows 2012 R2 DL380 Gen9 server by using HP SUM. The customer is unable to negotiate an extended maintenance windows that will allow enough time for both the update and activation of all firmware and drivers. Which action should you recommend so that your customer can achieve the update and not over extend the maintenance

window?

- A. Configure the Enclosure Firmware Management function of the Onboard Administrator to apply the new upon insertion of the server in the Blade Enclosure.
- B. Use HP Server Migration to perform a P2V of the servers OS and place the new VM in an HA cluster
- C. Import the server into HP OneView, create a server profile for the server and set a firmware baseline on the server profile
- D. Schedule the update just prior to the maintenance window and set the reboot option to delay the reboot for 30 minutes

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference:

http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c03236853

QUESTION 35

A new SMB customer is starting their business, but is concerned about affordability and complexity. The customer's workload will consist of back office tasks, messaging, printing, and web service. Which series of ProLiant rack and tower servers should you recommend for this customer?

- A. ProLiant 500series
- B. ProLiant 10 series
- C. ProLiant 300 series
- D. ProLiant 100 series

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 36

What can be used to modify settings such as power management and boot order on HP ProLiant Servers?

- A. HP Intelligent Provisioning
- B. HP Virtual Connect Manager
- C. HP iLO Federation
- D. ROM-Based Setup Utility

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 37

Which does iLO Federation use as its primary source for discovery when locating multiple system iLO?

- A. DHCP
- B. SNMP
- C. TCP/IP Ping Sweeps
- D. Multicast

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 38

Which statement describes HP Foundation Care services?

- A. Flexible services that support the entire IT environment
- B. A service that provides advanced technology for the company to maintain a competitive edge
- C. An economical service alternative that provides hardware and software support
- D. A service that enable IT to manage costs while keeping up with latest technology

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 39

A customer informs you of recent SSD drive failure in their HP D2200sb Storage Blade that hosts their Virtual Desktop infrastructure environment. The customer is concerned about the remaining expected lifetime of the SSD drive in their array. In which tool will you find the SmartSSD Wear Gauge

report to determine if any drives are at risk of failure?

- A. Option ROM Configuration for Arrays
- B. Array Configuration Utility
- C. Smart Storage Administrator
- D. Array Diagnostics Report

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 40

What is the most common configuration of advanced Data Mirroring?

- A. Three RAID 10 array mirrored
- B. Three RAID 6 arrays mirrored
- C. Three RAID 5 arrays mirrored
- D. A three-drive mirror

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 41

Which HP support service is provided by proactive Care Advanced?

- A. Localized account manager
- B. Third party hardware option support
- C. HP hardware option installation
- D. Disaster recovery support

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

<http://h20195.www2.hp.com/v2/getpdf.aspx/4AA4-6449ENW.pdf>

QUESTION 42

A customer is concerned about security during remote firmware updates. What can you explain as a feature of HP SUM to address their security concerns?

- A. It installs updates of components in the same sequence on all target Servers.
- B. It copies a replica of itself to each target server for the duration of the update only.
- C. It replicates target server information captured during the discovery process.
- D. It is preloaded with the target server information from iLO

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 43

You are using HP Power Advisor to assist in architecting an HP BladeSystem solution that contains HP Flexfabric interconnect modules. What information about the solution can the tool provide? (Select two)

- A. Estimated power usage of the system
- B. Bill of materials for the system (answer two)
- C. Mismatch between interconnect modules and network adapters
- D. UPS sizing based on defined run times. (E), SFP+ module power requirements.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

<http://h20564.www2.hp.com/hpsc/doc/public/display?docId=c03190790>

QUESTION 44

You are designing a new data center for a customer that performs research and development for a government agency. Security is the most important

factor for this data center. Which security solution should you recommend to the customer? (Select three)

- A. Physical security
- B. Wired equivalency protection (Answer two)
- C. Video surveillance
- D. Secure Wireless access point. (E), Environment sensors. (F), Biometrics

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

[http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c04149067- 1&docLocale=en_US](http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c04149067-1&docLocale=en_US)

QUESTION 45

Which management platform does HP integrate with that enhances monitoring of server that are running Windows, VMware, or Linux?

- A. VMware vCenter
- B. CitrixVDI
- C. Microsoft Symtem Center
- D. VMware vSphere

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 46

A customer has a VMware vSphere environment with a mix of ProLiant DL G5 servers, ProLiant DL G6 servers and ProLiant BL Gen9 server blades. The customer needs to manage this environment from a single platform. Which single management solution should be part of proposal?

- A. HP Insight Control for System Center
- B. HP OneView for System Center
- C. HP Insight Control
- D. HP Intelligent Management Center

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 47

Which HP components are typically redundant in a tower server? (Select two.)

- A. Power supplies
- B. Fans
- C. Voltage regulator modules
- D. Management modules
- E. Processors

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 48

Which task should you complete when conducting a needs analysis?

- A. Identify key decision makers
- B. Identify the customer's business goals
- C. Design the hardware solution
- D. conduct a site survey

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 49

A customer is interested in decreasing their time to service by using HP server solution but is concerned about the high cost of IT staff that might be needed to administer and manage the solution. Which key HP design principle should you explain to the customer?

- A. Converged infrastructure
- B. Server virtualization
- C. Software defined management
- D. Workload optimization

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 50

You need to explain to a customer how power is monitored and managed in an Apollo 6000 solution. Which HP component should you describe to the customer?

- A. Advanced power Manager
- B. HP OneView
- C. External Power Shelf
- D. Cluster Management Utility

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

<http://www8.hp.com/h20195/V2/getpdf.aspx/4AA5-1111ENW.pdf?ver=1.0>

QUESTION 51

A customer needs to purchase several DL380 and DL360 Gen9 server. The customer intends to use the Smart Array B140i Controller as the storage controller for the servers. Why should you recommend the customer upgrade to an HP Flexible Smart array instead?)(Select two)

- A. It provides 4G Flash-based write cache
- B. It has zero memory RAID support
- C. It support 12GB/s SAS
- D. It uses a low profile PCIe 3.0 format. (F), It can be upgraded without using a PCIe slot (Answer two)

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

http://h20564.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c03967138

QUESTION 52

A customer needs to manage the relationship between their physical and virtual infrastructure. Which HP feature should you recommend to integrate with customer's current vSphere Web Client managed environment?

- A. HP OneView for vCenter
- B. HP Virtual Machine Manager
- C. HP Virtual Connect Enterprise Manager
- D. HP Insight Control

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 53

You are designing a Hyper-V virtualized Bladesystem solution with direct attached storage and Microsoft System Center Server. Which benefits will HP OneView bring to your proposal? (Select three.)

- A. Server software and firmware updates
- B. HP Virtual Connect fabric visualization
- C. Automated CPU flexing
- D. Operating system compliance management
- E. Health monitoring for ProLiant Gen9 servers.(Answer three) (F), Automated HP StoreOne Provisioning

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 54

You are reviewing an application server proposal, which included the requirement that an HP ProLiant Gen9 server connect to a HP StoreVirtual VSA. The customer is concerned about the amount of time needed to deploy and complexity of deploying the new bare-metal server into their environment. Which tool should you recommend to the customer?

- A. HP Intelligent Provisioning
- B. Embedded UEFI shell commands
- C. HP REST API
- D. iLO Federation Groups

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c02126499

QUESTION 55

Which software tool can be used to download the Active Health System Logs on an HP ProLiant Gen9 server?

- A. Smart Storage Administrator
- B. HP OneView
- C. Array Diagnostic Utility
- D. Intelligent Provisioning

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference:

http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c03334036

QUESTION 56

What does Q1.1 indicate in the 'port' column?

- A. Downlink port connected to server blade running at 10GB/s speed
- B. Uplink port connected to external switch configured as stacking link
- C. Uplink port connected to external switch configured with uplink set

D. Download port connected to server blade running at 10GB/s guaranteed speed

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

<http://www8.hp.com/h20195/V2/getpdf.aspx/4AA3-6611ENW.pdf?ver=1.0>

QUESTION 57

A customer plans to install HP OneView as a primary management application for their BladeSystem infrastructure. The customer is concerned about the ability to assign different levels of permissions to IT administrators. Which feature of HP OneView should you explain to the customer?

- A. Activity log
- B. SAN Managers
- C. Role-based access
- D. HP Public Key

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

QUESTION 58

After installing DIMMs in all of the memory slots on a DL380p Gen8, only half of the memory can be seen. What is a probable cause of this issue?

- A. Hyper-threading is not enabled in the RBSU.
- B. Half of the DIMMs are a slower speed than the other half.
- C. Only one processor is installed.
- D. Half of the DIMMs are 1.35 volts, and the rest are 1.50 volts.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

<http://www.hp.com/ctg/Manual/c03230516>

QUESTION 59

Which tool, which ships with Apollo 6000 systems, allows you to see chassis, and rack-levels from a single console?

- A. HP Advanced Power Manager
- B. HP Power Plan Utility
- C. HP Power Manager Utility
- D. HP Power Sizer

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

<http://h20195.www2.hp.com/v2/getpdf.aspx/4AA5-3291ENW.pdf?ver=1.0>

QUESTION 60

Which HP component provides physical access To initial set up of a c7000 enclosure?

- A. HP OneView
- B. Insight Display
- C. Virtual Connect Support Utility
- D. iLO4

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

<http://h10032.www1.hp.com/ctg/Manual/c00814176.pdf>