

H13-629.150q

Number: H13-629
Passing Score: 800
Time Limit: 120 min
File Version: 1

Huawei H13-629



Website: <https://vceplus.com>

VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>

Facebook: <https://www.facebook.com/VCE.For.All.VN/>

Twitter : https://twitter.com/VCE_Plus

<https://vceplus.com/>

HCIE-storage

<https://vceplus.com/>

Exam A

QUESTION 1

A hospital bought a Huawei OceanStor 9000V100R001C30 storage device for storing business data. According to the relevant laws and regulations, which of the following example descriptions of disease preservation of system data using InforLocker function is wrong:

- A. The engineer has set the WORM root directory according to the hospital's requirements, and all the subdirectories under this directory have the WORM attribute.
- B. During the file protection period, no one can delete the protected file.
- C. Protected Documents are Protected for a Period of 70 Years on Huawei OceanStor 9000 Storage Device.
- D. WORM log save root, quota and WORM protection period cannot be set.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

N8000 clustered NAS system to provide file system sharing services, surface VxFS file system and roll features the correct statement:



<https://vceplus.com/>

- A. VxFS is a non-log file system that can support more than 2T files.
- B. File system snapshot using copy-on-write (copy-on-write technology) and other files together, share partition or volume storage space.
- C. Provide file system-level snapshots, copy.
- D. File System Snapshots, Scenarios, Replication, etc. Features are based on Storage Checkpoint.

Correct Answer: BC

<https://vceplus.com/>

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

In an OceanStor V3 system storage array, all the snapshots of a LUN occupy no more space than the LUN.

A. True

B. False

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

When the client adopts the SMB 1.0 / 2.0 / 2.1 / 3.0 protocol, while performing file replication inside Huawei OceanStor 9000, it does not need to pass through the client, but directly in the system to tell the completion.

A. True

B. False

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

Client1 needs to read file X from Huawei OceanStor 900 and the node that responds to the read request is node A.

Choose the process, which of the analysis is correct:

A. If the system has monitored the file X has been cached on Node B, the client client1 can read the file directly from Node B.

B. If the system monitors that node B has cached file X, then node A can read the file from node B.

- C. After HUAWEI OceanStor 9000 processes the request for reading the file X from client1, the system reserves the message on both node A and node B.
D. If the system monitors that node A has cached file X, then node A only caches the data of file X and does not cache its verification data **Correct Answer: BD**

Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

For commonly used SQL Server 2005 and 2008, users can connect to the specified server through the SQL Server Management Studio tool Database Engine. There are two connections in the connection group authentication method. Which method client application connection to provide the required landing User ID and password?

- A. SQL Server Authentication
- B. Windows authentication
- C. Log in as superuser
- D. Other ways when landing

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

Engineer installed a customer unit for OceanStor 9000 equipment installation (a total of 5 OceanStor 9000 C Node, front and rear ends are 10GE TOE networking, on-site installation TOE network card). Then connected the signal lines, power lines, and debugged the software. In the period of project tension, the hardware installation process has some of the following phenomena. Which of the following description of these phenomena is correct? (Multiple choice.)

- A. 5 devices TOE NIC A0, B1, and A0, B3 have these two ways, as are inserted in the PCIe slot, will not affect the system. Deployment will not affect the network bandwidth, so it cannot be adjusted.
- B. The signal cables are long and need to be strapped to the cabinet or placed on the bottom tray.
- C. Label NODE 01 A0-0 The signal cable is inserted in the network port A0-1. The signal cable labeled NODE01 B3-1 is inserted in the network position B3-0, due to the same network card two network port peer, you can place the wrong line, you cannot adjust.
- D. CE6850 switch connected to two stacked copper cables, one of which is needed to post-cold more cold, because it does not affect the network interoperability. You can base this software debugging.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 8

A customer deploys a set of OceanStor V3 storage in two cities and adopts asynchronous remote replication networking between the two storage arrays. Which of the following statement is correct? (Multiple choice.)

- A. The automatically created Asynchronous Remote Copy snapshot can either be a private quick pick or a public one.
- B. In a DR scenario, it is recommended to create a virtual snapshot of the secondary LUN and map it to the host for access.
- C. In remote replication link networking, parallel networking is better than crossover networking.
- D. The number of LUNs in the consistency group should be as small as possible, and only the LUNs that have write dependencies on the same application are placed in a consistency group.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 9

Huawei Standard Edition N8500 has two nodes the business mount Pubeth1 and Pubeth4. It opened the NFS service. NFS server except recovery after NFS guest. Client mount point can not be accessed into the directory for a long time without echo. What do you need to do to fix it?

- A. Restart the NFS server of the N8500
- B. Restart the client's NFS service
- C. Reseat the NFS client network cable
- D. Forcibly unmount the NFS client mount point and mount it again

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

Huawei OceanStor 9000 external shared mainly NFS and CIFS at the moment.

Set some parameters to improve performance of NFS mounted under the Linux operating system. Which of the following description is correct?

- A. Rsize / wsize, read and write the maximum size of each block, it is recommended to adjust to the maximum. General Linux operating system environment, the maximum value of 1M.
- B. Async, allowing asynchronous data write, synchronous write requirements. NFS server must brush each data into the hard disk before it can return success delay higher.
- C. Noatime, if you do not need to record the file access time, you can increase this parameter to avoid frequent access, modify the access time to open pin.
- D. Nolock, if there is a shared file between NFS clients, you can use this parameter. Reduce service-side file lock overhead.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

In Simpana software, incremental backup means:



<https://vceplus.com/>

- A. The data that has changed since the last backup.
- B. The data that has been changed since the last full backup.
- C. The completion of all data backup.
- D. After the initial backup, all data has back up.

Correct Answer: B

Section: (none)

Explanation

<https://vceplus.com/>

Explanation/Reference:

QUESTION 12

HUAWEI OceanStor 18000 Engine, SVP, Disk Enclosure, and PCI-e Switch Interconnection are applicable to certain rules and orders. Which of the following statement?

- A. SVP needs to be connected multiple engines through two PCIe switches, and each engine controller needs to be connected to a PCIe switch to ensure that link redundancy and to improve reliability.
- B. When the control plane is connected to a network, when the engine and the PCI-e switch are interconnected, the port 0, port A3 and PCIe port can be interconnected.
- C. Huawei slot 0 and slot 5 of the OceanStor 18000 engine enclosure can be used to install SAS interface modules and interconnect disk enclosures.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

There are multiple types of disks in a hard disk domain in the OceanStor V3 storage system. If you add one SAS disk to the hard disk domain, diagram will be balanced as follows:

- A. Tier 0 disks perform data equalization.
- B. All disks in the entire hard disk domain will participate in data equalization.
- C. The CK of the target CKG will be released after data equalization is completed.
- D. Oceanstor V3 enables cross-engine data equalization.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14

Info Replicator supports copying the data at the same time, the basic attributes of the home directory, extended attributes, ACL (access control list).

WORM (write-once-read-many) and CIFS / NFS share configuration information is also a **wealth island from the end**. When a disaster occurs, master and slave sites can quickly take over the business after the switch.

- A. True
- B. False

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15

When planning OceanStore Unified Storage Array synchronization remote replication, the following description is correct. (Multiple choice.)

- A. In the scenario where the actual RPO indicator requires zero, you can choose to synchronize remote replication.
- B. Synchronous remote replication can be used to map the main and secondary storage of the two sets of LUN mapping to the host to create a scenario volume instead of....
- C. Synchronous remote replication on the remote disaster recovery can be well done.
- D. Because synchronous remote replication does not use snapshots, after synchronous remote replication is interrupted abnormally, the data on the primary LUN needs to be resumed in reply. Start synchronization to the slave site.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

Which of the following VMWARE virtual machine scenarios can use VADP backup?

- A. The storage is connected directly to the virtual machine, including RDMs, directly to iSCSI or NFS.
- B. Virtual machines contain large databases.
- C. The virtual machine is deployed in the AIX operating system.
- D. Virtual machines contain non-Microsoft family applications.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

Database applications are one of the important applications supporting storage arrays. Storage arrays, operating systems, file systems, and database application systems, etc.

Different application configurations and parameter settings may affect the service performance. In order to store arrays (such as OceanStor V3 series storage) with SQL server application with the best performance, which of the following statement is wrong:

- A. OLTP database generally have a large number of random write, it is recommended to choose RAID 10 to store data.
- B. In order to improve write performance, all SQL server database data stored in the LUN write strategy is configured to "write back the image".
- C. Because the size of the SQL server page is 8K, in order to ensure the best performance of the database, NTFS allocated block size should not be less than 8KB.
- D. SQL Server database instance memory size and recovery mode of choice has no effect on the performance of the database.

Correct Answer: D

Section: (none)

Explanation



Explanation/Reference:

QUESTION 18

In the OceanStor VIS6600T dual-redundant switch network environment, using OceanStor Toolkit inspection found that "multi-path state detection "does not pass the inspection report, it is found that there are two routes in the 4 paths of the VIS6600T device's 0 node to each LUN of the array. The path status is disabled. According to the analysis, the switch port connected to port 0 of port A0 of node 0 on node 0 of the VIS6600T is visible on the optical switch. The received optical power is much lower than the rated power of the optical module. What repair strategy of the fault contains the error?

- A. Replacing the optical module of port 0 in slot A0 of node 0.
- B. Replacing the light of the P0 port in the A0 slot of 0 node.
- C. Replacing the optical module of the port connected to port 0 of the corresponding 0-node A0 slot on the switch.
- D. Reseat the FC interface card corresponding to slot 0 of node A0.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

What commands are installed there for viewing SCSI controller information on Linux systems with Qlogic HBAs?

- A. lspci | grep SCSI
- B. cat / proc / scsi / scsi
- C. cat / proc / scsi / qla2300 / 1 | grep port
- D. lspci | grep Ethernet

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

Maintaining a persistent connection between host and storage, ESXi must support multipathing. Please check out Incorrect description multipathing for VMware vSphere 5.5

- A. In addition to path failover, multipathing also provides load balancing. Load balancing is the process of distributing I / O load across multiple physical paths.
- B. In the event of a path failover, the virtual machine I / O delays Nintendo pump by 60s.
- C. If the failover takes a long time to complete, the windows virtual machine may interrupt the I / O and eventually fail. To avoid this problem barrier, please set windows virtual machine according to the timeout to at least 30 seconds.
- D. When coordinating vmware NMP and any third-party MPP installed, the PSA (Pluggable Storage Architecture) performs load and unload multipathing plug-ins; handle physical path discovery and removal.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21

Which of the following copy is supported by OceanStor V3 remote file system?

- A. Synchronous and asynchronous replication
- B. Simultaneous replication
- C. Asynchronous replication
- D. support multiple file system consistency replication

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 22

On the Windows Server 2008 R2 system hard disk partition to set a reasonable sector (cluster) size is correct:

- A. Create a 2TB NTFS volume, the default sector (cluster) size is 8KB.
- B. Create a 30GB FAT32 volume, the default sector (cluster) size is 8KB.
- C. NTFS volumes can be set to the largest sector (cluster) to 512KB.
- D. The smallest sector (cluster) that an NTFS volume can set is 4KB.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 23

A VTL6900-I system, the backup server connected to it is the Linux operating system. The backup server and the VTL6900-I system are directly connected through the FC.

The server identifies the device information as shown below. After the backup server is configured as a backup client for the VTL6900-I system and the backup VTL system on the server virtual library process, which the following operation and description is correct: (Multiple choice.)



<https://vceplus.com/>

- A. When configuring the backup client on the VTL side, you need to know that the WWPN of the FC port that connects the VTL to the VTL is available on the server in the sys /class / fc_host directory and subdirectory to the corresponding WWPN port.
- B. Server-side identification has been detected with the library device command is cat / proc / scsi / scsi.
- C. As shown in the figure, among the devices identified on the server side, the device labeled 1 is the scanned library.
- D. As shown in the figure, of the devices identified on the server side, the device labeled 2 is the information for the scanned tape.

Correct Answer: ABC

Section: (none)

Explanation



Explanation/Reference:

QUESTION 24

The customer needs to create a new OLAP backup database for batch import of online database data at night, and the database software is SQL server 2008. The database file size is 20TB and the storage array is OceanStor v3, which requires a stable write bandwidth of 1800MB / s. What kind of allocation set the most suitable customer requirements?

- A. 2TB NL-SAS hard drive, 8D + 2P RAID6 configuration
- B. With 2TB NL-SAS hard disk, configure 8D + 1P RAID5
- C. 600GB 15Krpm SAS hard drive, 8D + 1P RAID 5 configuration
- D. Configure raid 10 with 600GB 15rpm SAS hard disk

Correct Answer: C

Section: (none)

Explanation

<https://vceplus.com/>

Explanation/Reference:

QUESTION 25

Huawei Oceanstor 9000 node, read and write performance from high to low. What is the correct order?

- A. P25 Node SSD Hard Drive> P25 Node SAS Hard Drive> P36 Node SATA Hard Drive> P12 SATA Hard Drive> C36 SATA Hard Drive
- B. P25 Node SAS Hard Drive> P25 Node SSD Hard Drive> P36 Node SATA Hard Drive> P12 SATA Hard Drive> C36 SATA Hard Drive C. P25 Node SSD Hard Drive> P25 Node SAS Hard Drive> P36 Node> C36 SATA Hard Drive> P12 SATA Hard Drive
- D. P25 Node SSD Hard Drive> P25 Node SAS Hard Drive> C36 SATA Hard Drive> P36 Node SATA Hard Drive> P12 SATA Hard Drive

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26

Double-active disaster recovery solution configuration needs to be done after the acceptance test. Which of the following posting acceptance scenarios business should not be affected? (Multiple choice.)

- A. Single VIS device failure
- B. Single oracle failure
- C. A single data center full failure
- D. Third-party arbitration array failure

Correct Answer: ABCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27

Simpana client fails to perform backup, view the status of the task. It reported the following error "library, mediaAgent, Drive pool, Meida: mount path is offline. Advice: please check if the mountpath is online adn accessible ".

What may can be the cause of this problem?

- A. Client offline
- B. Media Services Offline
- C. The client cannot resolve the media server host name
- D. backup media failure

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

One customer wants to deploy one OceanStor v3 storage to meet the capacity and performance requirements. Where its specific configuration number of the hard drive is needed to be considered? (Multiple choice.)

- A. Hard drive capacity
- B. Metadata space size
- C. Hard drive type
- D. RAID type



Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 29

Huawei disaster preparedness plan, production site deployment oracle RAC cluster, in order to ensure the production side failure, disaster recovery database to provide normal service Services.

Which of the following statement is correct?

- A. Disaster recovery end must be deployed, oracle rac cluster can not deploy oracle single node.
- B. Oracle RAC grid production side of the file must be copied to the disaster recovery side.
- C. Unable to copy the production side of the FRA file will be able to guarantee the normal provision of services at the northern end.
- D. Production end of the oracle data files and log files can not be placed in the same consistency group.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30

Which of the following information about the InfoEqualizer function of Huawei OceanStor 9000 is correct? (Multiple choice)

- A. When using the InfoEqualizer function, you need to configure DNS. If you use an external DNS server, when configuring the DNS server, there is a setting of "reverse lookup zone name", network ID setting in this tab, you need to input network ID in reverse order.
- B. When there is a DNS server in the user network, the DNS server in the user network does not need to configure the forwarding record. When the user network without DNS service server, configure the InfoEqualizer DNS IP address as the DNS server's address on the client.
- C. The root domain name is the domain name InfoEqualizer configured for the cluster. This domain name must be configured as the fully qualified domain name, that is, the domain name that includes the root node.
- D. The domain name of the partition is configured as the relative domain name, and the root domain name of the InfoEqualizer is automatically taken as the suffix of the domain name, and the full name of the domain name is formed with maximum support of 32 partitions.

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31

Two sets of OceanStor unified storage with synchronous remote replication are effective in the following ways to improve host write performance on the primary storage:

(Multiple choice.)

- A. RPO does not require 0 for the scenario, it is recommended to use asynchronous remote replication.
- B. The main storage using smart cache acceleration, speed up the main storage IO processing speed.
- C. According to the service pressure of the LUNs stored on the primary side, assign the home controllers of each LUN to the A and B controllers.
- D. If you are using an asynchronous remote replication scheme, you need to design a startup synchronization time based on the RPO metrics and consider the setting possible startup synchronization time during the business.

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32

When a customer uses simpana software, CS can not start normally due to some reason and needs to recover the CS. Which of the following situations will cause the restoration to fail?

- A. The backup server and the media server can not communicate properly.
- B. The link between the backup media and the media server is down.
- C. Backup server SQL database failure.
- D. DDB is abnormal.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:



QUESTION 33

Customers use Redhat Linux enterprise 6 LVM to manage user data disks in the cluster. What is the possible reason, when using pvmove data migration can not enforce OK?

- A. Pvmove command does not support Linux cluster.
- B. Redhat Linux enterprise 6 version of lvm does not support the pvmove command.
- C. You need to install the cmirror package and run it on the cluster server.
- D. Need to lvm version down to 1.0 before using pvmove migration data.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 34

A N8500 (V200R001) clustered NAS system with a set of storage units at the back end. Three RAID Groups, respectively named RG1, RG2, RG3 have been created on the storage unit. There are two LUNs under each RAID group, the capacity of each LUN is 12G. The names are RG1-LUN1, RG1-LUN2, RG2-LUN1, RG2-LUN2, RG3-LUN1, RG3-LUN2, and all LUNs are added to one in storage pool. The purpose is to create a file system based on these LUNs. What of the following will certainly create a failure?

- A. fs create striped fs01 10g 3 RG1-LUN1, RG2-LUN1, RG3-LUN1 stripeunit = 2048 blksize = 8192
- B. fs create mirrored fs02 10g 2 RG1-LUN2, RG2-LUN2 stripeunit = 2048 blksize = 8192
- C. fs create mirrored-stripe fs03 10g 2 2 RG1-LUN1, RG2-LUN1 protection = disk stripeunit = 2048 blksize = 8192
- D. fs create striped-miirro fs04 20g 2 3 RG1-LUn1, RG1-LUN2, RG2-LUN1, RG2-LUN2, RG3-LUN1, RG3-LUN2 protection = disk stripeunit = 512 blksize = 1024

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35

Redhat Linux Enterprise 6 cp command is used to complete the operating system data migration. What steps are needed to verify confirmation transfer into Power?

(Multiple choice.)

- A. Check if the size of the migrated file is the same as the original data.



<https://vceplus.com/>

- B. Check if the number of documents corresponds to the original data
- C. Check if each file with read and write permissions corresponds to the original data
- D. Whether the time for reviewing the case file corresponds to the original data.

<https://vceplus.com/>

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 36

HPUX system has two user volume groups: VG01 and VG02. Execute the following command `vgexport-v-s-p -m /tmp/vg01.map / dev / vg01` and `vgexport-v -s -m /tmp/vg01.map / dev / vg02`. Can `vglist` view the volume group then?

- A. vg01
- B. vg02
- C. vg01 vg02
- D. empty

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 37

A banking business running background storage system requirements are as follows:

- (1) Business Impact. The business impact generated by the operating system is about 100KB.
 - (2) The service operation system is the whole GE network. The server and operating system are GE network. Follow-up to consider the business needs to upgrade to 10GE.
 - (3) Only requires 72TB of total space, the latter expansion priority to expand the disk
 - (4) Only 20U of rack space is reserved for the current storage devices. The configuration of three nodes and switches is prioritized to meet the requirements of the machine room. Cabinet planning based on the above requirements. What are the more appropriate networking solutions?
- A. Program One:
 - 1 * OceanStor 9000 C Node
 - 36 * 2TB SATA configuration
 - 2 * Front-end GE + 2 * Rear-end 10GE
 - B. Scenario 2: 3 * Oceanstor 9000 C Node
 - 36 * 2TB SATA hard drive;

2 * Front-end GE + back-end 2 * 10GE

C. program three:

3 * OceanStor 9000 P Node

36 * 2TB SAS configuration

2 * Front-end GE + 2 * Rear-end 10GE

D. Program Four:

3 * OceanStor 9000 M Node

36 * 2TB SAS configuration

2 * Front-end GE + 2 * Rear-end 10GE

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 38

Which of the following best practice description of Oracle database is correct? (Multiple choice.)

- A. OLAP business query output is usually a statistical value (using group by with order by), so you can set a larger SGA-target value (relative to OLTP).
- B. It is recommended to use UDEV UUID and drive letter binding, in Linux environment configuration Oracle database, to avoid subsequent maintenance letter changes caused by the database which can not start.
- C. If the database OLTP business log write is very frequent, it is recommended that the appropriate online log file up, but it is recommended not to exceed 128MB.
- D. In Windows2008 or windows2012 operating system environment, in order to improve I / O processing efficiency, MBR partition is created, and diskpart command is recommended to set the partition alignment.

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39

Which of the following is a description of the UltraPath multipath setting? (Multiplexed.)

- A. The mode of operation of the array can be in-controller load balancing or inter-controller load balancing.
- B. Load Balancing Mode Including wheel training algorithm, the maximum queue depth algorithm, the maximum workload algorithm.

- C. After the connection is interrupted between the LUN home controller and the host, the host accesses the LUN through the peer controller. In this case, the overtrail software defaults the switched home controller of the LUN to the remote controller.
- D. When multipath detects a preferred controller failure recovery, the I / O is resumed immediately at the preferred controller by default.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 40

The disaster recovery plan of Huawei means that when the production site fails, the production business is automatically switched to run the disaster recovery site.

- A. True
- B. False

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 41

If you need to automate DR protection of an Oracle database in Replication Director, the configuration flow is:

- A. Create a site discovery store, find the host registration store, register the host to create a protection policy.
- B. Discovery Store, Discovery Host Registration Store, Register Host Create Site Registration Store Create Protection Group Create Protection Policy.
- C. Found storage, found that the host to create a site registration store, register the host to create a protection group to create a protection strategy.
- D. Create a site registration store, register the host to create a protection group to create a protection policy.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42

iSCSI protocol is mapped on the TCP protocol. For a TCP encapsulation of iSCSI protocol insulation, which of the following parts are not included?

- A. TCP Header
- B. IP Header
- C. iSCSI Header
- D. iSCSI data

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 43

Which of the read and write strategy of Huawei Oceanstor V3 storage system is correct?

- A. Read and write strategies include permanent, default, recycling.
- B. Recycling strategy is suitable for business scenarios that require high performance and small amount of data.
- C. Select out the recycling strategy when the data or write data is the lowest priority.
- D. Resident strategy is suitable for large read and write data, and read-only scenes.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 44

Backup media using PTL or VTL simpana backup software can not start the deduplication function.

- A. True
- B. False

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 45

Which of the following operations is not a disaster recovery fault Recovering a production system manually Configure the necessary operations? (Multiple choice.)

- A. Stop the current production business, delete the host mapping.
- B. Adding the remote device to the original production side array.
- C. With the disaster recovery array as the master LUN and the original production array as the slave LUN, create the remote replication relationship between the DR and the production end and wait for the initial synchronization to be completed. D. Make an incremental synchronization.
- E. Delete the original production array consistency group.

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:



QUESTION 46

An Oceanstor V3 system "alert" shows a message: "SPF [0] LOW Rx power alarm because Low Rx pow ALM of SFP0 is **deleted/deflected**." The cause of the malfunction is:

- A. Equipment distribution voltage is insufficient, the device into a stream of electricity.
- B. The power module is not enough power to replace the power module.
- C. The voltage of the board is low or the light receiving power is low.
- D. Optical module port card loose connection.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 47

Which of the OceanStor V3 file system remote replication description is correct? (Multiple choice.)

- A. The object-based approach to data replication
- B. ROW snapshots based on the cyclical manner of data replication
- C. Can be manually set off by the user or system timing synchronization starting
- D. Support the Quota quota information of the main file system to the slave, no need to configure the quota quota

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 48

If there is a problem with the VMFS datastore for ESXi5.5, check the VMFS using VMware ondisk metadata analyzer (VOMA) or VMFS volumes provide support for the logical volume of the Su-Soviet drama consistency, please select the wrong mode of operation. (Assume the LUN NAA ID is naa.60022a110009a8a800042e1800000000: 1).



<https://vceplus.com/>

- A. Turn off the power of all running virtual machines or migrate these virtual machines to another data store
- B. Use the esxcli storage vmfs extent list command to obtain the name and partition of the vmfs data store to be backed up after the provision of number of the supported devices.
- C. voma -m vmfs -f check -d /vmfs/devices/disks/naa.60022a110009a8a800042e1800000000:1
- D. voma -m vmfs -f check -d naa.60022a110009a8a800042e1800000000: 1

Correct Answer: D

<https://vceplus.com/>

Section: (none)

Explanation

Explanation/Reference:

QUESTION 49

Which of the following scenario IO model characteristics belong to random small IO? (Multiple choice.)

- A. OLTP
- B. OLAP
- C. VDI
- D. SPC-1

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 50

Which of the following is not part of the storage troubleshooting process?

- A. Manually clear the NMS alarm and turn off the alarm light.
- B. Observe the symptom and collect the fault information.
- C. Troubleshoot according to the "Event Reference" or "Troubleshooting" manual.
- D. Maintain faulty environment and contact technical engineer for support.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 51

Which technology enhances performance of Huawei OceanStor 9000 application? (Multiple choice.)

- A. Support for SMB3 multichannel features that take full advantage of client-side multi-core CPUs and bandwidth resources to dramatically improve performance.

- B. When a hard drive has multiple objects at the same time to write requests, support merged into a large continuous IO, significantly improve system performance.
- C. **Internal file system replication, without having to go through the client directly in the system to complete high-speed**
- D. Supports 10GE and PCIE networking, providing high performance through high-speed inter-node interconnection and reducing system internal delay.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 52

A customer's initial backup capacity of 1TB, the average daily data increment of 10G, backup strategy is once a week, all the equipment once a day from Tuesday to Sunday.

Difference in reserve, all reserve and additional backup data are stored for 4 weeks, regardless of deduplication / redundancy ratio / replication, etc. Please calculate the required back-end.

The capacity should not be less than _____. This 1TB is calculated according to 1000G

- A. 4940G
- B. 4280G
- C. 5940G
- D. 5280G

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53

away from Which of the following description is correct about simpana backup software snapshot? (Multiple choice.)

- A. Pause the app before the snapshot, go to the hardware storage snapshot to trigger a common snapshot with application consistency.
- B. Backup software snapshot function can automatically find the storage volume of the file system, database, mail system.
- C. Background snapshots can be indexed to ensure application recovery and small particle recovery.
- D. Snapshots backup can be offline, the backup server almost has no impact.

Correct Answer: ABCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 54

When planning dual-active disaster recovery solution, the business end adopts the cluster application. Which of the following clusters is the application cluster?

- A. mSCS
- B. Oracle RAC
- C. HACMP
- D. SQL server

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 55

Which of the following is correct about Huawei OceanStor v3 unified storage system? (Multiple choice.)

- A. Standalone SAN engine and stand-alone file engine
- B. Parallel dual-stack by way of parallel support (SAN) and file system (NAS)
- C. Use unified storage pool technology
- D. file system can achieve deduplication data compression function

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 56

Disaster recovery project information research mainly includes information about who what why three. What is the following information background? (multiple choice)

- A. A bank has more than XX customers and XX corporate customers.
- B. Data loss will be huge and business disruption may result in significant financial loss.
- C. Business interruption has a huge impact, and the interruption time in business deployment is less than 2 hours.
- D. Clients want to build two live-action data centers in the same city to realize the key business activities such as RTO 2.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 57

An enterprise buys a set of Huawei OceanStor 9000 storage. Some of the enterprise's basic software is stored in a directory, and users can access this **enjoy/it**. In order to facilitate the operation, when asked to access do not enter the account password, as when engineers do this operation, the basic software directory is set to a total of NFS **enjoy**, and check the share of the "guest enabled" option.

- A. True
- B. False

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

NFS does not have guest users this option.

QUESTION 58

In preparation for disaster recovery design, what is the description of the right side.

- A. Use the same type of disk as the master
- B. Raid set the same as the master
- C. The capacity of Lun and primary LUN is the same
- D. Use the same amount of disks as the master

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 59

Which statement about the RMAN restore and restore is wrong?



<https://vceplus.com/>

- A. Restore (restore) refers to the previously generated backup set, get one or more objects, and then set to restore these objects.
- B. Recovery (recovery) is a database that is consistent with the given point in time to ensure that this database can be opened.
- C. Usually restored content lags behind the latest database SCN, so you need to ensure consistency through the restoration of the database.
- D. For the restored data files can be archived logs and online logs to complete the recovery.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 60

Huawei Oceanstor 9000 provides a single file system to the outside through the unified file system namespace management. Which of the following description is correct? (Multiple choice.)

- A. The namespace is automatically created when HUAWEI OceanStor 9000 is started with the same name as the system namespace.
- B. Namespaces as the root directory of the entire system can not be shared and visited, only if ask the subdirectories below it can be shared and visited.

<https://vceplus.com/>

- C. A unified namespace provide users with a unified storage resource pool to achieve the centralized management of storage space and distribution.
- D. Each file share directory is a subdirectory of the namespace.

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 61

What are the several recovery mode drills of Huawei Replication Director disaster recovery?
(Multiple choice.)

- A. Planned Migration
- B. Failover
- C. Business Recovery
- D. fault recovery

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 62

Which of the following feature is correct about the OceanStor V3 volume mirroring? (Multiple choice.)

- A. After creating a mirrored volume for a normal LUN, the server read-write IO results in a change as a result of internal information exchange.
- B. The amount of data actually stored on a LUN is 2G, the total copy of the data is 4G. A volume image is created for the LUN, the LUN is mirrored when the copy is generated during system creation.
- C. You can configure a volume mirror for external LUNs or configure external LUNs as mirror copies.
- D. When configuring volume mirroring, mirror copies are required from different disk domains.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 63

Using non-deduplication storage based on the disk library strategy, data recovery fails after the data life of the backup has expired:

- A. Client corresponding partition insufficient space
- B. Client One or more simpana services are not started
- C. The storage policy checked enable managed disk space for disk library option, leading to the disk's thresholds from the effectively managed disk space.
- D. The client is abnormal with cs or MA communication.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 64

What are the design information research activities in the backup solution? (Multiple choice.)

- A. Customer needs collection and refining
- B. Backup capacity calculation
- C. Project background research
- D. Network environment is collected

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 65

What are the ways of load balance cluster software in the most basic functions, the load balancing on Oracle rac? (Multiple choice.)

- A. Client Balance
- B. Cluster nodes balanced
- C. Service layer balance

D. Instance load

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 66

In the scenario of protecting the database, the slave uses the virtual snapshot method to verify the services of the production end and the DR-side and discover the data of the DR on the disaster recovery end. What are the possible reasons that the library can not start normally? (Multiple choice.)

- A. After a snapshot of the LUN of the redundancy site is created, the snapshot is not activated at the same time.
- B. Disaster recovery side of the data stored in the cache, not yet written to the hard disk.
- C. When creating a snapshot on the disaster recovery end LUN, the production end is copying data to the disaster recovery end.
- D. The production end and disaster recovery end adopt the disaster recovery solution of incremental LUN copy, and the incremental data link is abnormal during the synchronization.

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 67

The OceanStor V3 storage system has 96 hard disks in one hard disk domain. To maximize the performance of the hard disk, it is recommended to use the LUNs in the hard disk domain.

The total number of **hard disks** is not less than:

- A. 96 B.
- 4
- C. 32
- D. 12

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 68

Which of the following statements about multi-planar system design of Huawei Oceanstor unified storage system is correct?

- A. The service plane uses GE channels for data transmission.
- B. The service plane connects the host IO channel, disk IO channel and GE switching channel.
- C. Plane redundancy between each other, when the business plane fails, allowing the use of control plane transmission services.
- D. When the GE switch channel fails, you can use the PCIe switch channel as a backup data transmission channel.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 69

If the main service is normal in the simpana-based backup solution, view the following log:

- A. CVMA. log
- B. CVNetcheck. log
- C. CVService. log
- D. CVD. Log

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 70

Which of the following statement about RAID 2.0 is correct? (Multiple choice.)

- A. The hard disk is divided into chunk.
- B. Lun consists of extend or grain

- C. A CKG chunk may come from the same hard disk.
- D. Chunk in a CKG may come from a different storage pool.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 71

Huawei Oceanstor backup solution integration program is one machine.

- A. True
- B. False

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 72

Huawei OceanStor 18000 engine, SVP, disk enclosure, and PCIe switch interconnection must be in accordance with certain rules and order. Which of the following statement is incorrect?

- A. The SVP needs to connect multiple engines through two PCI-e switches, and each engine's controller needs to be connected to a PCIe switch to ensure that the link redundancy provides reliability.
- B. When the control plane is connected to the network, when the engine and the PCIe switch are interconnected, the port P0 of the A3 slot and the PCI switch PCI port can be used pick up.
- C. Huawei OceanStor 18000 can be used to install SAS interface modules and interconnect disk enclosures in slot 0 and slot 5 of the Huawei OceanStor 18000.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 73

A site data volume of 600GB, **A, B** site replication bandwidth between 40% of GE network resources, asynchronous remote replication synchronization type settings. Timing for the beginning of synchronization is 180 minutes, 9:00 AM initial synchronization of data. When will the next time synchronization start?

- A. 10:25
- B. 12:00
- C. 15:00
- D. 15:20

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 74

In an OceanStor V3 series storage array, all the snapshots of a LUN occupy not more space than that of the LUN.



<https://vceplus.com/>

- A. True
- B. False

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

<https://vceplus.com/>

QUESTION 75

In order to verify the consistency of the slave LUN data with the source data and to protect slave LUN data, which of the following description is incorrect:

- A. Create a virtual snapshot of the slave LUN and activate it, then map the snapshot LUN to the host for authentication.
- B. After the snapshot LUN is mapped to the host, the host can read and write the snapshot LUN.
- C. After the verification is completed, stop the upper-layer service application, release the LUN mapping, and finally delete the snapshot.
- D. Stop the snapshot before the host can write snapshot LUN.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 76

During the migration of SAN storage by LVM from AIX, the data migration designer is in a very important stage. Prior to accessing new devices, there are a number of issues that needs to be considered to help with data migration design, including: (Multiple choice.)

- A. This device can not / should not be connected to an existing SAN.
- B. AIX system how to connect to the new storage device.
- C. How AIX systems and data can be migrated from the old disk to the new disk.
- D. The format of the file system, whether the file group is compatible with the new device volume.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 77

Which of the following describes the correct process of disaster recovery and Huawei disaster recovery solution?

- A. The disaster recovery side to create a snapshot
Map the snapshot to the disaster recovery host
Disaster Recovery Host scans the disk
Start disaster recovery application

- Test disaster recovery applications
- B. Forcibly switch the replication relationship
 - Map lun
 - Start disaster recovery application
 - Test application started successfully
 - Resume production business
- C. Stop production application and dismiss the host mapping Switch the replication relationship
 - Map lun
 - Start disaster recovery application
 - Test application started successfully
- D. Release the host mapping Switch the replication relationship
 - Map lun
 - Start disaster recovery application
 - Test application started successfully

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 78

Simpana client failed to perform backup task, view the task status, reported the following error: library mediaagent drive pool media []: Mount path is offline advice: please check if the mount path is online and accessible " What can cause this?

- A. Client offline
- B. Media Server Offline
- C. The client can not resolve the media server host name
- D. backup media failure

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 79

In simpana backup software, incremental backup means _____.

- A. The data that has changed since the last backup is backed up.
- B. Changed data backup since last full backup.
- C. Full backup of all data.
- D. After the initial backup data backup of all data.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 80

Simpana remote deduplication, when the data from the source to the target end of the process, the source of the data block is transmitted with first hash ratio. There is no need to transfer any data if the block was previously transmitted.

- A. True
- B. False

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 81

By which of the following technologies can vmware VDI reduce the storage space used by the virtual desktop system?

- A. View storage accelerator (VSA)
- B. Persona management
- C. Link cloning
- D. SE sparse virtual disk

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 82

If a customer needs to install the simpana file system, backup client on the production system server and proceeds the following Backup and recovery operations, which of the following configuration is essential? (Multiple choice.)

- A. In the backup client **Tianjin ah master** server resolution.
- B. Add a resolution of the media server on the backup client.
- C. When the master server adds the resolution of the backup client.
- D. Add a resolution of the storage media to the media server.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:



QUESTION 83

Users use vsphere 5.5 build business virtualization, in the course of the operation found that a host using too many SCSI reservations lead to other server access the same user leading to vmfs performance degradation. What method can be used to eliminate the root cause of SCSI reservation conflicts? (Multiple choice.)

- A. Reduce the number of snapshots.
- B. Reduce the number of virtual machines per LUN.
- C. Increase the number of LUNs and limit the number of hosts accessing the same LUN.
- D. Change the type of virtual disk created.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 84

HP UN order lvextend-m parameters can be set behind. What is the value? (Multiple choice.)

- A. 0
- B. 1
- C. 2
- D. Unlimited

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 85

Oracle database normally starts the opening state of the process. Which files must it read? (Multiple choice.)

- A. Parameter file
- B. Control Documents
- C. Archive log file
- D. Data files



Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 86

What are the common high-risk operations under Linux? (Multiple choice.)

- A. rm delete file operation



<https://vceplus.com/>

- B. mkfs. ext3 format file system operation
- C. dd command
- D. Continue to write new data to the file system after the file system is damaged

Correct Answer: ABCD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 87

Which description of N8000 Clustered NAS file system snapshot features and their application is wrong?

- A. Snapshot file system can be dedicated as a separate space to the client.
- B. For a file system can create multiple snapshots, support snapshots of the snapshot
- C. Snapshot file system provides only read-only access to external, can not provide write operations
- D. File System Snapshot Instantly copy the source file system completely available copy, when due to viruses or man-made misuse and other causes of the original file system system is not available, the rollback of the snapshot can restore the original file system.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 88

<https://vceplus.com/>

For commonly used SQL server 2005 and 2008, users can connect to a specific service through sql server management studio tool database engine. In the connection group of user name and password for login there are two ways to connect authentication. Which mode is needed for client application connection?

- A. sql server authentication
- B. Windows authentication
- C. Log in as super user
- D. Other ways when landing

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 89

Huawei Oceanstor 900 adopts erasure code technology to protect the data. If an office has six nodes, and the customer wants to have one office, (**Article broken three cases of the disk**). There are three cases of the broken disk, you can still guarantee that the data can be restored. You can use the redundancy protection level: (Multiple choice.)

- A. 4 + 3: 1
- B. 6 + 3
- C. 4 + 2
- D. 12 + 3: 1

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 90

The volume group vg01 has been **yo ushuju**, and the client business has run. Modify vg01 into vg - app without affecting the HPUX 11.31 system. What's the main step in data on vg?

- A. can not sit down
- B. vgchange

- C. vgexport mkdir mknod vgimport
- D. vgremove mkdir mknod vgcreate

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 91

When the database is protected and the virtual snapshots are used from the end to verify LUN data consistency on the production end and the disaster recovery end. Disaster recovery end of the LUNd database can not be started normally. What is the possible reason? (Multiple choice.)

- A. After a snapshot of the LUN of the redundancy site is created, the snapshot is not activated at the same time.
- B. Disaster recovery storage side of the database resides in the cache has not been written to the hard disk.
- C. When creating a snapshot on the disaster recovery end LUN, the production end is copying data to the disaster recovery end.
- D. The production end and disaster recovery end adopt the disaster recovery solution of incremental LUN copy. The incremental data is abnormally interrupted during the synchronization process and has not been repaired.

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 92

RAID2.0 has the natural advantage of supporting the smart tier, to accelerate the performance of hot data. Which of the following surface description about the smart tier performance is correct?

- A. When smart LUNs act as backup media, smart tier's performance improvement on this LUN is not obvious.
- B. During the running of the business, the extent size can be adjusted by the size of the hotspot area to obtain better performance.
- C. Literacy ratio in the 1:9 scenario, enabling the smart tier has greatly improved the performance of the business.
- D. Smart tier has no effect on host performance during hot data migration.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 93

In the OceanStor 18000 storage system, a 15K RPM SAS disk is used. Assuming that the average seek latency of this type of disk is 6 ms. This type of disk can provide a single disk IOPS.

- A. 100
- B. 150
- C. 125
- D. 167

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 94

Huawei OceanStor storage controller BBUs are both fault alarm. Which description is correct for the upper application?

- A. System does not work.
- B. If the device is powered off unexpectedly, some of the business data will be lost.
- C. Business performance is not affected.
- D. Upper business IO read and write will not have any impact.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 95

The client environment is the HP-UX11i v2 operating system, the HBA is the AD193A, and the operating system comes with the driver. The storage array is Huawei OceanStor V3, when the LUN mapping between HP-UX and the storage system is completed, you can not change the topology mode of the FC host interface card on the storage system.

- A. True
- B. False

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 96

In HP-UX system, remove the lv image lvreduce or lvsplit command / dev / vg01 / lv - test existing a mirror, test the implementation of the following command lvsplit / dev / vg01 / lv -, using vgdisplay-v system to see what lv is.

- A. LV-test
- B. lv-testa
- C. lv-testb
- D. lv-testbackup



Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 97

What is correct about the reconstruction and reconstruction of Huawei OceanStor V3 storage system? (Multiple choice.)

- A. Can quickly recover valid data, not updated data does not need to be restored.
- B. Complete reconstruction requires data difference log information.
- C. Recovery Refactoring uses a scenario where the disk can not be used for downgrade.
- D. In the event of a sudden disk failure recovery reconstruction.

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 98

A user configures Huawei OceanStor 9000 as follows:

1. Create a user group group01, group01 in the directory / home / group01 configuration like:

Recommended threshold: 10GB, software threshold: 15GB, grace period 10 days hard threshold 20GB

2. Create user user01 in the user group group01. The configuration of the user user01 in the directory / home / group01 is as follows: The recommended threshold is 8GB

Software threshold 18GB

Grace period of 15 days

Hard threshold 25GB

The quota that user01 is in the directory / home / group01 is:

A. Recommended threshold 10GB

Software threshold 15GB

Grace time 10 days

Hard threshold 20GB

B. Recommended threshold 10GB

Software threshold 18GB

Grace time 10 days

Hard threshold 20GB

C. Recommended threshold 10GB

Software threshold 15GB

Grace time 15 days

Hard threshold 20GB

D. Recommended threshold 8GB

Software threshold 15GB

Grace time 10 days

Hard threshold 20GB

Correct Answer: D

Section: (none)

Explanation



Explanation/Reference:

QUESTION 99

A TV station plans to adopt Huawei OceanStor 9000 as a back-end storage system, with 10 OceanStor 9000 C node, planned to be deployed in 4 standard cabinets, with all backends connected to a pair of stacked back-end CE6850 switches. There is no single customer in the existing networking standalone management network. Which of the network IP address planning described below is incorrect?

- A. You can plan back-end storage network for 9000 internal communications, without planning gateway address, and front-end network with the same network segment IP address.
- B. Oceanstor 9000 front-end network and management network can be considered together, planning for the same network segment.
- C. Back-end CE6850 switches need to use four stacked cables for stacking connection to ensure bandwidth requirements
- D. The external NTP server address and the Oceanstro 9000 front-end network need to communicate to ensure that the oacenstor 9000 system and client applications maintain time synchronization.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 100

Which of the following is not a disaster recovery? Restart manual configuration necessary to restore the production system (Multiple choice.)



<https://vceplus.com/>

- A. Stop the current production business
- B. Add the remote device to the original production array

<https://vceplus.com/>

- C. With the disaster recovery array as the master LUN and the original production array as the slave LUN, create the remote replication relationship between the DR and the production end and wait for the initial synchronization to be completed. D. Make an incremental synchronization.
- E. Delete the original production array consistency group.

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 101

A client application scenario, IO business model for the random read, IO size is about 100K, the depth of the storage array LUN stripe set to the number of suitable _____.

- A. 8K
- B. 16K
- C. 64K
- D. 128K

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 102

Which remote replication description about the OceanStor V3 file system is correct? (Multiple choice.)

- A. The object-based approach to data replication.
- B. ROW snapshots based on the cyclical manner of data replication.
- C. The user can trigger manually or system timing synchronization.
- D. Support dequota quota information of the main file system to the slave, no need for the slave to configure quota.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 103

Which of the following description about Huawei Oceanstor 9000 to achieve deErasure code $N + M$ redundancy technology is wrong?

- A. Huawei Oceanstor 9000 can configure different data protection levels for different directories / files.
- B. Data written to Huawei OceanStor 9000 system will be divided according to the size of 4G chunk.
- C. Every N chunk, according to Erasure code algorithm to calculate M chunk calibration fast.
- D. The utilization of protected data space is about $N / (N + M)$, the reliability of the data is determined by the value of M , the greater the M is, the higher the reliability.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 104

The following is the erroneous description of info stamper in OceanStor 9000 storage system:

- A. Oceanstor 9000 uses COW technology for metadata
- B. Oceanstor 9000 uses ROW technology for data
- C. Between snapshots of different versions, there is common data between the snapshot and the current year
- D. According to the snapshot version data objects have a backward dependency, so when reading the snapshot data, according to the object dependencies, the system determines from which object to read.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 105

Huawei two nodes standard N8500 opened the CIFS service. Which of the following CIFS parameters allows users to view the other users without seeing the headrecord?

- A. oplocks
- B. noguest
- C. fs_mode
- D. hide_unreadable

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 106

In order to support business expansion, a large enterprise has decided to purchase two Huawei OceanStor 9000 storage systems instead of existing NAS systems.

Cheng replication capabilities, The two systems were deployed in two cities. **S data center (D and Y said), mutual backup, usually a system as the main System work, the other as a disaster recovery system,** The main operating system of the business operation time is 8: 00-18: 00. Which of the following description of disaster recovery on disaster recovery applications planning is correct? (Multiple choice.)

- A. Info replication As an optional feature of Huawei OceanStor 9000de, the production sites and disaster recovery sites need only the production site to purchase info replicator feature of the license
- B. Plan a separate directory for each type of service using the Huawei OceanStor 9000 system at the D and Y sites in the system's root directory As a remote copy of the master directory, and shared to the corresponding business server i
- C. Because the client's business traffic is mainly concentrated in the daytime working hours, you can not set the replication zone bandwidth limit, the synchronization task on the non-workers
Make time, take full advantage of node bandwidth
- D. For each type of business to create a pair for the type of business data replication synchronization

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 107

In the case of the Oceastor VIS6600T with dual switch redundancy networking, log in to the Windows machine connected to the VIS6600T and configure the set of multi-path software Ultrathin control interface to see the number of physical path than the planned network computing path less, the possibility of this phenomenon. What is the reason for this? (Multiple choice.)

- A. Host to the optical switch connection is abnormal.
- B. When configuring the zone on the switch, configure the FC port and the host port that works in the working mode of the VIS6600T as a target in one zone.
- C. The working mode of the VIS6600T is abnormal because the initiator's FC port is connected to the optical switch.
- D. In the working mode of VIS 6600T, the connection between the FC port of the target device and the optical switch is abnormal.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 108

Which of the following vmware backup networking, does not apply directly to the scene on tape?

- A. Both VSA and MA are installed on the virtual machine.
- B. VSA MA ISE are installed on the physical machine.
- C. VSA is installed on the virtual machine, and the MA is installed on the physical machine.
- D. Both VSA and MA are installed on the physical machine.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 109

A research unit purchased a Huawei Oceanstor 9000 storage products, the main configuration products: 8 * Oceanstor 9000 C node, the front end 10GE * 2, CE6850 switch * 2, S5700 switch * 1, cables, lighting and other accessories are fully furnished, households communication deployment program, prepared in advance a list of IP planning programs and IP requirements. Which of the following IP address is needed? (Multiple choice.)

- A. The customer needs to provide 16 IP addresses for Oceanstor 9000 system back-end IP and need to provide a gateway.
- B. Customers need to provide nine management network IP addresses, of which eight for IPMI management, one for OM management.

- C. The customer management network must be interoperable with the OceanStor 9000 InfoEqualize DNS IP to access the OceanStor 9000 storage.
- D. The client needs to provide 49 IP addresses that can interoperate with client applications, 16 for the static front end, 32 for the dynamic front end, 1 for InfoWqualizer DNS IP.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 110

What is my way as shown in the main group of **angry**? (Multiple choice.)

- A. The production system equipment network card occupancy rate is high.
- B. The production system equipment network card occupancy rate is low.
- C. The production system equipment CPU occupancy rate.
- D. The production system equipment CPU occupancy rate is low.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 111

In a media application scenario, large files is an important application feature. Huawei OceanStor 9000 can allocate different configurations according to different users. This avoids some of the unimportant data transition overhead, which of the following description of the quota is correct?

- A. The types of quotas include capacity quota and file quota.
- B. Quota methods include calculating quotas, soft quotas and mandatory quotas.
- C. The system pre-allocates quotas for files before writing the file. When the user cancels the writing of the file being written, the system does not release a preallocated quota.
- D. When the user continues to write data, the quota information has been used in the InfoAllocator interface real-time updates.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 112

Set the soft quota and hard quota using the OceanStor V3 file system quota feature. During each IO writing operation, consumption of space capacity, if the number of files exceeds the soft quota is the first to be checked.

- A. True
- B. False

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 113

When Replication Director creates a protection group to protect LUNs, you can see that there is no LUN on the interface. Which of the following may be the cause?

- A. There is a problem with the storage initiator configuration.
- B. There is a problem with the storage LUN configuration.
- C. There is a problem with the RD software configuration.
- D. There is a problem with the remote replication configuration.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 114

Which of the following description of the infoLocker feature of Huawei's OceanStor 9000 is incorrect?

- A. To prevent changes in the directory or file protection time because of the changes in cluster time, a directory or file is configured with WORM attributes. After the directory or file will use the WORM clock to time, set the WORM clock. When the system will be based on the clock, user's file will not be modified over the protection period.

- B. If the cluster time is earlier than the WORM clock, the WORM clock will be chased every hour for up to 138 seconds to adjust. If the cluster is after the WORM clock, the WORM clock adjusts to the cluster time.
- C. When a directory is configured as a WORM root directory, all subdirectories, new directories and new files in the directory automatically get the parent directory of WORM attributes. These attribute parameters can only be configured when the WORM root directory is set. Only then the user's view can not be modified.
- D. WORM logs are used to record the logs related to WORM operations and record them according to the time. The monthly log is a file that can be modified and can delete the file.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 115

VxVM (veritas volume manager) in the N8500 clustered NAS system is located between the operating system and the data management system. The operating system provides an excuse service to access the disk, the physical storage device connected to the host and the level of the data management system provides a logical device. The Layers of logical devices are called VxVM volumes.



<https://vceplus.com/>

A. True

B. False

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

<https://vceplus.com/>

QUESTION 116

Which of the following description of the storage protocol is correct? (Multiple choice.)

- A. FC InfiniBand SAS PCI-edouble can be a carrier of the SCSI protocol
- B. InfiniBand Transmission Speed "FC Transmission Speed" iSCSI transmission speed
- C. FCoE technology for GE and 10GE Ethernet
- D. FCoE SAS InfiniBand has its own switch product

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 117

Customers in the process of using Simpana software, CS for some reason can not start normally. You need to restore the CS. Which of the following situations will cause the restoration to fail?

- A. The backup server and the ring server can not communicate properly
- B. The link between the backup server and the media server is faulty
- C. Backup server SQL database failure
- D. DDB is abnormal

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 118

Dual-live solution: the optical fiber link between two data centers in the same city needs to be deployed with a wavelength division device.

- A. 10
- B. 25
- C. 50
- D. 100

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 119

The OceanStor 18000 system used by a client business application has a total of three pools, each of which is a 9-disk RAID5. Someday analyzing the log of business interruption, we found that there are some scenarios in the system that caused the failure. What will cause the host access to the stored business in the following scenario? (Multiple choice.)

- A. In the fully redundant group environment, occurred the master reset.
- B. With the BST (bad track) feature turned off, a BST bad track appears on the LUN.
- C. The POOL where the business is located is all thin LUN and not a snapshot. LUN copy, clone and copy services are configured in the log POOL, which is a space full of print information.
- D. Log in the following print:
2014-01-19 08:04:40} {Receive a disk-fault event of the disk (328) of pool (2) from ctrl.}
2014-01-19 08:40:35} {Receive a disk-fault event of the disk (613) of pool (3) from ctrl.}

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 120

When the N8500 (V200R001) clustered NAS operating system is archived as a banknote imaging platform, the information about storage units and networks is set. Choose the correct statement.

- A. When the access to the N8500 is all on the intranet, and the client traffic is not equal, it is recommended to configure the "balance-alb" mode (that is, bond 6 mode).
- B. When creating a LUN, write business for a long time, the stripe depth recommended 512KB.
- C. If the RAID group is configured as RAID 6, the number of member disks is recommended to be 9 disks, and it is not recommended to configure the RAID group.
- D. Fencing LUN should be placed in the same RAID group.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 121

VMware backup transfer mode NBD SSL refers to the backup agent through the TCP / IP network to read the backup data, VSA and ESX between encrypted transmission.

A. True

B. False

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 122

OceanStor 18000 hot backup strategy is set to high, all using 1TB hard drive when the hard disk domain, respectively, eight hard drives, 80 hard drives, 180 Hard disk, 280 hard disk, the system will be assigned how much hot spare space? **Unit: TB**

A. 1,7,8,9

B. 1,7,15,24

C. 1,4,8,9

D. 1,5,7,9

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 123

Simpana storage strategy is an important parameter is data retention rules to determine the need to back up the contents of the backup time and backup methods. Each copy has an independent data retention period, each copy can be set _____. (Multiple choice.)

- A. Basic rules of retention
- B. Advanced retention rules
- C. Extended retention rules
- D. Special retention rules

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 124

What is the error in the ASM description of the oracle?

- A. ASM directly manages the hard disk, not the files, the files are evenly distributed across all the disks.
- B. ASM instance SGA includes buffer pool share pool larger pool and so on.
- C. ASM instances can be synchronized and data instances started and synchronized, and must be closed later than the database instance.
- D. ASM is an oracle-based storage solution similar to RDMS, consisting of instances and files, maintained by the sql plus tool.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 125

In Huawei disaster recovery plan, in order to implement the one-click disaster recovery operation for Oracle applications, you must configure the recovery in Replication Director Plan. What configuration actions do you need to do on the Replication Director side before configuring the recovery plan? (Multiple choice.)

- A. Configure the protection group
- B. Configure the protection strategy
- C. Configure the site and register disaster recovery host
- D. Find the LUNs used by Oracle and make policy protection for these LUNs

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 126

In Huawei OceanStor system, the size of the file system block is a measure of the size of the accessed file system block. The size of the block is designed according to the size of the data block. Different size of the file system block selects the corresponding file system block, according to the size of the data block. If the business scenario is the media, for large file archiving or stagger I / O backup scenarios, it is recommended to choose the default 64KB disk block size.

A. True

B. False

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 127

Customers need to create a new Oracle database server Huawei RH5885. V2 32 nuclear CPU, the host using Redhat6.4 operating system, the text system is EXT4, the storage device Oceanstor V3, the I SAS disk and 8D + 1P RAID5 are configured to guide one million data batch. Which of the following methods can improve the import performance into the new database? (Multiple choice.)

A. Modify the value of DB-WRITER-PROCESSES.

B. Redhat system default CFQ algorithm on the database business efficiency is not high, should be adjusted to noop algorithm.

C. Oracle database FILESYSTEMIO-OPTIONS parameter can be set to Asynch, and the file system log off.

D. Modify Oracle's DB-BLOCK-SIZE parameters.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 128

Existing set customer of database uses a raw device, due to the large amount of data in the database. The customer plans to replace the old storage with new storage devices.

In the process of environmental inspection lvcb engineers found the following:

```
#getlvcb -TA sjklv
```

```
Intrapolicy =
```

```
copies = 0
```

```
interpolicy =
```

```
lvcb =
```

```
lvname = label = machine
```

```
id = number lps = 0
```

```
relocatable = strict =
```

```
stripe width = 0 stripe size
```

```
in exponent = 0 type =
```

```
upperbound = 0 fs = time
```

```
created = time modified =
```

As the vg is too large, the expansion of vg is impossible. As the service window is very short, and customers do not want to avoid the risk of large adjustments of the whole original environment, what is the recommended approach?



<https://vceplus.com/>

- A. Based on lvcb offset reconstruction nude equipment, and the database level 0 backup import
- B. Use the dd command for data migration
- C. Use the cplv command for data migration
- D. Use migratepv for data migration

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

<https://vceplus.com/>

QUESTION 129

Information of the disaster recovery research Beijing project mainly includes three aspects (Who / What / Why) description. Which of the following? (Multiple choice.)

- A. A bank has more than XX customers and XX corporate customers.
- B. Loss of data will result in substantial loss of business interruption and may also result in significant financial loss.
- C. Business interruption has a huge impact, and the interruption time of business deployment <2h.
- D. Customers want to build two live-action data centers in the same city and realize double-live of the key business systems. The disaster recovery plan RPO = 0, RTO = 0

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 130

The MTTR indicator is used to describe the average continuous time of the failure of a product during operational use or testing.

- A. True
- B. False

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 131

Which of the following is not an authentication method supported by the OceanStor 9000 NFS protocol?

- A. LDAP authentication
- B. WSSE certification
- C. NIS certification
- D. AD domain certification

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 132

Huawei two nodes Standard Edition N8500, opened the CIFS service. Which of the following CIFS parameters prevents users from seeing other users in the table of Contents?

- A. oplock
- B. noguest
- C. fs-mode
- D. hide-unreadable

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:



QUESTION 133

The RMAN command dbms-rcvcat in the three PL / SQL packages is used to query the recovery catalog and target database control files, such as the list, report commands or a call to the package.

- A. True
- B. False

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 134

In 8500 Clustered NAS System there are several modules in the cluster communication architecture that work together to implement cluster communication such as resource agent, HAD, Gab, LLT and describe the correct mechanism for them. (Multiple choice.)

- A. Agent-Agent monitors the resources of each system and provides the status to each machine's HAD
- B. HAD Cluster service that monitors and manages the cluster's NAS
- C. Under the management of the master node of the cluster, Gab sends the communication information between the cluster members to the point communication
- D. LLT (Low-Latency Transport) sends information to all nodes in the cluster through a low-latency delivery protocol

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 135

The administrator creates two libraries (Library # 1, Library # 2) in the Console interface and creates a storage policy using Library # 1 Policy # 1. The administrator wants the storage policy to be able to save the backup jobs in two libraries in turn. How the storage policy should be set? (Multiple choice.)

- A. Add Library # 2 path for Policy # 1
- B. Configure the data path to "Use Alternate Data Paths" mode
- C. Set the data path to Round-Robin between Data Paths
- D. Configure the data path to "Use preferred Data Path" mode



Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 136

Which way to view the WWN HBA card is in Windows2008 R2 system?

- A. In Device Manager, right-click of the HBA card to see its properties
- B. View in Storage Explorer Manager
- C. View using the FC Info tool
- D. CMD command line, enter the diskpart

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 137

Which of the following description of the application of NDMP backup on the OceanStor 9000 V100R001C30 is wrong?

- A. Does not support the system disk backup and recovery operations
- B. When enabling the snapshot-based backup mode, the NDMP backup feature requires the file system to support snapshots. Otherwise, the backup task can not be successfully performed.
- C. Based on the snapshot backup, snapshots are created for the current directory. Because the extended attributes of the current directory receive the snapshot protection, the current directory extended attributes will be backed up.
- D. Does not support the system time zone or other time-related adjustments, does not support daylight saving time.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:



QUESTION 138

To cluster the server's public IP address in Oracle RAC deployment process, private IP address is written to the / etc / hosts file, and Virtual IP address, cluster unique access IP address and public IP address are added. Which of the following configuration is correct? (all subnet mask are 255.255.255.0)

- A. 127.0.0.1 localhost
129.22.221.200 cluster-scan
129.22.221.201 node1
129.22.221.211 node1-vip
192.168.222.211 node1-priv
129.22.221.202 node2
129.22.221.212 node2-vip
192.168.222.212 node2-priv
- B. 127.0.0.1 localhost
129.22.221.200 cluster-scan
129.22.221.201 node1
129.22.221.211 node1-vip
192.168.222.211 node1-priv

- 129.22.221.202 node2
- 129.22.221.212 node2-vip
- 192.168.221.212 node2-priv
- C. 127.0.0.1 localhost
- 129.22.222.200 cluster-scan
- 129.22.221.201 node1
- 129.22.221.211 node1-vip
- 192.168.222.211 node1-priv
- 129.22.221.202 node2
- 129.22.221.212 node2-vip
- 192.168.222.212 node2-priv
- D. 127.0.0.1 localhost
- 129.22.221.200 cluster-scan
- 129.22.222.201 node1
- 129.22.221.211 node1-vip
- 192.168.222.211 node1-priv
- 129.22.221.202 node2
- 129.22.221.212 node2-vip
- 192.168.222.212 node2-priv



Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 139

Which description of the the OceanStor V3 file system snapshot feature is wrong?

- A. In File System Snapshot when you create a snapshot, you simply copy the root of the file system and save it to form a snapshot of the file system.
- B. Deletion Snapshots use a mechanism for reclaiming space, so snapshot data space is immediately freed after snapshots have been deleted.
- C. After creating a snapshot in the File System, as the main file system is continuously updated, the original data block will gradually become the space occupied by this quick debt. However, a newly written data will not be included in the snapshot space.
- D. File system snapshot data can not be deleted directly, and only after the snapshot has been deleted, this part of the space can be released.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 140

Which of the following description for Thin LUNs and Thick LUNs for OceaStor V3 storage is true?

- A. Thin LUN and thick LUN can be configured with the same capacity.
- B. Both thin LUN and thick LUN can make initial capacity allocations.
- C. The maximum capacity of thin LUNs and thick LUNs can be greater than or equal to the available capacity of the storage pool where they reside.
- D. Both thin LUNs and thick LUNs can be created in bulk.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 141

Customers set up a vio server environment on an IBM server, and the storage devices connected to the server through vio server provide storage space to a virtual partition in the server. Customers buy Huawei Oceanstor18000 deposit Storage and plan to replace the original storage device. What is the recommended practice?



<https://vceplus.com/>

- A. Connect Huawei storage to the original vio server and perform data migration on the vio server system layer.
- B. Connect Huawei storage to the original vio server and migrate data in the virtual partition system layer.

<https://vceplus.com/>

- C. Create a new vio server for Huawei storage and migrate data in the virtual partition system layer.
- D. Create a new vio server for Huawei storage and migrate data on the vio server system layer.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 142

Customer Environment SuSE 10SP3, HBA QLogic QLE2562, using the operating system comes with HBA card driver. The storage array is Huawei OceanStor V3 storage, when storing the FC host port on the system and the HBA on the host. When the card port mode is inconsistent, it is usually recommended to modify the FC host port mode on the storage side to solve the problem.

- A. True
- B. False

Correct Answer: B

Section: (none)

Explanation



Explanation/Reference:

QUESTION 143

Which description of OceanStor V3 storage system tuning process is incorrect?

- A. Need to understand the business (applications and data, etc.), clear the goal of tuning.
- B. After tuning all the system configuration parameters related to performance bottlenecks, judge whether the tuning goal is completed.
- C. Back up business systems and data before tuning.
- D. Monitor and analyze performance data by business processes, identify performance bottlenecks and analyze root cause.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 144

When you install the Simpana backup client on a virtual machine and perform a backup, the backup job status becomes pending and reports an error message "Cannot decode packet header: invalid start signature ", please analyze which of the following may be the cause of this problem?

- A. VM NIC adapter error
- B. The media server backup service is abnormal
- C. The backup client service is abnormal
- D. Virtual machine disk class behavior IDE

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 145

The peak write bandwidth for an application is 10MB / S, with an average write latency of 200KB / s and an average write IO size of 4KB (bandwidth utilization of 70%).

If you need to use OceanStor V3 storage array to implement data disaster recovery and set it as asynchronous replication mode, you need the minimum networkwide bandwidth:

- A. 3.2Mbps
- B. 128Mbps
- C. 114 Mbps
- D. 18 Mbps

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 146

When the storage controller BBU is damaged, the controller automatically sets the IO write policy to transparent and is locked to ensure data reliability. Before the fault is recovered, it can be forced to write back.

- A. True
- B. False

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 147

VMware's storage resources can be provided through VMFS, native direct-attached storage via ESXi host-FC / FCOE or iSCSI link of the shared storage. You can also share the file system over the NFS network to support third-party NAS storage.

- A. True
- B. False

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 148

The OceanStor 18500 uses the RAID 2.0 virtualization architecture. When planning to configure storage, which of the following is erroneous?

- A. A storage pool can create two types of LUNs, Thick LUN and Thin LUN
- B. When creating a storage pool, the minimum number of SAS disks in the hard disk domain where the storage pool is located is 9 disks when the performance layer RAID policy is selected as 8D + 1P
- C. In the RAID 2.0 virtualization architecture, the hot spare space in the storage pool is distributed on each member disk in the storage pool
- D. RAID 2.0 virtualization architecture, the storage pool can contain three storage tiers, and each tier can be configured with a number of different RAID strategies

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 149

OceanStor V3 does not start up normally within 15 minutes after the system is powered on. What engineers can use to log in to the storage system in order to locate this fault? (Multiple choice.)

- A. Sys status view system status
- B. Through the dev status view system status
- C. Through the dev status view device management started
- D. Through dev status view device management started

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 150

The figure shows an N8500 (V200R001) NAS engine chassis. The two NAS engine nodes in the chassis form a two-node N8500 NAS cluster. Which description of the front-end and back-end network planning of the cluster is correct. (Multiple choice.)

- A. On the slots of the same position on both nodes, such as A3 and B3, you must insert the same type of interface card.
- B. A5 and B5, A6 and B6, you can choose a group to do heart network, the key is how to make a network connection.
- C. If the back end of the engine cluster is to be directly connected to four control enclosures, add one FC HBA card in slots A2 and B2 for the controller enclosure of direct connection.
- D. A2, A3, A4 and B2, B3, B4 can be plugged into a 1Gb iSCSI or 8Gb FC interface module to connect with the business network.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:



<https://vceplus.com/>



<https://vceplus.com/>