

2V0-21.19 PSE.VCEplus.premium.exam.70q

Number: 2V0-21.19 PSE

Passing Score: 800

Time Limit: 120 min

File Version: 1.0



Website: <https://vceplus.com>

VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>

Facebook: <https://www.facebook.com/VCE.For.All.VN/>

Twitter : https://twitter.com/VCE_Plus

2V0-21.19 PSE

Professional vSphere 6.7 Exam 2019



Exam A

QUESTION 1

Using vSphere HA Orchestrated Restart an administrator places the most mission critical VM in the highest priority. After a host failure, the highest priority VM fails to restart while VMs in high priority restart.

What would cause this to occur?

- A. VMware Tools is not installed.
- B. Proactive HA is disabled.
- C. There are insufficient cluster resources.
- D. Performance degradation VMs tolerate threshold is at default.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2 Which two VMware solutions track and analyze the operation of multiple data sources?

(Choose two.)

- A. vRealize Automation
- B. vRealize Operations Manager
- C. vRealize Life Cycle Manager
- D. vRealize Log Insight
- E. vRealize Orchestrator

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/vRealize-Suite/7.0/com.vmware.vrealizesuite.overview.doc/GUID-A15F2F4D-108B-4C44-BCF7-FCB4EC76BCBE.html>

QUESTION 3 What is required to convert a VM to a template?

- A. Reregister the template.
- B. Choose a thin-provisioned format.
- C. Select a storage policy.
- D. Power off the virtual machine.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.vm_admin.doc%2FGUID-846238E4-A1E3-4A28-B230-33BDD1D57454.html

QUESTION 4 A cluster of vSphere 6.5 and 6.7 hosts all have identical hardware. VMs are created on the 6.7 hosts with virtual hardware version 14. During routine maintenance on the 6.7 hosts, the VMs are unable to migrate to the 6.5 hosts.

Why are the VMs unable to migrate to the 6.5 hosts?

- A. VMware Tools version is upgraded.
- B. EVC mode is disabled.

- C. DPM is configured incorrectly.
- D. The virtual hardware version is incompatible with 6.5.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

An administrator is elevating the security posture of a vSphere environment after a recent data breach. All VMs will be encrypted as part of this plan.

Which additional component is required for the encryption?

- A. KMS server.
- B. vSAN encryption.
- C. two-factor authentication
- D. encrypted vSphere vMotion

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

A vSphere administrator is required to join all stateless ESXi hosts to an Active Directory domain for enhanced security.

Which utility would accomplish this?

- A. vSphere Authentication Proxy
- B. vSphere Update Manger
- C. vSphere Auto Deploy
- D. Unified Access Gateway

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

An administrator runs a vSphere cluster containing database VMs with extremely heavy disk I/O. Database VMs are placed on a costly all-flash array. The workloads are not memory intensive.

How can the administrator ensure the most cost-effective utilization of the all-flash storage array?

- A. Edit the cluster settings to place the virtual machine swap file on a different storage tier.
- B. Enable Storage I/O Control on the flash datastores.
- C. Use a VM-to-Host affinity rule to ensure database VMs are prioritized.
- D. Install VMware Tools on the database VMs to ensure the hypervisor can receive I/O metrics.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 8 What could a vSphere administrator use to move a group of VMs to another port group?

- A. IP hash
- B. Network Port Binding
- C. Network I/O Control
- D. vSphere vMotion

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9 Which action should be taken to secure iSCSI devices in a vSphere environment?

- A. Require ESXi hosts to use iSCSI port binding.
- B. Require Secure Remote Protocol.
- C. Require vCenter Enhanced Linked Mode.
- D. Require ESXi hosts to authenticate to the target.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:



QUESTION 10

A vSphere Administrator is receiving complaints a database VM is experiencing performance issues. The VM is a member of the high priority resource pool and the cluster has not experienced contention.

Which condition should be checked to address immediate performance concerns?

- A. Configured CPU shares
- B. Resource Pool share value
- C. VMFS version
- D. VM snapshots

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

A vSphere administrator has configured software iSCSI port binding in the environment with two VMkernel ports and four target portals.

How many iSCSI sessions would be created from bound ports to targets?

- A. 2
- B. 4
- C. 8
- D. 16

Correct Answer: C


Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

Refer to the exhibit.



Which two tasks are allowed in the X-Lence data center? (Choose two.)

- A. User B can delete from disk XRK-01.
- B. User A can take a snapshot on XRK-01.
- C. User C can convert AX-850 to VM.
- D. User A can take a snapshot on AX-1000.
- E. User C can view configuration of AX-1000.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

An administrator manages a cluster containing Production and Test VMs. Production VMs run on a VSS port group and a storage array separate from the Test VMs. The administrator wants to prevent large (>500GB) file transfers in Test from impacting Production.

Which two configuration changes should the administrator make to achieve this? (Choose two.)

- A. Migrate the VSS port groups to VDS port groups.
- B. Enable NIOC on the virtual switch.
- C. Install a second virtual NIC in the Production VMs.
- D. Move the Test VMs to a dedicated folder with CPU shares set to low.

E. Move the Production VMs to a resource pool with a memory reservation.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14 A vSphere administrator uses a Dedicated Failover Hosts Admission Control Policy in a cluster. An ESXi host fails and vSphere HA attempts to restart the VMs onto the dedicated failover hosts. The hosts have insufficient resources.

What happens to the VMs?

- A. vSphere HA restarts VMs in another cluster.
- B. vSphere HA attempts to restart the VMs on other hosts in the cluster.
- C. vSphere HA powers down the VMs.
- D. vSphere HA suspends the VMs until a host is available.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15 An administrator is planning maintenance for a cluster with the following configuration:

- DRS is fully automated
 - Dedicated 10GbE vMotion network ▪
- iSCSI storage with CHAP



When a host is placed into maintenance mode, what is the maximum number of supported concurrent vMotion operations?

- A. 4
- B. 6
- C. 8
- D. 10

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

A vSphere administrator needs to migrate VMs in the same vCenter from New York to California due to impending severe weather.

Which migration should the administrator perform without causing VM downtime?

- A. Cold migration
- B. Long Distance vMotion
- C. Cross vCenter vMotion
- D. Storage vMotion

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17 Which two features should an administrator use to protect a VMware vCenter Server Appliance from host and hardware failures?
(Choose two.)

- A. vSphere Fault Tolerance
- B. vCenter High Availability
- C. VMware Distributed Power Management
- D. vSphere High Availability
- E. VMware vSphere Distributed Resource Scheduler

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18 A vCenter Server High Availability cluster consists of how many vCenter Server Appliance instances?

- A. 2
- B. 3
- C. 4
- D. 5

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19 An administrator runs multiple clusters spread across multiple vCenters. The administrator needs to be able to migrate any VM to any cluster.

On which two vCenter Server objects could the administrator configure EVC mode to fulfill this requirement? (Choose two.)

- A. VM
- B. folder
- C. datacenter
- D. cluster
- E. resource pool

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

A user logs in to vCenter Server as an administrator and is unable to view Single Sign On Configuration.

Which vCenter Single Sign On group should the administrator belong to, to view Single Sign On Configuration?

- A. Administrators
- B. SystemConfiguration.BashShellAdministrators
- C. SystemConfiguration.Administrators
- D. ComponentManager.Administrators

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21 A vSphere administrator notices performance issues with the vCenter Server Appliance. The CPU usage is over 70%.

Which two actions should the administrator take to investigate the performance issues? (Choose two.)

- A. Use vimtop to identify which processes are using high CPU.
- B. Check the vCenter HA configuration.
- C. Check if vCenter Server is swapping.
- D. Use esxtop to identify which processes are using high CPU.
- E. Verify if all hosts are in a connected state.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:



QUESTION 22

A vSphere Administrator wants to convert a vCenter Server instance with an external Platform Services Controller to an embedded Platform Services Controller instance.

Which tool should be used to accomplish this?

- A. CloudClient Utility
- B. Cmsso-util Utility
- C. Convergence Utility
- D. VMware vCenter Converter

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 23

An administrator is using vSphere Web Client to configure the firewall to allow specific third-party application SSH access to an ESXi Host.

What is the most secure way to configure the firewall rule?

- A. Specify remote IP subnet range in IP List.
- B. Use Allow connection from any IP address.
- C. Disable the firewall.
- D. Enable lockdown mode.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 24 An administrator runs vSphere Infrastructure in the following configuration:

- Single vCenter
- Multiple vCenters
- Multiple clusters under each data center, all with identical hardware

The administrator wants to use host profiles to manage the hosts.

Where should the administrator attach the host profile?

- A. vCenter object
- B. each cluster
- C. each folder
- D. each data center

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 25 A vSphere administrator discovers the size of the .vswp file for a VM with 2 vCPUs and 4GB of memory is zero.

What could be the cause?

- A. VM is in a suspended state.
- B. All VM memory is reserved.
- C. VM is running on a snapshot.
- D. Memory reservation is not set.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26 Which native feature could be used to protect virtual machine files and disks containing confidential customer data?

- A. VDP
- B. VM encryption
- C. VMware Tools
- D. vCenter HA

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27 After installing vCenter, which two identity sources and users are available by default?
(Choose two.)

- A. Active Directory
- B. vsphere.local
- C. vIDM
- D. vsphere.vclass
- E. localos

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28 An administrator wants to ensure the VMs for two different departments are separated on a single broadcast domain.

Which configuration fulfills this requirement?

- A. PVLAN on VMkernel Interface
- B. PVLAN on VDS
- C. PVLAN on Uplink Port
- D. PVLAN on VSS

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 29 A vSphere administrator is trying to create a resource pool but the option is grayed out.

What must be enabled before creating a resource pool?

- A. DRS
- B. Storage DRS
- C. EVC
- D. HA

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30 An administrator is installing a Platform Services Controller Instance.

Which two options are available during the installation process? (Choose two.)

- A. choose deployment size.
- B. specify vSphere administrator credentials
- C. join an existing domain

- D. enable Enhanced Linked Mode
- E. create a vCenter Single sign-on domain

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31 What does ESXi Autoconfiguration do?

- A. configures Auto Deploy
- B. configures system network and storage devices
- C. sets up host profiles
- D. determines the number of hosts to be deployed

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32 What should be installed on a VM to assist with VM-to-host time synchronization?

- A. vRA guest agent
- B. vROps agent
- C. VMware Tools
- D. Guest Operations Manager

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 33

What could cause a high %RDY value?

- A. incompatible network driver
- B. disk latency greater than 2ms
- C. memory fully allocated
- D. too many vCPUs configured

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 34 What are two advantages of deploying a VDS as compared to a VSS? (Choose two.)

- A. There is IPv6 support for a VDS.



- B. Data center setup and administration are simplified by centralization network configuration.
- C. 802.1Q tagging support is available.
- D. Ports migrate with their clients.
- E. Uplinks are allowed to be configured in an Active/Standby configuration.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35 Which migration technique could be used to move a VM between vCenters while the VM is powered on.

- A. Cold
- B. Storage vMotion
- C. Suspended
- D. Shared-nothing vSphere vMotion

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 36 A vSphere administrator is performing a greenfield vSphere deployment with these requirements:

- vCenter Server sized for 100 ESXi hosts and 1000 virtual machines
- Each ESXi Host with 512 LUNs and 2048 paths mapped from Dell EMC XtremIO Storage Array

Which vCenter Server Appliance deployment size meets the requirements?

- A. Large
- B. Tiny
- C. Medium
- D. Small

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 37 What should be installed on a VM to enhance performance and enable additional features?

- A. VMware Tools
- B. RAMMap
- C. Process Monitor
- D. PsInfo

Correct Answer: A

Section: (none)

Explanation



Explanation/Reference:

QUESTION 38 A vSphere Administrator configures Quick Boot to restart an ESXi host without rebooting the physical hardware.

In order to troubleshoot any ESXi Quick Boot issues which log file needs to be reviewed?

- A. vmkeventd.log
- B. loadESX.log
- C. vpxa.log
- D. vmkernel.log

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39 A vSphere administrator has renamed the inventory name of a virtual machine.

Which task should the administrator perform to ensure the virtual machine files are also renamed to match the new virtual machine name?

- A. Take a virtual machine snapshot.
- B. Migrate the machine to another host with vSphere vMotion.
- C. Migrate the machine to another datastore with Storage vMotion.
- D. Unregister and register the virtual machine in vCenter Server.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 40 An administrator decides to implement vSphere networking using the VDS.

Which binding option should the administrator use to manage the VMs if vCenter becomes unavailable?

- A. ephemeral
- B. dynamic
- C. port
- D. static

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 41 What should the administrator do to monitor the size of the VM snapshot?

- A. Install VMware Tools.
- B. Use native Guest OS monitoring tools.
- C. Run `esxtop`.

D. Create a condition-based alarm.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42

Where is vCenter SSO configured?

- A. in the host client
- B. in the DCUI
- C. in the vSphere client
- D. in the service console

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 43 Which rule should be used in an SDRS environment to create a VM requiring virtual disks be kept on different datastores?

- A. VM-Host Affinity Rule
- B. VM Anti-Affinity Rule
- C. Intra-VM VMDK Affinity Rule
- D. Intra-VM VMDK Anti-Affinity Rule



Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 44 An administrator needs to identify where the VM encryption settings are stored.

Which file store the encryption setting?

- A. .vmsd
- B. .vmdk
- C. .nvram
- D. .vmx

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 45

An administrator is concerned about the amount of time the IT team takes to create multiple VLANs in a very dynamic vSphere environment. The environment has these parameters:

- All virtual networking utilizes vSphere Standard Switches with uplinks to a Cisco Infrastructure
- Activities require 5-10 VLANs being created or removed every couple of days
- The IT team has three members

How can the administrator centralize the virtual networking configuration so the IT team utilizes time more efficiently?

- A. Create and use a vSphere Distributed Switch (VDS).
- B. Deploy a vRealize Orchestrator (vRO) appliance.
- C. Enable and configure Storage I/O Control (SIOC).
- D. Enable and configure vSphere Network I/O Control (NIOC).

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 46

A vSphere administrator is working in a high security environment. The administrator wants to ensure unencrypted VMs can be migrated securely.

What should the vSphere administrator use to meet this requirement?

- A. encrypted vSphere vMotion
- B. vTPM
- C. KMS server
- D. UEFI Secure Boot

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 47 Which VM storage policy rule category ensures all VMs for a department are on the same datastore?

- A. Data Service
- B. Host
- C. Tag
- D. Capability

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 48

A vSphere administrator has a VM that needs to be deployed from a template located in an optimized content library.

What needs to be done before the VM can be deployed?

- A. A subscribed content library needs to be created.
- B. Export the template as an OVF.
- C. Clone the template to a new template.

D. Deploy VM from the template.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 49 Which teaming and failover policy offers the lowest latency when a failover or a migration with vSphere vMotion occurs?

- A. Failback
- B. Load balancing
- C. Notify switches
- D. Network failure detection

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 50 A vSphere administrator wants to enable Proactive HA in a vSphere cluster.

What is required to use this feature?

- A. vROPs must be installed.
- B. DRS must be enabled.
- C. VCHA must be configured.
- D. DCUI must be enabled.



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 51 This error is generated when a vSphere administrator takes a VM snapshot:

An error occurred while taking a snapshot: Failed to quiesce the virtual machine

What should the administrator investigate to determine the cause of the failure?

- A. Check if the virtual machine is already running on snapshots.
- B. Check if the virtual machine has an ISO mounted.
- C. Check if the virtual machine is in suspended state.
- D. Check if VMware Tools is installed on virtual machine.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 52 Which permission should be granted to a user with Administrator permission and with no access to the encrypted VM console?

- A. No Cryptography Administrator role
- B. Administrator role
- C. New role with no Cryptographic Operations
- D. Administrator role and Read Only Role

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53 Which two availability features require a VM restart for recovery?
(Choose two.)

- A. vSphere Fault Tolerance
- B. vSphere DPM
- C. vSphere Replication
- D. vSphere HA
- E. vSphere vMotion

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 54 In a vSphere HA enabled cluster, what happens if the master host is unable to communicate with a slave host over the management network?

- A. The master host uses datastore heartbeating.
- B. VMs are rebooted by vSphere HA.
- C. The host is dropped from the cluster.
- D. A new master host is elected.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 55 Which file extension can export host customization for host profiles?

- A. .csv
- B. .xml
- C. .json
- D. .xls

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 56 In a single cluster VM encryption scenario, which two VMs should be excluded from encryption?
(Choose two.)

- A. Platform Services Controller
- B. vRealize Log Insight
- C. vSphere Replication Appliance
- D. vRealize Operations Manager
- E. VMware vCenter Server

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 57 What are two components of a VM-Host affinity rule?
(Choose two.)

- A. Host Group
- B. VM restart priority
- C. VM restart action
- D. Cluster settings
- E. VM group

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 58 Which vSphere APIs support storage hardware acceleration?

- A. VMware vSphere Storage APIs Array Integration (VAAI)
- B. vSphere APIs for I/O Filtering (VAIO)
- C. vSphere APIs for Storage Awareness (VASA)
- D. VMware vStorage APIs for Data Protection (VADP)

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 59

Which DCUI option determines the time frame an administrator has to log in to the ESXi Shell after enabling the service?

- A. Enable ESXi Shell
- B. Availability Timeout
- C. Idle Timeout
- D. Enable SSH

Correct Answer: B



Section: (none)

Explanation

Explanation/Reference:

QUESTION 60

A vSphere Administrator wants to move a vCenter Server with an external Platform Services Controller from one SSO domain to another SSO domain.

Which option in cmsso-util will achieve this?

- A. unregister
- B. reconfigure
- C. repoint
- D. domain-repoint

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 61 An administrator has an environment with these conditions and requirements:

- The host provides 6GHz of CPU and 32GB of memory
- The host is shared between the Marketing and QA departments
- The QA department needs a higher compute resource priority

How can the administrator meet the conditions and requirements?

- A. Set the VM priority to high for QA department VMs and normal for Marketing department VMs.
- B. Adjust NIOC or SIOC as appropriate to give the QA department a higher compute priority within the cluster.
- C. Create a resource pool for each department and use the Shares attribute to prioritize the allocation of resources.
- D. Assign affinity or anti-affinity rules to the appropriate VMs for each department.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 62

A cluster contains database VMs which have low utilization, except during a weekly data load that causes extremely high utilization. As DRS balances the VM load, there is an extended period of slow performance.

Which two actions could be taken to reduce the impact of the recurring data load? (Choose two.) A. Increase the number of vCPUs on the database VMs.

- B. Enable VMware vRealize Operations Manager Integration with VMware vCenter.
- C. Increase the RAM allocated to the database VMs.
- D. Enable Proactive HA on the cluster.
- E. Enable Predictive DRS on the cluster.

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 63 A vSphere Administrator has multiple virtual machines running on a VMFS datastore.

Which option prioritizes the disk access for the virtual machines?

- A. Disk Shares
- B. Disk Mode
- C. Hard DiskD. Disk Type

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 64

Refer to the exhibit.

```
VMware ESXi 6.7.0 (VMKernel Release Build 8169922)

Dell Inc. PowerEdge R630

2 x Intel (R) Xeon(R) CPU ES-2670 v3 @ 2.30GHz
255.9 GiB Memory
```

```
The system has found a problem on your machine and cannot continue.
```

```
UEFI Secure Boot failed:
Failed to verify signatures of the following vib(s): [net-tg3 net-140e net-
igb net-ixgbe vmware-esx-perccli-1.05.08 ind -qla4xxx nisc -cnic -register
net -bnx2 net -bnx2x net -cnic net-qlcnlc net -qlge scsi -bnx2lc scsi -bnx2l-qla4xxx scsi -nc
garaid-sas isu-isi -nptsas -plugin]. All tardisks validated
```

What is required to fix the PSOD?

- A. Skip unused VIBs during boot up.
- B. Reboot the host.
- C. Remove unsigned VIBs.
- D. Reboot and enable secure boot from the UEFI firmware interface.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 65

A vSphere administrator configures log forwarding for remote syslog servers in a vCenter Server Appliance (VCSA) through the vCenter Server Appliance Management Interface (VAMI).

What is the maximum number of remote syslog servers that can be configured?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 66 A VSS is configured with two uplinks and assigned a load balancing policy route based on virtual port ID.

What are two potential disadvantages of this configuration? (Choose two.)

- A. Higher resource consumption compared to other load balancing algorithms will occur.
- B. The NIC with less load is more to be chosen if port IDs match.
- C. ESXi will use NIOC to attempt to migrate network congestion when an uplink becomes saturated.
- D. The virtual switch is unaware of uplink load and uplinks might become overloaded.
- E. A VM with a single MAC address is limited to the speed of the uplink associated with the relevant port ID.

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference:



QUESTION 67

A customer is experiencing a network performance problem and is using the esxtop utility to determine the cause. Esxtop reveals no dropped packets.

Which two conditions should the customer check? (Choose two.)

- A. IPv6 support
- B. packet size
- C. data receive rate
- D. CPU contention

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 68 How is vCenter HA different from vSphere HA?

- A. vCenter HA requires an external Platform Services Controller.
- B. vCenter HA requires Fault Tolerance.
- C. vCenter HA requires only an active and passive node.
- D. vCenter HA requires an active, passive, and witness node.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 69

A vSphere administrator has the privilege Content library > Add library item on the vCenter object, but is unable to add items to a local content library.

How would the vSphere administrator correct this?

- A. Remove the Access role on the vCenter object.
- B. Restart the Content Library Service.
- C. Reboot the vCenter Server Appliance.
- D. Assign the privilege to the global root object.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 70 For security reasons the VMware vSphere Update Manager (VUM) has no Internet access.

What can be used to provide a central shared repository in a DMZ?

- A. vCenter Server Appliance
- B. VMware vSphere Update Manager Download Service
- C. VMware content library
- D. vSphere Authentication Proxy

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

