

DES-6332.VCEplus.premium.exam.60q

Number: DES-6332
Passing Score: 800
Time Limit: 120 min
File Version: 1.0



Website: <https://vceplus.com>
VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>
Facebook: <https://www.facebook.com/VCE.For.All.VN/>
Twitter : https://twitter.com/VCE_Plus

DES-6332

Specialist - Systems Administrator, VxRail Appliance Exam



Version 1.0

Exam A

QUESTION 1

DRAG DROP

Match each management component with its characteristic.

Select and Place:

Correct Answer:

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

An administrator attempts to add an S Series node to a Gen 2 VxRail cluster and the build fails. What is a possible reason for this failure?

- A. IP address pool has no more free addresses
- B. Hybrid and Flash nodes cannot be mixed in the same cluster
- C. Quanta and Dell nodes cannot be mixed in the same cluster
- D. Loudmouth process needs to be restarted

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.emc.com/collateral/TechnicalDocument/docu82227.pdf>



QUESTION 3

There is a request to add new disks to an existing VM residing on a VxRail vSAN that you manage. One disk is 250 GB. The VM is using the vSAN default storage policy.

How many vSAN objects will be created?

- A. 2
- B. 3
- C. 6
- D. 9

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

A VxRail administrator has been informed by Dell EMC that an Internet software upgrade is available for their VxRail cluster. The administrator logs into VxRail Manager. VxRail Manager shows only the Local Upgrade option and not the Internet Upgrade option.

What is a possible reason?

- A. The VxRail Manager user has insufficient privileges
- B. Workstation accessing VxRail Manager does not have Internet connectivity
- C. Secure Remote Services has not been enabled
- D. VxRail Manager VM does not have Internet connectivity

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5 What are the vSAN storage policy settings applied to the VxRail Manager VM during initial setup?

- A. Primary level of failures to tolerate = 1
Failure tolerance method = Erasure coding
Object space reservation (%) = 100
- B. Primary level of failures to tolerate = 1
Object space reservation (%) = 100
- C. Primary level of failures to tolerate = 1
Failure tolerance method = Mirroring
Object space reservation (%) = 50
- D. Primary level of failures to tolerate = 2
Failure tolerance method = Mirroring

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://wuchikin.wordpress.com/2018/03/28/dell-emc-vxrail-vmware-virtual-san-stretched-cluster/>

QUESTION 6 When using a vSAN storage policy with FTT = 1 and FTM = Mirroring, how many witness components exist for a VMDK?

- A. 0
- B. 1
- C. 2
- D. 3



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://cloud0ps.wordpress.com/category/vmware-virtual-san/>

QUESTION 7 What is the minimum number of nodes needed for self-healing after a failure with a vSAN storage policy of FTT = 1 and FTM = Mirroring?

- A. 3
- B. 4
- C. 5
- D. 6

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 8 You are planning to install CloudArray Virtual Edition. Where should you navigate to in VxRail Manager?

- A. Config > System

- B. Config > General
- C. Support > Download
- D. Config > Market

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9 Which VxRail model series supports only hybrid disks?

- A. S Series
- B. P SeriesC. E Series
- D. G Series

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/en-us/collaterals/unauth/data-sheets/products/converged-infrastructure/h16763-vxrail-14g-spec-sheet.pdf>

QUESTION 10 A user has three G Series nodes in a VxRail cluster. They are planning to add five additional G Series nodes.

How much additional rack is required to accommodate the new nodes?

- A. 1U
- B. 2U
- C. 5U
- D. 10U



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: https://www.academia.edu/36442394/VxRail_Appliance_Technical_Overview_Student_Guide

QUESTION 11

A VxRail administrator needs to add storage capacity to a 4-node VxRail E Series cluster. Each node currently has one cache and four capacity disks.

What does the administrator need to order, per node, to fully populate the available disk slots?

- A. 1 cache and 5 capacity disks
- B. 5 capacity disks
- C. 1 cache and 4 capacity disks
- D. 1 capacity disk

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12 A VxRail has been configured with the VxRail-deployed vCenter Server option. Which service VMs can be optionally hosted on the VxRail cluster?

- A. VxRail Manager, vCenter Server, and Platform Services Controller
- B. VxRail Manager and Secure Remote Services/VE
- C. vCenter Server, Platform Services Controller, and Secure Remote Services/VE
- D. vRealize Log Insight and Secure Remote Services/VE

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13 An environment has two VxRail clusters with the following hardware configuration:

- Cluster-A is using FTT = 2 and FTM = Erasure Coding
- Cluster-B is using FTT = 2 and FTM = Mirroring

A 100 GB VM is planned to be vMotioned from Cluster-A to Cluster-B.

How much more vSAN capacity is consumed in Cluster-B than in Cluster-A?

- A. 0 GB; consumption is unchanged
- B. 100 GB
- C. 150 GB
- D. 167 GB

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14 What is a consideration when choosing between vSphere Encryption and vSAN Encryption?

- A. vSphere Encryption applies to the entire vSAN datastore
vSAN Encryption is on a per VM basis.
- B. vSphere Encryption does not support deduplication and compression
vSAN Encryption allows deduplication and compression
- C. vSphere Encryption addresses fears of media theft
vSAN Encryption addresses fears of a rogue admin
- D. vSphere Encryption is for data-at-rest
vSAN Encryption is for data-in-flight

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: https://www.dell EMC.com/content/dam/uwaem/production-design-assets/pl-pl/events/forum/2017/presentations/modern_infrastructure_CS3.pdf

QUESTION 15

A VxRail administrator wants to search for VxRail related knowledge base articles through the VxRail Manager user interface. Which action must the administrator perform to use this feature?

- A. Register for a VxRail Community login and set the credentials in VxRail Manager

- B. Work with Dell EMC to register the VxRail appliance in the install Database
- C. Set the Dell EMC Support username and password in VxRail Manager
- D. Configure proxy settings in VxRail Manager for access to the Internet

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

What is the limit of locally cached managed storage included in the CloudArray Virtual Edition license packaged with a VxRail system?

- A. 1 TB
- B. 5 TB
- C. 10 TB
- D. 15 TB

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell EMC.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15844-vxrail-4-0-vcenter-server-pg.pdf> (5)

QUESTION 17 Which VxRail Manager view displays the storage IOPS, CPU, memory, and storage usage at the VxRail cluster level?

- A. Health > Physical
- B. health > Logical
- C. Dashboard
- D. Config > System



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell EMC.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf> (31)

QUESTION 18

As a VxRail administrator, you must determine how long the rebuild will take after experiencing a hardware failure in the cluster.

When could you locate this information in the vSphere Web Client?

- A. Monitor > vSAN > Physical Disks
- B. Monitor > vSAN > Resyncing Components
- C. Monitor > vSAN > Health
- D. Monitor > vSAN > Virtual Objects

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.slideshare.net/VMworld/conducting-a-successful-virtual-san-proof-of-concept-63791460>

QUESTION 19

As an administrator, you are asked to view the health of the vSAN on the VxRail cluster. You select the VxRail cluster in the Navigation panel in vCenter.

Under which tab could you run the vSAN health check?

- A. Hosts
- B. vSAN
- C. Monitor
- D. Datastores

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20 Which user interface provides remote power control (power on and power off) for VxRail E Series nodes?

- A. VxRail Manager
- B. IPM/BMC
- C. iDRAC
- D. VMware vSphere Web Client

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:



QUESTION 21 Dell EMC VxRail All-Flash nodes have been deployed in a Stretched Cluster configuration. A storage policy has been configured with:

- PFTT = 1
- SFTT = 0
- FTM = Default

What protection will a VMDK have with this storage policy?

- A. RAID 1 cross-siteRAID 5 locally
- B. No cross-site protectionRAID 1 locally
- C. RAID 1 cross-siteRAID 1 locally
- D. RAID 1 cross-site
No local protection

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <http://virtualization24x7.blogspot.com/2017/08/what-is-pftt-and-sftt-in-vmware-vsan-66.html>

QUESTION 22 Which level of data protection can be configured across sites in a VxRail Stretched Cluster?

- A. RAID 1
- B. RAID 5
- C. RAID 1/10
- D. RAID 6

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dellemc.com/en-us/collaterals/unauth/white-papers/products/converged-infrastructure/h15275-vxrail-planning-guide-virtual-san-stretched-cluster.pdf>

QUESTION 23 How many RecoverPoint for Virtual Machines licenses are included, per VxRail V Series node?

- A. 1
- B. 4
- C. 5
- D. 15

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dellemc.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15104-vxrail-appliance-techbook.pdf> (31)

QUESTION 24

VxRail 4.5.200 has been deployed with the VxRail deployed vCenter. What is the name of the vCenter datacenter for the newly deployed VxRail cluster?

- A. 'Marvin-Datacenter'
- B. 'VxRail-Datacenter'
- C. 'VxRail-Virtual-SAN'
- D. Datacenter name used during deployment

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 25 A VxRail administrator is trying to run a Storage Performance Test for vSAN. However, they do not see that option in vCenter.

What could be the reason?

- A. vSphere version is 6.5.0 EP04
- B. vSphere version is 6.5.0 U1
- C. VxRail Manager version is 4.5.211
- D. VxRail Manager version is 4.5.101

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26 You are checking the overall health of the VxRail vSAN environment. Which VMware interface are you using?

- A. vSphere Web Client
- B. vSphere Client
- C. Host Client
- D. Update Manager

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27 Which tool is used to deploy VxRail?

- A. vRealize Operations Manager
- B. vCenter Server
- C. VxRail Manager
- D. Mobile Build Server

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf>

QUESTION 28 A company has bought VxRail V Series appliances with PCIe network cards. How can the PCIe NIC ports be configured in VxRail for data traffic?

- A. Create new Standard or DV switch and add these NICs as uplinks to carry both vMotion and VM network traffic
- B. During initial VxRail setup the NIC ports would be configured automatically to carry VM network traffic
- C. Create new Standard or DV switch and add these NICs as uplinks to carry VM network traffic
- D. During initial VxRail setup the NIC ports would be configured automatically to carry both vMotion and VM network traffic

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 29 A user of VxRail Manager wants to investigate Storage IOPS for a node. Which tab should they use?

- A. Health > Physical > Node
- B. Health > Physical > Cluster
- C. Health > Logical > Cluster
- D. Health > Logical > Node

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell EMC.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf>

QUESTION 30 Using VxRail Manager, what information can you find under the physical health view?

- A. Model, Temperature, Memory, and Health State
- B. Cluster ID, PSNT, Model, and Temperature
- C. PSNT, Operational Status, Health State, and Memory
- D. Cluster ID, Connected, Health State, and Operational Status

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell EMC.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf>

QUESTION 31

A company intends to deploy VxRail for their heavy database workloads on Oracle 11G. Which type of VxRail nodes should be recommended?

- A. E Series
- B. S SeriesC. P Series
- D. V Series

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/it/business/p/vmware-vxrail/pd>



QUESTION 32 How much capacity of vSphere Data Protection is provided with a VxRail appliance?

- A. 1 TB
- B. 8 TB
- C. 10 TB
- D. 16 TB

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.emc.com/collateral/white-paper/h15602-dell-emc-data-protection-vxrail.pdf> (6)

QUESTION 33

You are a VxRail system administrator and have received an email alert that a power on the VxRail has occurred. You contact Dell EMC Support and they ask you to run VxRail system diagnostics and send them a log. Under which tab in VxRail Manager can you find the appropriate Diagnostics button?

- A. System Diagnostic
- B. System Health
- C. Config Health
- D. Config General

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dellemc.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf> (44)

QUESTION 34 How is the VMware HCIA Management role associated with a user in vCenter after the VxRail system has been deployed?

- A. Assign the role directly to the user at the object level
- B. Add user to HCIA Management group
- C. Import the role to the user from VxRail Manager
- D. User is automatically added to the role when created

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35 When needed, the vSAN might also break large objects into multiple components. What is the maximum size of a component?

- A. 63 GB
- B. 127 GB
- C. 255 GB
- D. 511 GB

Correct Answer: C

Section: (none)

Explanation



Explanation/Reference:

Reference: <https://digitalthoughtdisruption.com/2019/03/16/performance-tuning-your-vsan-environment/>

QUESTION 36 Which software component is used to collect real-time log activity for VxRail?

- A. Platform Services Controller
- B. vRealize Log Insight
- C. vCenter
- D. VxRail Manager

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.slideshare.net/VuongPham1/pcfvrailreferencearchitecture>

QUESTION 37 What is a consideration when planning for node expansion of an existing 4-node All-Flash Dell EMC VxRail 4.5.2xx cluster?

- A. vSphere Web Client is used to perform the expansion procedure
- B. New nodes can be hybrid or All-Flash
- C. New nodes must be identical to the existing nodes
- D. Expansion procedure is performed by Dell EMC or a Dell EMC partner

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dellemc.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf>

QUESTION 38 Which VxRail model is a 1U form factor per node?

- A. E Series
- B. P SeriesC. S Series
- D. G Series

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/it/business/p/vmware-vxrail/pd>

QUESTION 39 What VxRail Manager activities can be performed by a user with the VMware Administrator role?

- A. Build, Manage, Expand, and Shutdown Cluster only
- B. Build, Manage, and Expand Cluster
Manage HA, DRS, and vSAN settings
- C. Build, Manage, and Expand Cluster only
- D. Build, Manage, and Shutdown ClusterManage vSAN settings

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 40 What is used in the VxRail infrastructure to manage multiple clusters of ESXi servers?

- A. Host client
- B. vCenter
- C. VxRail ManagerD. ESXi

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 41

As a VxRail administrator, you discover that one of the nodes in your cluster has a hardware issue. Dell EMC support will be arriving to replace the node. You have a vCenter Standard license on this vCenter.

You need to place the node into maintenance mode, and migrate the data prior to replacement. Which migration option should you use?

- A. DRS will automatically handle the migration
- B. Ensure data accessibility from other hosts



- C. Evacuate all data to other hosts
- D. No data evacuation

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42 A VxRail administrator wants to monitor vSAN Backend IOPS, Throughput, and Latency in the vSphere Web Client.

What must be turned on to monitor these metrics?

- A. vSAN Performance Service
- B. vSAN Health Service
- C. vSphere Distributed Resource Scheduler
- D. vSAN Disk Management

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-93E95CA4-D7D1-4729-8FB4-385B55B85FCD.html>

QUESTION 43 Use what network configuration is considered a best practice for VxRail clusters?

- A. Traffic segmentation with VLANS
- B. Available Production Ports
- C. Available Management Ports
- D. IPv6 Multicast

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 44

A VxRail is experiencing issues. The administrator decides to contact Dell EMC Support. Where in VxRail Manager can the administrator generate information needed for the support call?

- A. Config > Generate Support Bundle
- B. Health > General > Generate Support Bundle
- C. Support > Generate New Log Bundle
- D. Config > General > Generate New Log Bundle

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:



QUESTION 45 A VxRail administrator wants to rename the VxRail cluster and the VxRail vSAN datastore. What is the recommended method to make these changes?

- A. Refer to the VMware vSphere and vSAN documentationFollow the steps detailed in the VMware documentation
- B. Renaming the objects is not permitted
Rebuild the cluster with the desired names
- C. Use SolVe to generate the relevant proceduresFollow the steps detailed in the procedures
- D. Refer to the VxRail Appliance Administration GuideFollow the steps detailed in the guide

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 46 What is the minimum number of nodes required to build a VxRail 4.5 cluster?

- A. 2
- B. 3
- C. 4
- D. 5

Correct Answer: B

Section: (none)

Explanation



Explanation/Reference:

Reference: <https://www.emc.com/collateral/TechnicalDocument/docu82227.pdf> (6)

QUESTION 47 What are the activities that can be performed from the Node Information panel of the VxRail Manager Physical back view of a VxRail E series node?

- A. Replace DisksShut down
- B. Add Disks
Shut down
Toggle Chassis LED
- C. Replace Disks
Shut down
Toggle Chassis LED
- D. Add Disks
Toggle Disk LEDs

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell EMC.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf> (38)

QUESTION 48

As a VxRail administrator you have been asked to configure vSAN fault domains. After selecting the VxRail cluster, where would you navigate to in vCenter to accomplish this task?

- A. Configure > vSAN > Configuration Assist > Fault Domains & Stretched Cluster

- B. Configure > vSAN > General > Fault Domains & Stretched Cluster
- C. Configure > vSAN > Disk Management > Fault Domains & Stretched Cluster
- D. Configure > Fault Domains & Stretched Cluster

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 49 Which VMware feature will restart the VM on a different host when the original host fails?

- A. High Availability
- B. vMotion
- C. Distributed Resource Scheduler
- D. Fault Tolerance

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://communities.vmware.com/thread/503259>

QUESTION 50 In a VxRail G560 node, which integrated NIC port is the Active port for vSAN traffic?

- A. Uplink 1
- B. Uplink 2
- C. Uplink 3
- D. Uplink 4



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/h15300-vxrail-network-guide.pdf>

QUESTION 51

The VxRail administrator has been given the task of migrating the current production environment to a VxRail cluster with external block storage. The VMs must remain online during the migration.

Which VMware feature can be used?

- A. Storage vMotion
- B. vMotion
- C. VMware Converter Software
- D. High Availability

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 52 In a VxRail appliance, what does the vSAN use in the form of flexible data containers to store and manage data?

- A. Datastores
- B. Inodes
- C. Objects
- D. Logical volumes

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53 An application consisting of two VMs must be keep on two separate hosts.

Which VMware feature would enable this?

- A. Fault Tolerance
- B. High Availability
- C. Storage vMotion
- D. Distributed Resource Scheduler

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 54

A VxRail administrator has been asked to configure fault domains for an All-Flash VxRail cluster. The application VMs must be able to tolerate two failures and use capacity as efficiently as possible.

What is the minimum number of fault domains that must be configured?

- A. 4
- B. 5
- C. 6
- D. 7

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 55

Which VxRail model supports 25 Gb NICs?

- A. G560F
- B. G410
- C. E460
- D. S570

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 56 What is the minimum recommended number of hosts in a vSAN cluster for FTT = 2 and FTM = Erasure Coding?

- A. 4
- B. 5
- C. 6
- D. 7

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://storagehub.vmware.com/t/vmware-vsan/vmware-vsan-demonstrations/vsan-resilience-and-data-placement/>

QUESTION 57

DRAG DROP

What is the correct order steps to create a VM for a new project using vSAN and VxRail?

Select and Place:

Correct Answer:

Section: (none)

Explanation

Explanation/Reference:



QUESTION 58 In a VxRail appliance, which task is performed using VxRail Manager?

- A. Create storage pools
- B. Remediate health events
- C. Manage VxRail users and roles
- D. Perform software upgrade

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf> **QUESTION 59** What is a network consideration for VxRail version 4.5.x?

- A. IPv6 Multicast is not required
- B. IPv4 Multicast is required
- C. IPv4 Multicast and IPv6 Multicast are required
- D. IPv4 Multicast is not required

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/h15300-vxrail-network-guide.pdf> (9)

QUESTION 60 Which software-defined storage is used by VxRail?

- A. VMware VVols
- B. Dell EMC FlexOS
- C. Dell EMC ScaleIO
- D. VMware vSAN

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell EMC.com/en-hk/storage/data-storage/software-defined-storage.htm>

