

H19-301.VCEplus.premium.exam.60q

Number: H19-301
Passing Score: 800
Time Limit: 120 min
File Version: 1.0



Website: https://vceplus.com

VCE to PDF Converter: https://www.facebook.com/vce-to-pdf/
Facebook: https://www.facebook.com/VCE.For.All.VN/

Twitter: https://twitter.com/VCE_Plus

H19-301



CEplus

Exam A

QUESTION 1

The S5720I-SI switch has an extended temperature range and can work in harsh outdoor environments. The S5720I-SI supports:

- A. IP65
- B. IP67
- C. IP66

Correct Answer: B Section: (none) Explanation


Explanation/Reference:

QUESTION 2 Which of the following switches can provide agile features such as native AC, wired and wireless SVF, and free mobility?

- A. S5720-EI
- B. S5720-HI
- C. S5730-SI
- D. S6720-EI

Correct Answer: B Section: (none) Explanation





A. True

B. False

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 4 Which of the following switches does not support OSPF?

- A. S5720-SI
- B. S1720X-E
- C. S5720-EI
- D. S5720-LI

Correct Answer: B Section: (none) Explanation





Explanation/Reference:

QUESTION 5 Which of the following switches can provide agile features such as native AC, wired and wireless SVF, and free mobility?

A. S6720-EI B.

S7700I

C. S6720-SI

D. S12700

E. S5720-HI

Correct Answer: BD Section: (none) Explanation

Explanation/Reference:

QUESTION 6 Which of the following functions are supported by an NGFW card on a chassis switch?

A. URL filtering

B. IPSec VPN

C. NAT

D. Firewall

E. Server load balancing

Correct Answer: AD Section: (none) Explanation



Explanation/Reference:

QUESTION 7 Which of the following is NOT an advantage of the S5730-SI compared to the S5720-SI?

A. Pluggable dual fans

B. BGP

C. 40 GE ports

D. Subcard

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 8 Which of the following is NOT an advantage of the S5720-SI compared to the S5720-LI?

A. 32k MAC entries

B. OSPF

C. Dual power modules

D. BGP

Correct Answer: A Section: (none)



Explanation

Explanation/Reference:

QUESTION 9 Which of the following switches supports downlink optical ports?

A. S6720-26Q-SI-24S-AC

B. S5720-16X-PWH-LI-AC

C. S5730-48C-SI-AC

D. S2720-52TP-EI-AC

Correct Answer: BD Section: (none) Explanation

Explanation/Reference:

QUESTION 10 Which of the following switches supports MPLS?

A. S5720-LI

B. S5720-SIC. S6720-SI D. S5720-HI

Correct Answer: CD Section: (none) Explanation

Explanation/Reference:



QUESTION 11 Normally, "PWH" in the names of Sx7 switch models means that these models support IEEE 802.3bt PoE++ (60W)?

A. True

B. False

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 12 The maximum 10GE port density supported by an S6720 is 24 x 10GE.

A. True

B. False


Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 13 Which of the following

switches has no fan?





B. S5700-28P-LI

C. S5700-52P-LI

D. S5700-28X-PWR-LI

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 14

How many MPU slots does an S12710 have?

A. 10

B. 4

C. 12

D. 2

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 15 Which factor should be considered for selecting the chassis?

A. Weight

B. Number of access ports

C. Power type

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 16 By the end of 2018, the number of Huawei SDN cases reached 650+.

A. True

B. False

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 17

The Al Fabric has passed which of the following third-party test certifications?

A. FIPS





B. EANTC C. CC D. CSEC
Correct Answer: B Section: (none) Explanation
Explanation/Reference:
QUESTION 18 What is the minimum interval of hardware-based BFD supported by the CE8861?
A. 15 ms B. 3.3 ms C. 5 ms D. 10 ms
Correct Answer: B Section: (none) Explanation
Explanation/Reference:
QUESTION 19 In a data center solution, high reliability is required for key services. Which modules (components) of CE switches can support hot backup?
hot backup? A. Fabric card B. Power supply C. Fan D. Main processing unit
Correct Answer: AB Section: (none) Explanation
Explanation/Reference:
QUESTION 20 Agile Controller-DCN can interconnect with these mainstream cloud platforms: OpenStack, FusionSphere, Red Hat, and Mirantis.
A. True B. False
Correct Answer: A Section: (none) Explanation
Explanation/Reference:
QUESTION 21 Which of the following devices are data center fixed switches with flexible cards?
A. CE8860



B. CE12800

C. CE8861

D. CE6865E. CE6857

Correct Answer: AC Section: (none) Explanation

Explanation/Reference:

QUESTION 22 CloudFabric provides an intent-driven network and can verify some configurations.

A. True

B. False

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 23


Which subcards does the CE8861 support?

A. 10GE B. 25GE

C. 40GED. 100GE

Correct Answer: ABCD Section: (none) Explanation





A. FusionSphere

B. OpenStack

C. Microsoft Azure

D. VMware

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 25 Which model is NOT mentioned when you configure a quotation in data center network SCT?

A. Line card

B. Chassis

C. CPU





ric.

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 26 Which of the following reasons is incorrect for RDMA communication used by some applications in the industry?

- A. Q&M is simplified.
- B. The CPU load is reduced.
- C. The communication delay is reduced.
- D. The throughput is improved.

Correct Answer: BCD Section: (none) Explanation

Explanation/Reference:

QUESTION 27 Which of the following are 100 GE switches with fixed interfaces?

- A. CE6865
- B. CE8861
- C. CE8850-32CQ-EI
- D. CE8850-64CQ-EI
- E. CE8860

Correct Answer: CDE Section: (none) Explanation

Explanation/Reference:

QUESTION 28 Which of the highest-density 40GE line card for

the CE12800?

- A. 36 x 40GE
- B. 12 x 40GE
- C. 6 x 40GE

D. 24 x 40GE

Correct Answer: A Section: (none) Explanation


Explanation/Reference:

QUESTION 29 Which of the following is the recommended model for Huawei 10 GE fixed switches?

A. CE5855







D. CE6875

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 30 To which scenarios can AR

G3 series apply?

- A. 3G/LTE backup
- B. WAN access & edge aggregation
- C. VPN security gateway
- D. LAN egress gateway

Correct Answer: AB Section: (none) Explanation

Explanation/Reference:

QUESTION 31 AR G3 routers support built-in zone-based firewall functions.

A. True

B. False

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 32

Which O&M methods are supported by AR G3 routers?

- A. USB-based batch deployment
- B. Web GUI
- C. Command Line Interface (CLI)
- D. SNMP management

Correct Answer: BCD Section: (none)
Explanation

Explanation/Reference:

QUESTION 33 Which of the following models are

ICT gateways?

- A. AR510 series
- B. AR160-M series
- C. AR3600 series





Correct Answer: BC Section: (none) Explanation

Explanation/Reference:

QUESTION 34 AR G3 series routers support the built-in wireless LAN controller. However, Cisco must use the Wireless LAN Controller Module to support the function. Furthermore, ISR800 and ISR1900 series cannot support this AC module.

A. True

B. False

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 35 Which of the following statements regarding the comparison between AR G3 and Cisco ISR G2 are true?

- A. ISR G2 does not support voice.
- B. AR G3 routers have a more advanced architecture and better performance.
- C. The host and cards of AR series are hot swappable.
- D. ISR G2 does not support firewalls

Correct Answer: BCD Section: (none) Explanation



Explanation/Reference:

QUESTION 36 Both eSight and U2000 can manage full series of AR routers.

- A. True
- B. False

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 37

AR2500 is a rack-mounted industrial Ethernet switch, and AR550 is a DIN-mounted industrial Ethernet switch.

- A. True
- B. False

Correct Answer: A Section: (none) Explanation

Explanation/Reference:



QUESTION 38 Which of the following is the BFD	detection time for link faults supported by
Huawei routers?	

- A. 5 ms
- B. 50 ms
- C. 10 ms
- D. 3.3 ms

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 39 Which of the following highlights does not apply to the NE08E-S6/S6E?

- A. Large capacity
- B. Highest density in the industry
- C. High reliability
- D. Dual-CXP

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 40

How many fans does an NE40E-X16A support?

- A. 8
- B. 16
- C. 36
- D. 20

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 41

What O&M features does NE40E series support?

- A. BFD
- B. CFM
- C. Y.1731
- D. EFM

Correct Answer: BCD Section: (none) Explanation

Explanation/Reference:





QUESTION 42 Which are the highlights of the Huawei IP hard pipe solution?	
A. No jitter	
B. High reliability	
C. Low latency	
D. No packet loss	
Correct Answer: BCD Section: (none) Explanation	
Explanation/Reference:	
QUESTION 43 Which of the following is the maximum capacity of an NE40E's service board?	
A. 1T	
B. 2T	
C. 480G	
D. 240G	
Correct Answer: B Section: (none) Explanation	
Explanation/Reference: QUESTION 44 The AC6805 is a large-capacity fixed WLAN AC launched in the V100R018C10 solution. Its AP management capacity	
QUESTION 44 The AC6805 is a large-capacity fixed WLAN AC launched in the V100R018C10 solution. Its AP management capacity reaches	
A. 8K	
B. 10K	
C. 4K	
D. 6K	
Correct Answer: D	
Section: (none)	
Explanation	
Explanation/Reference:	
QUESTION 45 NE08E routers	
support STM-4 cards.	
A. True	
B. False	
Correct Answer: B	
Section: (none) Explanation	
Explanation/Reference:	

QUESTION 46 You need to verify only the number of APs when taking an onsite survey, but not the locations for installing the APs.



	_
Λ	True

B. False

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 47 What measures are taken to allow Huawei outdoor APs to withstand harsh environments?

- A. The working humidity is 0% to 100% (non-condensing).
- B. Supports a built-in 6 kV surge protector for antennas and feeders.
- C. Complies with IP67 for waterproofing.
- D. The working temperature range is -40°C to +60°C.

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 48 In most scenarios, 2.4 GHz channels are as clean as 5 GHz channels.

A. True

B. False

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 49 Which scenarios are suitable to using the wall plate AP2050DN?

- A. Shopping mall
- B. Hotel
- C. Dormitory
- D. Hospital
- E. Outdoor square

Correct Answer: BCD Section: (none) Explanation

Explanation/Reference:

QUESTION 50 Which of the following devices can bring interference to Wi-Fi devices?

A. Baby monitor





B. ZigBee

C. Bluetooth

D. Cordless telephone

E. Microwave oven

Correct Answer: ABCDE

Section: (none) Explanation

Explanation/Reference:

QUESTION 51 Each AP needs to be designed to cover as large area as possible in order to provide better coverage in a high-density scenario.

A. True

B. False

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 52 Which of the following are typical Huawei firewall cases outside China?

A. SCT of Mexico

B. Lepida DC firewall requirement in Italy

C. 2-year centralized procurement frame COSIP LAN 5 in Italy

D. Secure interconnection of 1500 branches of Banco do Brazil

Correct Answer: AB Section: (none) Explanation

Explanation/Reference:

QUESTION 53

Which of the following operating systems are supported by the sandbox?

A. Android

B. Linux

C. IOS

D. Windows XP and Windows 7/10

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 54 The desktop USG6530E can complete with all desktop models of Fortinet and Cisco. What is the large-packet throughput of the USG6530E?





Α.	1	Gbps
----	---	------

B. 3 Gbps

C. 4 Gbps

D. 2 Gbps

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 55 Which of the following are typical Huawei AntiDDoS cases outside China?

A. KIO in Mexico

B. Netherlands NBIP

C. Netherlands Equinix

D. Netherlands Serverius

Correct Answer: BD Section: (none) Explanation

Explanation/Reference:

QUESTION 56 Huawei partners should establish a cyber security assurance system to ensure the cyber security of customers. CEplus

A. True

B. False

Correct Answer: A Section: (none) **Explanation**

Explanation/Reference:

QUESTION 57

Anti-tampering and anti-implantation of Huawei products include:

- A. After the service, delete all daily maintenance accounts of the system.
- B. Do not tamper with products.
- C. Do not reserve private or undisclosed interfaces or accounts.
- D. Do not implant malicious code, software, or backdoors in customer devices or systems.

Correct Answer: BCD Section: (none) Explanation

Explanation/Reference:

QUESTION 58 Huawei attaches great importance to cyber security, set cyber security as an important strategy for the development of the company, and commitment to cyber security will never be outweighed by the consideration of commercial interests.

A. True



B. False	
Correct Answer: A Section: (none) Explanation	
Explanation/Reference:	
QUESTION 59 If partners violate cyber security requirements stipulated in the agreements, Huawei is eagreements.	entitled to revoke the license and authorization in the agreement, or terminate the
A. True B. False	
Correct Answer: A Section: (none) Explanation	
Explanation/Reference:	
QUESTION 60 Cisco's C2960S can support G.8032.	
A. True B. False	
Correct Answer: B Section: (none) Explanation	CEplus
Explanation/Reference:	