

DES-6321.VCEplus.premium.exam.60q

Number: DES-6321
Passing Score: 800
Time Limit: 120 min
File Version: 1.0



Website: <https://vceplus.com>

VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>

Facebook: <https://www.facebook.com/VCE.For.All.VN/>

Twitter : https://twitter.com/VCE_Plus

DES-6321

Specialist - Implementation Engineer, VxRail Appliance Exam



Exam A

QUESTION 1

A 4-node VxRail Model E560F solution with an embedded vCenter and Log Insight is planned for deployment. Prior to deployment, DNS records must be created for which hosts?

- A. vCenter Server, ESXi hosts, VxRail Manager, and iDRAC
- B. vCenter Server, first ESXi host, VxRail Manager, and iDRAC
- C. DNS records are automatically created during VxRail deployment
- D. vCenter Server, ESXi hosts, VxRail Manager, and Log Insight

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell EMC.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15300-vxrail-network-guide.pdf>

QUESTION 2 What is the default network traffic configuration for a VxRail node with 2 x 10 GbE ports?

- A. Management and vMotion on Uplink1vSAN and Virtual Machines on Uplink2
- B. Management, Virtual Machines, and vSAN on Uplink1vMotion on Uplink2
- C. Management, vMotion, and Virtual Machines on Uplink1vSAN on Uplink2
- D. Management and Virtual Machines on Uplink1vSAN and vMotion on Uplink2

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3 What is required to enable vSAN encryption on a VxRail cluster?

- A. All-Flash system
External Key Management Server
- B. Internal vCenter Server
Internal Key Management Server
- C. External vCenter Server
External Key Management Server
- D. Internal vCenter Server
External Key Management Server

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.virtualsan.doc/GUID-F3B2714F-3406-48E7-AC2D-3677355C94D3.html>

QUESTION 4

A customer is configuring VxRail to connect to an existing, external SRS VE. Their support account is associated with the Site ID/Party ID where VxRail is installed. A validation error is issued when the customer attempts to register VxRail in SRS.



What is the possible cause for the error?

- A. Status of VxRail in Install Base is 'Shipped'
- B. Wrong IP address was used for SRS VE gateway
- C. SRS traffic goes through a proxy server
- D. Number of deployed devices on SRS gateway has exceeded the maximum

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/community/VxRail/ESRS-on-VxRail-Manager/td-p/7147964>

QUESTION 5 An implementation engineer is attempting to add a new node to a 3 node VxRail cluster.

What is the minimum VxRail code version that no longer requires the fourth node to match the first three nodes?

- A. 4.0.302
- B. 4.0.502
- C. 4.5.070
- D. 4.5.150

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.vstecs-dellsolutions.com/wp-content/uploads/2018/10/vxrail-faq.pdf>



QUESTION 6 What is the minimum number of VxRail hosts required if FTT = 1 and FTM is set to Erasure Coding?

- A. 3
- B. 4
- C. 5
- D. 6

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://wuchikin.wordpress.com/2016/12/04/how-many-nodes-are-need-on-vxrail/>

QUESTION 7 A Dell EMC solutions architect has updated the VxRail PEQ with Customer Top-of-Rack (ToR) switch details.

On which worksheet would they need to be to generate a new NVT JSON file?

- A. Engagement Details
- B. Networking Details
- C. Customer
- D. VxRail Cluster

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 8 A failure occurs during the deployment of a VxRail cluster. You need to look through the marvin.log file to see what could be causing the error.

Where is this file located?

- A. var/log/vmware/marvin
- B. var/log/vmware
- C. var/log/vmware/marvin/tomcat/logs
- D. var/log/mystic

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.javydekoning.com/vxrail-monitoring-managing/>

QUESTION 9 The vCenter managing a VxRail cluster must be able to support both Enhanced Linked Mode and vSAN Encryption.

What is the correct configuration to satisfy this requirement?

- A. External vCenterExternal
PSC
- B. Embedded
vCenterEmbedded PSC
- C. External vCenterEmbedded
PSC
- D. Embedded vCenterExternal
PSC



Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10 Where is the VxRail Manager pre-installed on a newly shipped, 4 node VxRail Model G410 system?

- A. Node with the highest serial number
- B. Bottom-right node from the front
- C. All nodes
- D. First node

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

In a 5 node VxRail cluster in which all nodes are the same model, which cluster requires the least amount of rack space?

- A. G560
- B. E560C. S570
- D. V570

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12 A newly installed VxRail system appears to have poor vSAN performance for all VMs on the cluster.

What can be used to identify the issue?

- A. esxtop with v view
- B. resxtop with d view
- C. esxtop with x view
- D. resxtop with s view

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:



QUESTION 13 What is not a requirement for a VxRail External vCenter deployment?

- A. FQDN of the Embedded PSC
- B. FQDN of the vCenter Server
- C. An existing datacenter name to be used for the VxRail cluster
- D. Verification that the DNS server can resolve all VxRail ESXi hostnames

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/et-ee/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15844-vxrail-4-0-vcenter-server-pg.pdf>

QUESTION 14 Which vSAN setting is enabled by default during the initial deployment of a VxRail cluster?

- A. Deduplication and Compression
- B. Performance Service
- C. Storage policy of FTT = 1
- D. Encryption

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15104-vxrail-appliance-techbook.pdf> (15)

QUESTION 15 What is used to control remote access to VxRail through SRS?

- A. VxRail Manager
- B. SRS VE Gateway
- C. vCenter
- D. Policy Manager

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell EMC.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15300-vxrail-network-guide.pdf>

QUESTION 16 How many nodes can be added simultaneously to an existing VxRail cluster running at code version 4.5?

- A. 1
- B. 3
- C. 6
- D. 8

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell EMC.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf>

QUESTION 17 What output logs are collected using the vc-support.sh script?

- A. vCenter log bundle
- B. ESXi log bundle
- C. vRealize Log Insight support bundle
- D. VxRail Manager log bundle

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

DRAG DROP

What is the correct order of steps to install a Dell PowerEdge-based VxRail cluster?

Select and Place:

Correct Answer:

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

DRAG DROP

Match the management tool that is used to perform the associated operation in a VxRail environment.

Select and Place:**Correct Answer:****Section: (none)****Explanation****Explanation/Reference:****QUESTION 20**

In addition to the VxRail YouTube video, links to what resources should the SE send to the customer, according to the VxRail PEQ Engagement Details worksheet?

- A. VxRail vCenter Server Planning
GuideVxRail Network Guide
- B. VxRail QuickStart GuideVxRail
Network Guide
- C. VxRail vCenter Server Planning
GuideNetwork Validation Tool
- D. VxRail QuickStart GuideNetwork
Validation Tool

Correct Answer: D**Section: (none)****Explanation****Explanation/Reference:**

QUESTION 21 What does vSAN use to make metadata available to each host in the VxRail cluster?

- A. Loudmouth
- B. CMMDS
- C. MLD Snooping and Querier
- D. IPv6 Multicast

Correct Answer: A**Section: (none)****Explanation****Explanation/Reference:**

QUESTION 22 You are validating that a network environment is ready for a 4 node VxRail Model V570F deployment.

What types of DNS records must be created for VxRail components before implementation can begin?

- A. Forward (A) records only
- B. Forward (A) records and Reverse (PTR) records
- C. Forward (A) and MX records
- D. NS records and Reverse (PTR) records

Correct Answer: B
Section: (none)
Explanation

Explanation/Reference:

Reference: <https://www.dellemc.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15300-vxrail-network-guide.pdf> (30)

QUESTION 23 Which port configuration is invalid on the integrated NIC of a VxRail node?

- A. 2 x 25 GbE SFP28
- B. 2 x 10 GbE RJ45
- C. 2 x 10 GbE SFP+
- D. 2 x 1 GbE RJ45

Correct Answer: D
Section: (none)
Explanation

Explanation/Reference:

Reference: <https://www.dellemc.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15300-vxrail-network-guide.pdf> (10)

QUESTION 24

Which command can be used from VxRail Manager VM to restart the loudmouth daemon?

- A. `systemctl restart loudmouth`
- B. `/etc/init.d/vmware-loudmouth restart`
- C. `systemctl restart vmware-loudmouth`
- D. `/etc/init.d/loudmouth restart`



Correct Answer: D
Section: (none)
Explanation

Explanation/Reference:

Reference: <https://pbradz.wordpress.com/category/vxrail/>

QUESTION 25

You are expanding the capacity of a Hybrid VxRail by creating an additional disk group. The new disk group will be composed of five drives on all participating cluster nodes. When you attempt to add the new disks to the vSAN datastore you receive an error message about there being no cache tier available.

What is the likely cause?

- A. vSAN supports disk groups with four drives or fewer
- B. Cluster requires vSAN Advanced or Enterprise license upgrade
- C. You attempted to add the disks to the existing disk group
- D. All the drives are labeled as HDDs

Correct Answer: D
Section: (none)
Explanation

Explanation/Reference:

QUESTION 26

What action is required to enable VxRail Manager the ability to update system software and browse VxRail KB articles?

- A. Set the appliance status to 'Installed' in the Dell EMC Install database
- B. Set the Username and Password for the Support Account
- C. Configure Proxy settings
- D. Enable Secure Remote Support (SRS)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf> (31)

QUESTION 27 How does the Network Validation Tool (NVT) validate Top of Rack (ToR) switch configurations?

- A. NVT requires switch logon information and parses through the running-config of the switch
- B. Using the switch grab batch file, the output is imported into the NVT User Interface
- C. The running-config is imported into the NVT User Interface
- D. Top of Rack switches are always manually validated prior to implementation

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

A Stretched VxRail cluster is being designed with four nodes per site, for a total of eight nodes. How many sites are required for this configuration?

- A. 2
- B. 3
- C. 4
- D. 8

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15300-vxrail-network-guide.pdf>

QUESTION 29 When resetting a Dell PowerEdge-based VxRail node to an existing factory image, which boot device should be selected?

- A. BOSS
- B. RASRUSB
- C. SATADOM
- D. IDSDM

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/community/VxRail/Reset-VxRail-V470F-node-to-default-factory-configuration/td-p/7171517>

QUESTION 30 What is a requirement for Top-of-Rack (ToR) switches when deploying a VxRail cluster?

- A. Must be manufactured by Dell, Cisco, or Brocade
- B. Must support IPv6 Multicast
- C. Must have two switches in the cluster
- D. Must support 25GbE connectivity

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31 In which VxRail node model is the iDRAC 'NIC Selection Setting' set to LOM1?

- A. S570
- B. E560
- C. G410
- D. G560

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 32 What VxRail model is designed to support graphic intensive VDI workloads?

- A. E Series
- B. S SeriesC. V Series
- D. P Series

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: [https://www.dellemc.com/resources/en-us/asset/technical-guides-support-information/solutions/Dell EMC VxRail Appliance with VMware Horizon \(14G\) Reference Architecture.pdf](https://www.dellemc.com/resources/en-us/asset/technical-guides-support-information/solutions/Dell EMC VxRail Appliance with VMware Horizon (14G) Reference Architecture.pdf)

QUESTION 33 During the installation of a new VxRail cluster, where is System Time configured?

- A. System BIOS > Miscellaneous Settings
- B. iDRAC Settings > System Time
- C. System BIOS > System Information
- D. iDRAC Settings > System Profile Settings

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 34 After powering on Dell PowerEdge-based VxRail nodes, what defines the primary node of the cluster being configured?

- A. Marvin
- B. PTAgent
- C. Loudmouth
- D. Election Process

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15300-vxrail-network-guide.pdf>

QUESTION 35 In a VxRail deployment with an external vCenter Server, which VMware component(s) is automatically licensed?

- A. vCenter and vSphere only
- B. vSAN only
- C. vCenter, vSAN, and vSphere
- D. vCenter and vSAN only

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.emc.com/collateral/guide/h15844-vxrail-4-0-vcenter-server-pg.pdf> (page 5)



QUESTION 36 A planned VxRail deployment will use an external vCenter Server and syslog server.

Which ping connectivity tests should succeed and which should fail before the deployment?

- A. Succeed: vCenter server and syslog server
Fail: VxRail Manager and ESXi hosts
- B. Succeed: ESXi hosts and syslog server
Fail: VxRail Manager and vCenter server
- C. Succeed: VxRail Manager and syslog server
Fail: vCenter server and ESXi hosts
- D. Succeed: VxRail Manager and ESXi hosts
Fail: vCenter server and syslog server

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 37 Which vSAN license is included with VxRail?

- A. vSAN Enterprise
- B. vSAN for ROBO
- C. vSAN Advanced
- D. vSAN Standard

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://inside-the-rails.com/2018/12/22/vxrail-4-7-now-with-flexible-vsan-licensing/>

QUESTION 38 After a successful installation, where in VxRail Manager should you collect logs?

- A. CONFIG > General > Log Collection > Generate New Log Bundle
- B. CONFIG > General > System Diagnostics > Generate New Log Bundle
- C. CONFIG > System > Log Collection > Diagnose
- D. CONFIG > System > System Diagnostics > Diagnose

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell EMC.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf>

QUESTION 39

A customer requires a VxRail Stretched Cluster with E560F nodes in its minimal configuration. In addition, the cluster should be able to use both erasure coding options.

Which setup fulfills the requirement?

- A. 3+3 nodes
- B. 4+4 nodes
- C. 6+6 nodes
- D. 8+8 nodes



Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 40

You are performing a troubleshooting steps on a 4 node VxRail cluster. The cluster uses Erasure Coding for all VMs. When you attempt to put a node into maintenance mode using the recommended vSAN data migration policy, the operation fails.

What could be done to successfully put the node into maintenance mode?

- A. Use the 'No Data Migration' option
- B. Storage vMotion the VMs off the node
- C. Cold migrate the VMs off the node
- D. Use the 'Full Data Migration' option

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 41

An existing Dell EMC customer wants to deploy a new VxRail cluster on premise. Each node of the new cluster will be configured with a single disk group containing one 1.6 TB Flash drive for the capacity tier. The customer plans on using mirroring and needs to have at least 2 TB of usable capacity in the vSAN datastore.

What is the minimum number of VxRail nodes required?

- A. 2
- B. 3
- C. 4
- D. 5

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42 What software component is part of the VxRail Operations and Management Stack?

- A. VMware vCenter
- B. vRealize Automation
- C. Secure Remote Services
- D. vRealize Operations

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 43 What is the maximum number of nodes in a VxRail cluster when using 1 GbE links?

- A. 4
- B. 8
- C. 16
- D. 32

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/en-us/collaterals/unauth/data-sheets/products/converged-infrastructure/h16763-vxrail-14g-spec-sheet.pdf> (2)

QUESTION 44

Which block of IP addresses that is provided by the user to the VxRail Initialization wizard may contain non-contiguous addresses?

- A. NTP Servers
- B. ESXi Host
- C. vSAN
- D. vSphere vMotion

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 45

You are designing a VxRail Stretched Cluster for a company with two datacenters. The primary datacenter will host all the workloads; the secondary datacenter will be for disaster recovery.

Where should you host the witness virtual appliance?

- A. Both datacenters
- B. Secondary datacenter only
- C. Primary datacenter only
- D. Cloud

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 46 After finishing the rack and stack of a VxRail Model G410 cluster, in which sequence should the nodes be powered on?

- A. All four at the same time
- B. Any order possible
- C. Forward order (1 - 4)
- D. Reverse order (4 - 1)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 47 In what range does the VxRail Manager Health indicator show “yellow” for IOPS, CPU, and memory usage?

- A. 60% - 80% B. 70% - 80% C. 75% - 85%
- D. 75% - 95%

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: http://docs.hol.vmware.com/HOL-2019/hol-1928-01-hci_html_en/

QUESTION 48 How long is the grace period for the vSphere evaluation licenses in a new VxRail implementation?

- A. 30 days B. 45 days
- C. 60 days D. 90 days

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://community.emc.com/docs/DOC-69203>

QUESTION 49 A Secure Remote Services deployment on a VxRail system with external vCenter fails with “Invalid target datastore specified”.

What is required to resolve this problem?

- A. Ensure DNS is able to resolve the SRS/VE VM hostname
- B. Retry the deployment through the retry button
- C. Manually deploy Secure Remote Services
- D. Restart vCenter services and retry the deployment

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docplayer.net/51201325-Welcome-to-vxrail-appliance-remote-support-and-troubleshooting-course.html> (55)

QUESTION 50 Which tool is required to re-image a VxRail G560F system?

- A. POST
- B. RASR
- C. MBS
- D. BOSS

Correct Answer: B

Section: (none)

Explanation

**Explanation/Reference:**

QUESTION 51 A VxRail Stretched Cluster will be configured with four All-Flash nodes at each site based on the following requirements:

- PFTT = 1
- SFTT = 1
- FTM = Erasure Coding

Based on the required usable capacity, what should be the planned capacity of the design?

- A. Single Site Capacity = 150%
Total Cluster Capacity = 300%
- B. Single Site Capacity = 133%
Total Cluster Capacity = 266%
- C. Single Site Capacity = 100%
Total Cluster Capacity = 200%
- D. Single Site Capacity = 200%
Total Cluster Capacity = 400%

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 52 You are in the validation phase of a VxRail deployment with two Top of Rack (ToR) switches and four V570F VxRail nodes.

Which command should you issue on each of the ToR switches to validate that Link Aggregation has not been configured for VxRail interfaces?

- A. `show spanning tree`
- B. `show interfaces port-channel brief`
- C. `show vlan`
- D. `show running config mld`

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53 Which is the initial default HA setting for resource capacity reserved for a VxRail cluster?

- A. 15%
- B. 25%
- C. 35%
- D. 50%

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:



QUESTION 54 What is the size of the drives on the BOSS card in a VxRail P570 node?

- A. 64 GB
- B. 120 GB
- C. 240 GB
- D. 256 GB

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: https://www.dellemc.com/content/dam/uwaem/production-design-assets/pl-pl/events/forum/2017/presentations/modern_infrastructure_CS3.pdf

QUESTION 55 How many cables are required to install a 4 node VxRail Model G410 cluster with 1 GbE into a rack?

- A. 4 CAT6 and 16 Twinax network cables
- B. 4 CAT6 and 32 SFP+ connectors, and 16 fiber cables
- C. 4 CAT6 and 8 Twinax network cables
- D. 20 CAT6 network cables

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell EMC.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf>

QUESTION 56 The vSAN Health Check of a VxRail cluster is reporting errors about the stats.db object.

What could be a possible cause of this problem?

- A. vSAN Health Service is disabled
- B. vSAN Performance Service is not enabled
- C. vSAN Performance Service is not enabled on one of the ESX nodes
- D. There are inaccessible/unhealthy vSAN objects

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://community.emc.com/docs/DOC-59988>

QUESTION 57 When populating the VxRail Installation wizard for an External vCenter solution, what is the correct format for hostnames?

- A. vCenter, PSC, and VxRail Manager should use host name only
- B. VxRail Manager and vCenter should use FQDN; PSC should use host name only
- C. vCenter and PSC should use FQDN; VxRail Manager should use host name only
- D. vCenter, PSC, and VxRail Manager should use FQDN

Correct Answer: A

Section: (none)

Explanation

**Explanation/Reference:**

QUESTION 58 After the installation of a VxRail cluster, the vSAN Health Check shows a hardware compatibility warning.

Where can detailed information about this health check and its resolution be found?

- A. VMware Knowledge Base
- B. VxRail Manager Help
- C. Dell EMC Knowledge Base
- D. vCenter Server Help

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:**QUESTION 59**

A VxRail deployment has just been completed, and the performance service is enabled. The vSAN backend IOPS metrics are not available for the cluster.

What is the reason for this issue?

- A. Data has not been populated yet.
- B. Health service has not been turned on
- C. Monitoring policy has not been created

D. Performance service has not been disabled and re-enabled

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 60 You are expanding an existing 6 node VxRail V470F cluster by adding two additional V570F nodes.

What is the minimum VxRail version that will support this configuration?

- A. 4.5.150
- B. 4.5.070
- C. Mixed clusters are not supported
- D. 4.5.200

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf>

