

1Y0-204

Number: 1Y0-204
Passing Score: 800
Time Limit: 120 min



Website: <https://vceplus.com>
VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>
Facebook: <https://www.facebook.com/VCE.For.All.VN/>
Twitter : https://twitter.com/VCE_Plus

File Version: ¹

¹ Y0-204

<https://vceplus.com/>

<https://vceplus.com/>

Exam A

QUESTION 1

Which tool can a Citrix Administrator use to collect information to investigate issues with session performance?

A. CDF Control



<https://vceplus.com/>

- B. HDX Monitor
- C. Citrix Scout
- D. Citrix Health Assistant



Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

A user calls the help desk to report that when launching any application from within their published desktop session, it takes a long time and the overall performance is poor.

Which Citrix Director report can a Citrix Administrator use to initiate the investigation of the issue?

- A. Machine Utilization in Machine Details
- B. Launch Failures in Trends
- C. Load Evaluator in Trends

<https://vceplus.com/>

D. Session Data in Filters

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.citrix.com/blogs/2014/09/22/citrix-director-trends-explained/>

QUESTION 3

Which tool should a Citrix Administrator use when a user reports “event ID 1022: The Citrix Desktop Service Failed to register with any controller”?

- A. HDX Monitor
- B. VDA Cleanup Utility
- C. Citrix Scout
- D. Citrix Health Assistant

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://support.citrix.com/article/CTX207624>



QUESTION 4

Which three methods can a Citrix Administrator choose from when creating a Featured App Group for a set of applications? (Choose three.)

- A. Application names
- B. Installed locally
- C. Keyword
- D. Application category
- E. Delivery Group

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

<https://vceplus.com/>

Explanation:

You can create product featured app groups for your end users that are related to or fit in a specific category. For example, you can create a Sales Department featured app group containing applications that are used by that department. You can define featured apps in the StoreFront administration console by using application names or by using keywords or application categories that were defined in the Studio console.

Reference: <https://docs.citrix.com/en-us/storefront/current-release/manage-citrix-receiver-for-web-site/manage-app-groups.html>

QUESTION 5

Scenario: A Citrix Administrator needs to reduce costs by limiting users' printing sources. The administrator needs to stop automatic creation of all client printers in a session and map printers based on the floor of the building from which the user's session connects. Which two policies should the administrator configure to complete this task? (Choose two.)

- A. Printer properties retention
- B. Auto-create client printers
- C. Direct connections to print servers
- D. Session printers

Correct Answer: CD

Section: (none)

Explanation



Explanation/Reference:

Reference: <https://support.citrix.com/article/CTX232031>

QUESTION 6

Scenario: A Citrix Administrator has enabled an HDX Session printers policy within a Citrix Virtual Apps and Desktops Site. The administrator added a printer to a print server and assigned the printer to all users through a session printer policy. In addition, several local client printers are auto-created within HDX sessions. No other printing policies are configured.

How will print jobs be routed when users send print jobs to a printer managed by the print server?

- A. Directly to the network print server and then to the specified printer.
- B. Over the HDX virtual channel to the specified printer attached to the print server.
- C. Directly from the session Virtual Delivery Agent (VDA) machine to the printer.
- D. Over the HDX virtual channel, through the endpoint, and then to the print server.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://support.citrix.com/article/CTX227534>

QUESTION 7

Scenario: A Citrix Administrator is enabling TLS Secure connections between the Cloud Connectors and on-premises StoreFront. After configuring the TLS certificate on all Cloud Connectors and disabling HTTP connections, the administrator finds that no resources are being enumerated.

Which extra step does the administrator need to take to allow enumeration to work between on-premises StoreFront and Citrix Cloud?

- A. Configure Internet Information Services (IIS) on the StoreFront server to use HTTPS.
- B. Change transport type to HTTPS in the StoreFront store DDC list.
- C. Configure Cloud Connectors to allow unsecured connections.
- D. Install Internet Information Services (IIS) on the Cloud Connector.

Correct Answer: B

Section: (none)

Explanation



Explanation/Reference: Reference: <https://www.exam4training.com/which-extra-step-does-the-administrator-need-to-take-to-allow-enumeration-to-work-between-on-premises-storefront-and-citrixcloud/>

QUESTION 8

Which PowerShell command should a Citrix Administrator run to obtain the name of a deployment, the local host cache configuration and the license level?

- A. Get-BrokerCatalog
- B. Get-BrokerController
- C. Get-BrokerResource
- D. Get-BrokerSite

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops/manage-deployment/local-host-cache.html>

QUESTION 9

How can a Citrix Administrator guarantee the availability of resource locations in a Citrix Cloud deployment?

- A. Deploy at least two Cloud Connectors for each resource location and load-balance them using Citrix ADC.
- B. Deploy at least two Cloud Connectors for each resource location.
- C. Convert one Cloud Connector to a template and deploy it when another Cloud Connector goes down.
- D. Deploy one Cloud Connector in each resource location.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/citrix-cloud-government/system-requirements/cloud-connector-requirements.html#deployment-scenarios-for-cloudconnectors-in-active-directory>

QUESTION 10

Scenario: A Citrix Administrator is working on a published application. The network connection remains active for 240 seconds but is interrupted and applications become unusable. The session then prompts for authentication. After the administrator successfully authenticates, the session is reconnected.

Which policy makes this possible?

- A. Load Management
- B. Auto Client Reconnect
- C. Session Reliability
- D. ICA Keep Alive

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops/policies/reference/ica-policy-settings/session-reliability-policy-settings.html>

QUESTION 11

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience.

Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Add Cloud Connector information to the Azure AD console.
- B. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/citrix-cloud/workspace-configuration.html#change-authentication-to-workspaces>

QUESTION 12

A user calls the help desk and states that launching a pooled random desktop takes as long as five minutes.

Which Citrix Director report can a Citrix Administrator review to find out what might be causing the delay?

- A. Resource Utilization
- B. Connection Failures
- C. Logon Performance
- D. Load Evaluators



Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:


<https://www.citrix.com/blogs/2013/09/20/director-logon-duration-explained/>

QUESTION 13

Scenario: A Citrix Administrator ran the Get-BrokerSite PowerShell command on the primary Delivery Controller to obtain overview information of the infrastructure.

The administrator received the error as shown in the exhibit.

Click on the Exhibit button to view the error.



```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) 2016 Microsoft Corporation. All rights reserved.

PS C:\Users\Administrator\WORKSPACE\LAB> Get-BrokerSite
Get-BrokerSite : The term 'Get-BrokerSite' is not recognized as the name of a cmdlet, function, script file, or operable program.
Check the spelling of the name, or if a path was included, verify that the path is correct and try again.
At line:1 char:1
+ Get-BrokerSite
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (Get-BrokerSite:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException
```

Why did the administrator receive this PowerShell error?

- A. The Get-BrokerSite PowerShell command was performed with a syntax error.
- B. The Get-BrokerSite PowerShell command was performed before running the Add-PSSnapin Citrix* command.
- C. The incorrect PowerShell command for retrieving Site information was performed.
- D. The Get-BrokerSite PowerShell command was performed without Administrator privileges in PowerShell.

Correct Answer: B

Section: (none)

Explanation



Explanation/Reference:

QUESTION 14

Which tool should a Citrix Administrator use to monitor the overall daily performance of a Citrix Virtual Apps and Desktops Site?

- A. Citrix Studio
- B. HDX Monitor
- C. Citrix Director
- D. CDF Traces

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15

Scenario: A Citrix Administrator needs to review the current state of specific machine sessions and application instances that are running in a Citrix Virtual Apps and Desktops Site. The administrator also needs to power-manage sessions. The Site is a premium licensed Site.

Where should the administrator navigate to within Citrix Director to obtain this information?

- A. Filters
- B. Trends
- C. Dashboard
- D. Alerts

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

Which three policy settings can a Citrix Administrator configure to improve HDX session performance for high-latency, low bandwidth user connections? (Choose three.)

- A. Maximum number of sessions
- B. View window contents while dragging
- C. CPU usage
- D. Target frame rate and color depth
- E. Limit video quality
- F. Application launch wait timeout

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://support.citrix.com/article/CTX138404>

QUESTION 17

Scenario: A Citrix Administrator needs to power-manage a group of Server OS Virtual Delivery Agent (VDA) machines that are all in the same Delivery Group. The administrator needs all the machines to be restarted once a week during the weekend. Additionally, a subset of the machines should be restarted every day during non-peak hours.

Which feature must the administrator change from the default values in order to fulfill the requirements?

- A. Restart duration
- B. Weekday and weekend hours
- C. Peak and non-peak hours
- D. Tag restrictions

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/install-configure/delivery-groups-manage.html>

QUESTION 18

A user complains to a Citrix Administrator that application load time is long when they log on at the beginning of the work day.

Which feature can the administrator enable to reduce the perceived start time of the user's application?

- A. Application Limits
- B. Application Keyword
- C. Application LingerinD. Application Prelaunch



<https://vceplus.com/>

<https://vceplus.com/>

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/receiver/windows/current-release/optimize/session-prelaunch.html>

QUESTION 19

Which two statements are valid when using Citrix Profile Streaming? (Choose two.)

- A. Registry entries and files in the pending area are fetched when accessed.
- B. Profile Streaming is disabled by default.
- C. The files and folders are fetched on demand.
- D. Profile Streaming will delay the logon process.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:



QUESTION 20

Which component can optionally be hosted in Citrix Cloud or in a customer-controlled resource location, when using the Citrix Virtual Apps and Desktops service?

- A. Citrix License Server
- B. Citrix Gateway
- C. Site database
- D. Virtual Delivery Agent (VDA) machines

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21

Which console can a Citrix Administrator use to provide customized permissions to a junior administrator for adding applications?

- A. Citrix Studio
- B. StoreFront
- C. Citrix Director
- D. Citrix Application Delivery Management

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 22

Scenario: A Citrix Administrator needs to deploy Citrix Virtual Apps. Project requirements dictate that management and maintenance should be minimized for the administrator, while still maintaining control of the Virtual Delivery Agent (VDA) machines.

Which hosting platform should the administrator choose to meet these requirements?

- A. Service provider
- B. On-premises
- C. Public Cloud-hosted
- D. Citrix Cloud



Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 23

Scenario: A Citrix Administrator is in the process of migrating a Citrix Virtual Apps and Desktops on-premises deployment to Citrix Cloud with an on-premises resource location. StoreFront and Citrix ADC machines are located on premises. The administrator notices that application enumeration is NOT occurring for resources managed by the Citrix Cloud Site.

What does the administrator need to change in order to get application enumeration working?

- A. Add the Citrix Cloud Connectors as Secure Ticket Authority (STA) servers on Citrix ADC and StoreFront.

- B. Remove the Citrix policies on the old Citrix Delivery Controllers.
- C. Add the Citrix Cloud Connectors as XML servers to the existing StoreFront servers.
- D. Decommission the old Citrix Delivery Controllers and Databases.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 24

When users log on to Citrix Receiver, they are NOT able to see their line-of-business application by default and are frequently calling the help desk to locate the application.

Which phrase can a Citrix Administrator add to the application properties, so that line-of-business application is added to Favorites and users cannot remove the application from Favorites?

- A. "KEYWORDS: Prefer"
- B. "KEYWORDS: Mandatory"
- C. "KEYWORDS: Auto"
- D. "KEYWORDS: Featured"



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/receiver/windows/downloads/Receiver-for-Windows-4-10-1.pdf>

QUESTION 25

What must a Citrix Administrator do to encrypt XML traffic between StoreFront and the Delivery Controllers?

- A. Install a private server certificate on each StoreFront server and then add a new Internet Information Services (IIS) binding for HTTPS.
- B. Install a private server certificate on each Delivery Controller and bind the certificates to port 443.
- C. Install a private certificate on each Delivery Controller and StoreFront server. Restart each server to force XML communication to be encrypted.
- D. Install a private server certificate on each StoreFront server. Open the StoreFront console and use the https:// prefix with the base URL.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.jgspiers.com/securing-ddc-xml-broker-communication-over-https/>

QUESTION 26

Which method, according to Citrix leading practices, can a Citrix Administrator use to successfully make a configuration change for a StoreFront server group?

- A. Make the change on one StoreFront server in the group, then restart all servers in the group to synchronize the change.
- B. Make the same change manually on all StoreFront servers in the group, then run a Site health check.
- C. Make the same change on all StoreFront servers in the group using remote PowerShell commands.
- D. Make the change on one StoreFront server in the group, then use the Propagate Changes feature.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://www.carlstalhood.com/storefront-cr-basic-configuration/#secondserver>



QUESTION 27

Scenario: A Citrix Administrator wants to add machines to a Delivery Group. The administrator has two machine catalogs containing unallocated machines. On the screen to choose machines from machine catalogs, the administrator can see that only one machine catalog is available.

A possible cause of this issue is that the machines in the unavailable machine catalog are _____. (Choose the correct option to complete the sentence.)

- A. different OS types
- B. provisioned with another provisioning method
- C. unregistered
- D. turned off

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

Which layer can optionally be managed by Citrix Cloud, when designing Citrix Cloud architecture?

- A. Access B. Hardware
- C. Resource
- D. Control

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 29

Scenario: A Citrix Administrator of a large, multi-domain company needs to configure specific Group Policy Object (GPO) settings for Citrix Workspace app (Receiver) on managed endpoints that are in various locations. The administrator needs to have the ability to save the GPO template file to the Active Directory central store, so that Group Policy Administrators located in other domains can utilize it.

Which step should the administrator take to accomplish this task?

- A. Use the available Receiver ADMX and ADML template to configure the required settings locally.
- B. Use the available Receiver ADML template to configure the required settings at the domain level.
- C. Use the available Receiver ADML template to configure the required settings locally.
- D. Use the available Receiver ADMX and ADML template to configure the required settings at the domain level.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30

Scenario: A Citrix Administrator is required to maximize the usage of the Citrix Virtual Apps and Desktops Site by enabling users to access the Site from external devices and reducing the cost and the effort required to maintain the infrastructure. The desktops for the users are provisioned using Citrix Provisioning.

Which set of resources will enable the administrator to achieve the objective?

- A. Citrix Virtual Apps and Desktops service, Citrix Gateway service, on-premises resources
- B. Citrix Virtual Apps and Desktops service, Citrix Gateway, public cloud
- C. Citrix Virtual Apps and Desktops service, Citrix Gateway, on-premises resources
- D. Citrix Virtual Apps and Desktops service, Citrix Gateway service, public cloud

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31

Scenario: A Citrix Administrator needs to configure StoreFront to allow external users access to internal resources. The external users will authenticate on StoreFront.

Which StoreFront authentication method can the administrator configure?

- A. Smart card
- B. Pass-through from NetScaler Gateway
- C. HTTP Basic
- D. Username and password

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/storefront/current-release/plan/user-authentication.html>

QUESTION 32

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a large number of Windows users running various locally attached client printers. No network printers are being used. The administrator has enabled the HDX printer mapping policy to 'Auto-create all client printers', which has resulted in

a large number of drivers being loaded onto the Virtual Delivery Agent (VDA) machines. New standards are requiring the administrator to limit these Windows drivers on the VDA machines.

Which printing feature can the administrator enable to meet the new standards?

- A. The Auto-create PDF universal printer policy
- B. The Auto-create local (non-network) client printers only policy
- C. The Citrix Universal Print Server
- D. The Citrix Universal Printer Driver

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops/printing/printing-provision-printers.html>

QUESTION 33

Scenario: A Citrix Administrator is in the process of migrating the existing 7.15 LTSR Virtual Delivery Agent (VDA) machines used on premises to Citrix Cloud. The administrator has created a new manual machine catalog and Delivery Group in Citrix Cloud and pointed to the existing Device Collection in Citrix Provisioning. The administrator also restarted the VDA machines.

What could prevent the VDA machines from registering in Citrix Cloud?

- A. The VDA master image was NOT updated to communicate with the Cloud Connectors.
- B. One of the two Cloud Connectors is down and unresponsive.
- C. The Citrix policies have NOT been migrated to Citrix Cloud.
- D. The VDA on the master image has NOT been updated to a later version.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 34

Scenario: A Citrix Administrator manages a Citrix Gateway with a Standard Platform License, with remote employees in the environment. The administrator wants to increase employee access by 300 users through the Citrix Gateway, using VPN access.

Which license should the administrator recommend purchasing for this environment?

- A. Citrix ADC Burst Packs License
- B. Citrix ADC Upgrade License
- C. Citrix Gateway Universal License
- D. Citrix Gateway Express License

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35

A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair and needs to ensure that one Citrix ADC is UP and primary at all times to ensure the business websites are always available.

What does the administrator need to do to ensure that the Citrix ADCs still handle web traffic in the event that both nodes become unavailable or fail a health check?

- A. Disable HA Fail-safe mode on the Primary Citrix ADC only.
- B. Configure HA Fail-safe mode on each Citrix ADC independently.
- C. Configure HA Fail-safe mode on the Primary Citrix ADC only.
- D. Disable HA Fail-safe mode on the Secondary Citrix ADC.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 36

Scenario: A Citrix Administrator configured Citrix ADC with multiple admin partitions, with different resources running one each. The administrator receives an SNMP alert stating 'a Load Balanced Virtual Server is down'. When the administrator checks the Citrix ADC, the resource on the partition that was usually managed is NOT there.

Now, the administrator has to check each partition to find the load balanced virtual server that is down.

What can the administrator do to add the partition information to the SNMP traps to avoid this from happening in the future?

- A. Configure additional SNMP trap listeners.
- B. Change SNMP trap options.
- C. Add the partition information to the SNMP traps.
- D. Configure the SNMP Manager to send the partition information.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/netScaler/12/admin-partition/snmp-support-for-admin-partitions.html>

QUESTION 37

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: bind vlan 20 –ifnum

1/1 What is the result of executing the command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 38

Scenario: A Citrix Administrator has given permissions to team members to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member was trying to use the command-line interface to troubleshoot an authentication issue and could NOT use aaad.debug. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

- A. The team member does NOT have permission to use the CLI.
- B. The team member does NOT have Shell access by design.
- C. The team member needs to troubleshoot the issue from the GUI.
- D. The team member is NOT using the CLI correctly.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 39

Scenario: A Citrix Administrator has received user complaints about issues connecting to the domain through the Citrix ADC using AAA. The administrator investigated the issue and found that the domain session cookie that was used during authentication is failing due to resolution issues.

What can the administrator do to fix the issue?

- A. Configure DNS to assign authentication and traffic management virtual servers to FQDNs in the domain.
- B. Configure FQDNs for the Session Cookies in the domain.
- C. Change the Session Cookie timeout in DNS.
- D. Configure DNS to assign an FQDN for the Citrix ADC in the domain.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/netscaler/12/aaa-tm/authentication-virtual-server.html>

QUESTION 40

A Citrix Administrator has executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
> add transform profile prof_url_change
Done
> add transform action "URL change" prof_url_change 10
Done
> set transform action "URL change" -priority 10 -reqUrlFrom "https://*" -reqUrlInto
"http://*" -resUrlFrom "http://*" -resUrlInto "https://*"
Done
> add transform policy pol_url_change true prof_url_change
Done
> bind lb vserver LB_vserver -policyName pol_url_change -priority 100 -
gotoPriorityExpression END -type REQUEST
```

Which two replacements will be the outcome of executing these commands? (Choose two.)

- A. https:// will be replaced by http:// in the HTTP REQUEST
- B. http:// will be replaced by https:// in the HTTP REQUEST
- C. http:// will be replaced by https:// in the HTTP RESPONSE
- D. https:// will be replaced by http:// in the HTTP RESPONSE

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 41

Which step can a Citrix Administrator take in order to use the default compression policies?

- A. Bind the default compression policies to the virtual server.
- B. Enable compression on the associated bound services.
- C. Disable the Citrix ADC Compression feature at a global level.

D. Select the compression algorithm (gzip/deflate/identity).

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42

Which scenario will cause automatic high availability (HA) synchronization to fail?

- A. Manually forced synchronization
- B. A configuration change to the primary Citrix ADC
- C. Different build versions
- D. A force failover

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://support.citrix.com/article/CTX109013>

QUESTION 43

Which qualifier is used to configure the Content filter action to modify the HTTP header of an HTTP Request?

- A. Corrupt
- B. Forward
- C. Add
- D. Error Code

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/citrix-adc/13/security/content-filtering/ns-cf-creatcf-act-tsk.html>

QUESTION 44

Click the 'Exhibit' button to view the screenshot.



```
>  
> add cs policy CS1_Pol -rule "http.REQ.URL. PATH.CONTAINS(\"url1\")"  
Done  
> add cs policy CS2_Pol -rule HTTP.REQ.IS_VALID  
Done  
>  
> add cs vsrver CS_LB HTTP 10.107.149.233 80 -cltTimeout 180 -precedence URL  
Done  
> bind cs vsrver CS_LB -policyName CS2_Pol -targetLBVserver LB_vserver1 -priority 100  
Done  
> bind cs vsrver CS_LB -policyName CS1_Pol -targetLBVserver LB_vserver2 -priority 110  
Done  
> Bind cs vsrver CS_LB -lbvserver lb_vsrv_www  
Done  
>
```

How will the HTTP request `http://xenapp.training.lab/url1` be redirected based on the screenshot?

- A. The request will be sent to LB_vserver1.
- B. The request will be dropped at the CS vServer.
- C. The request will be sent to lb_vsrv_www.
- D. The request will be sent to LB_vserver2.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 45

Which mode on the Citrix ADC can a Citrix Administrator utilize to avoid asymmetrical packet flows and multiple route/ARP lookups?

- A. Use Subnet IP (USNIP)
- B. MAC-based forwarding (MBF)
- C. Layer 2

D. Layer 3

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 46

Scenario: A Citrix Administrator has configured an HTTP load-balancing virtual server with Least Response Time as the load-balancing algorithm.

The administrator notices that requests to the virtual server appear to be using the Round Robin load-balancing algorithm.

What could be causing the virtual server to use the Round Robin load-balancing algorithm?

- A. The Citrix ADC configuration has NOT been saved yet.
- B. The virtual server is in startup round robin mode.
- C. The services that are bound to the HTTP virtual server are using the PING monitor.
- D. Least Response Time CANNOT be used as a load-balancing algorithm on an HTTP virtual server.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 47

Scenario: A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>  
>add responder action Act_1 respondwidth DNS.NEW_RESPONSE(true, true, NOERROR)  
Done  
> add responder policy Pol_1 dns.REQ.TRANSPORT.EQ(udp) Act_1  
Done  
> bind lb vserver DNS -policyName Pol_1 -type request -priority 100
```


What will be the effect of this configuration?

- A. Create a DNS Request with TC bit set and rcode as NOERROR
- B. Create a DNS Response with TC bit set and rcode as NOERROR
- C. Set TC bit and rcode as NOERROR in the DNS Request from Client
- D. Set TC bit and rcode as NOERROR in the DNS Response from DNS server

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/netScaler/12/appexpert/responder/dns-support-responder.html>

QUESTION 48

Scenario: A Citrix Administrator is managing a Citrix ADC SDX running eight Citrix ADC instances. The administrator first needs to upgrade the firmware on the instances. However; the administrator is concerned that it needs to be done all at once.

What upgrading flexibility does SDX provide in this scenario?

- A. The Citrix ADC instances have to be upgraded at the same time.
- B. It is NOT possible to upgrade the Citrix ADC instances to different firmware versions.
- C. The Citrix ADC instance can be upgraded at the SDX management level, allowing all instances to be upgraded at once.
- D. The Citrix ADC instance can be upgraded on an individual basis, allowing all instances to run different firmware versions.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 49

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC.

What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets

- B. Bridge the packets.
- C. Route the packets.
- D. Process the packets.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 50

Scenario: The Director of network security in a financial organization wants to protect the enterprise network from any external malware threats. To do this, the director needs to gain visibility into otherwise-bypassed traffic and control access to malicious web sites. The director is required to do the following:

- Intercept and examine all the traffic, including SSL/TLS (encrypted traffic), coming in, and going out of the enterprise network.
- Block access to URLs identified as serving harmful or insecure content.
- Identify users (employees) in the enterprise who are accessing malicious websites.

Which Citrix ADC deployment mode should a Citrix Administrator use to achieve this requirement?

- A. Default Gateway
- B. Citrix Secure Web Gateway
- C. Citrix Gateway
- D. Access Gateway

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 51

A Citrix Administrator configured the Responder policy to redirect the request for root page to the home page.

However, after executing the command, the webpage access entered a loop, as shown in the second screenshot.

Click on the 'Exhibit' buttons to view the screenshots.


```
>
>
> add responder action rs_redirect_home_act redirect "\ http://server1.training.lab/home.php
\" -responseStatusCode 302

Done
> add responder policy rs_redirect_home_pol HTTP.REQ.IS_VALID res_redirect_home_act

Done
> bind lb vserver lb_vsrv_www -policyName rs_redirect_home_pol -priority 100 -
gotoPriorityExpression END -type REQUEST

Done
>
>
```





How will the administrator rectify this issue?

- A. Change Responder action expression to "/"
- B. Change Responder Policy expression to `http.REQ.URL.Contains("/")`
- C. Change Responder Action expression to `http.REQ.URL`
- D. Change Responder Policy expression to `http.REQ.URL.EQ("/")`

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 52

A Citrix Administrator needs to block all the DNS requests from subnet 10.107.149.0/24.

Which expression can the administrator use to match the required traffic?

- A. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& client UDP.DSTPORT.EQ(53) || client. TCP.DSTPORT.EQ(53)
- B. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& (client UDP.DSTPORT.EQ(53) || client. TCP.DSTPORT.EQ(53))
- C. CLIENT.IP.SRC(10.107.149.0) && (client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- D. CLIENT.IP.SRC(10.107.149.0) && client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53

Scenario: Client connections to certain virtual servers are abnormally high. A Citrix Administrator needs to be alerted whenever the connections pass a certain threshold.

How can the administrator use Citrix Application Delivery Management to accomplish this requirement?

- A. Configure TCP Insight on the Citrix Application Delivery Management.
- B. Configure specific alerts for virtual servers using Citrix Application Delivery Management.
- C. Configure SMTP Reporting on the Citrix Application Delivery Management by adding the threshold and email address.
- D. Configure Network Reporting on the Citrix Application Delivery Management by setting the threshold and email address.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/netscaler-mas/12/network-reporting.html>

QUESTION 54

Scenario: A Citrix Administrator suspects an attack on a load balancing virtual server. The administrator needs to restrict access to the load balancing virtual server (192.168.100.25) for 10 minutes.

Which Access Control List (ACL) will help to accomplish this requirement?

- A. add simpleacl rule1 DENY –srcIP 192.168.100.25-TTL 600
- B. add ns acl rule1 DENY –destIP 192.168.100.25 –TTL 600
- C. add simpleacl rule1 DENY –srcIP 192.168.100.25 –TTL 600000
- D. add ns acl rule1 DENY –destIP 192.168.100.25 –TTL 600000

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 55

How can a Citrix Administrator configure a rewrite policy to change the version of HTTP from HTTP 1.1 to HTTP 1.0 in every request?

add rewrite action RW_ACT replace http.req.version “\”HTTP/1.0\”” A.
add rewrite policy RW_POL true RW_ACT
add rewrite action RW_ACT replace http.res.version “\”HTTP/1.0\””
add rewrite policy RW_POL true RW_ACT
add rewrite action RW_ACT replace http.res.version “\”HTTP/1.1\””
add rewrite policy RW_POL true RW_ACT
add rewrite action RW_ACT replace http.req.version “\”HTTP/1.1\””
add rewrite policy RW_POL true RW_ACT

B.

C.

D.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 56

Scenario: A Citrix Administrator needs to configure persistence on a Global Server Load Balancing (GSLB) virtual server to which a service is bound, so that the service continues to serve requests from the client even after it is disabled manually, accepting new requests or connections only to honor persistence. After a configured period of time, no new requests or connections are directed to the service and all of the existing connections are closed.

Which parameter can the administrator configure while disabling the service to achieve this requirement?

- A. Request Threshold
- B. Persistence Time-Out
- C. Persistence Threshold
- D. Wait Time

Correct Answer: B

Section: (none)

Explanation


Explanation/Reference:

QUESTION 57

A Citrix Administrator complains that between the two rewrite policies bound to the vserver, only one policy, whichever has lower priority, works. The other policy is never used.

Click the 'Exhibit' button to view the screenshot of the relevant policy binding.

<https://vceplus.com/>



What is the cause of the issue?

- A. The Invoke label is NOT configured.
- B. GotoExpression value for Policy RP_remove_srv_header is configured as 'END'.
- C. The Policy expression of the no_chunk_pol is 'true' and 'NOT HTTP.REQ.IS_VALID'.
- D. The Priority of the no_chunk_pol is a higher numeric value than 100.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 58

Scenario: A Citrix Administrator would like to grant access to a Junior Administrator on the Citrix ADC. The administrator would like to grant full access to everything except the following:

- Shell Access
- User Configuration access
- Partition Configuration access

Which pre-existing command policy would meet the needs of the scenario?

- A. Operator

- B. Sysadmin
- C. Network
- D. Superuser

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 59

A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the following commands on the Citrix ADC using command-line interface:

```
add rewrite action Act_1 replace_dns_header_field "dns.res.header.flags.set(aa)"
add rewrite policy Pol_1 true Act_1
bind rewrite global Pol_1 100 -type dns_res_override
```

What will be the effect of executing the above commands?

- A. Set the AA bit of DNS Request B.
Set the AA bit of DNS Response



<https://vceplus.com/>

- C. Unset the AA bit of DNS Request
- D. Unset the AA bit of DNS Response

<https://vceplus.com/>

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 60

Scenario: A Citrix Administrator configured the HTTP_Callout feature on the Citrix ADC using the command-line interface. After configuring the commands, the device is facing the HTTP callout recursion issue.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
> add policy httpCallout myCallout
Done
> set policy httpCallout myCallout - IPAddress 10.102.3.95 -port 80 -returnType TEXT -
hostExpr "\"10.102.3.95\" \" -urlStemExpr "\"/cgi-bin/check_clnt_from_database.pl
lout Request\" -parameters cip (CLIENT.IP.SRC) -resultExpr \"HTTP.RES.BODY(100)\"
Done
> add responder policy Poll \"SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")\" RESET
Done
> bind responder global Poll 100 END -type OVERRIDE
```

How will the administrator rectify the issue?

- A. Change the expression of the Responder policy to "HTTP.REQ.HEADER("Request").EQ("Callout Request").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS("IP Matched")"
- B. Change the expression of the Responder policy to "HTTP.REQ.HEADER("Request").EQ("Callout Request").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS("IP Matched").NOT"
- C. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.SRC) &&HTTP.REQ.HEADER("Request").EQ("Callout Request")"
- D. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.DST) &&HTTP.REQ.HEADER("Request").EQ("Callout Request")"

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 61

Scenario: A Citrix ADC MPX is using one of four 10G ports available in an environment. A Citrix Administrator found a traffic bottleneck at the Citrix ADC.

What can the administrator do to increase bandwidth on the Citrix ADC?

- A. Add another 10G Citrix ADC port to the switch and configure Link Aggregation Control Protocol (LACP).
- B. Purchase another Citrix ADC MPX appliance.
- C. Add two more 10 Citrix ADC ports to the network and configure VLAN.
- D. Plug another 10G Citrix ADC port into the router.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 62

Scenario: A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair with an existing Primary Citrix ADC with all resources configured. The administrator added the Secondary Citrix ADC in high availability and found that the configuration on the existing primary was removed. It is now the Secondary Citrix ADC in the HA pair.

Which two configurations could the administrator have made to prevent this from happening? (Choose two.)

- A. Enable HA monitoring on all the interfaces of the SECONDARY device.
- B. Set the Secondary Citrix ADC to STAY SECONDARY in the Configure HA Node settings.
- C. Set the Primary Citrix ADC to STAY PRIMARY in the Configure HA Node settings.
- D. Enable HA monitoring on all the interfaces of the PRIMARY device.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/ja-jp/netScaler/11/system/high-availability-introduction/forcing-the-primary-node-stay-primary.html>

QUESTION 63

Scenario: A Citrix Administrator has configured a Citrix ADC active-passive high availability (HA) pair. When the HA pair fails over, customers are unable to access the hosted websites. After some troubleshooting, the administrator found that the upstream router was NOT updating its ARP table.

What can the administrator configure to resolve this issue?

- A. Virtual MAC
- B. Independent Network Configuration (INC) mode
- C. Route Monitor
- D. HA monitor

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 64

Scenario: A Citrix Administrator configured the “-denySSLReneg” Parameter using the below command on Citrix ADC to enhance security.

```
set ssl parameter -denySSLReneg <option>
```

Which two options can the administrator use to complete the command? (Choose two.)

- A. NONSECURE
- B. HIGHSECURE
- C. FRONTEND_CLIENT
- D. NO
- E. ALL

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 65

Scenario: A Citrix ADC appliance is having intermittent issues. A Citrix Administrator is unable to identify the root cause and fix them. The administrator opened a Support ticket and the Engineer assigned to the case requested all the logs and configuration information from the Citrix ADC.

Which technical support tool can the administrator use to gather all the information on the Citrix ADC to send to the Support Engineer?

- A. Start New Trace
- B. Get Back Trace
- C. Generate Support File
- D. Batch Configuration

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://support.citrix.com/article/CTX127900>

QUESTION 66

A Citrix Administrator executed the following command in the Global Server Load Balancing (GSLB) environment:

```
set gslb site SiteB -triggerMonitor MEPDOWN
```

What will be the effect of this command to the default service monitoring behavior on the remote site?

- A. The service monitor will take precedence over Metric Exchange Protocol (MEP)
- B. The service monitor is invoked only when Metric Exchange Protocol (MEP) has marked the service as DOWN for any reason.
- C. The state of the GSLB service will always be controlled by Metric Exchange Protocol (MEP).
- D. The service monitor is invoked only when Metric Exchange Protocol (MEP) connectivity has been lost between SiteA and SiteB.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 67

Scenario: A Citrix Administrator has configured an Authentication, Authorization, and Auditing (AAA) action policy to allow users access through the Citrix ADC. The Administrator bound the policy to a specific vServer.

Which policy expression will allow all users access through the vServer?

- A. ns_disallow
- B. ns_false

- C. ns_true
- D. ns_allow

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 68

Scenario: A Citrix Administrator is investigating an issue in which a user's session does NOT successfully end after closing the last published application. The administrator used Task Manager to inspect the hanging session but could NOT find any relevant information.

Which tool could the administrator use to get further details on orphaned processes in the session?

- A. Procmon
- B. Process Explorer
- C. Regmon
- D. Handle



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 69

Scenario: All users' files, folders, and registry settings are managed by Citrix Profile Management in a Citrix Virtual Apps and Desktops environment. Recently, a Citrix Administrator received reports of profile corruption from users, resulting in lost personal settings, preferences, and lost data from their Documents folder. No .INI file is being used to manage the Profile Management setup; only GPOs are being used.

Which setting can the administrator use to help prevent further data loss from these users' profiles?

- A. Enable File Exclusions
- B. Enable NTUSER.DAT backup
- C. Enable Folder Exclusions

- D. Enable Migration of Existing Profiles
- E. Enable Directory Synchronization

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/profile-management/downloads/profile-management-1808.pdf>

QUESTION 70

Scenario: The Help Desk team is troubleshooting a printing issue. Users connect to print servers located in two different datacenters. The print servers host identical drivers and queues. Upon investigation, a Citrix Administrator finds that users can only print to one of the print servers successfully.

The Network team informed the administrator that only Citrix-related traffic is allowed between the two Sites.

How can the administrator fix this issue?

- A. Create a Citrix policy that limits the bandwidth consumption used by printing.
- B. Create a Citrix policy that disables direct connections to the print servers.
- C. Install Universal printer drivers to all print servers.
- D. Create a Citrix policy to auto-create printers.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 71

Scenario: Users are calling the help desk because they are unable to launch published applications. The users mention the sessions are opening and immediately closing; however, a Citrix Administrator observes that more than 150 sessions are already being delivered.

Which tool can the administrator use to review the state of the Citrix infrastructure from a single location?

- A. Citrix Studio
- B. Citrix PowerShell SDK
- C. Citrix Director

D. StoreFront

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops/downloads/citrix-virtual-apps-and-desktops-1811.pdf> (55)

QUESTION 72

By default, what is the printing behavior when no printing policy is configured?

- A. Direct connections to print servers are prohibited.
- B. All client printers are auto-created.
- C. The generic universal printer is automatically created.
- D. The Universal Print Server is enabled.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 73

Which layer contains the Site database in a Citrix Virtual Apps and Desktops Architecture model?

- A. Access B.
User
- C. Control
- D. Resource

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/tech-zone/design/reference-architectures/virtual-apps-and-desktops-service.html>

QUESTION 74

What happens to the differencing disk of a Random/Non-Persistent desktop machine following a restart in a Citrix Virtual Apps and Desktops Site running on Citrix Hypervisor?

- A. It will be updated from the base image.
- B. It will be synchronized with the attached Personal vDisk.
- C. It will be disconnected and recreated.
- D. It will be merged with the base image.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 75

When the Local Host Cache (LHC) is enabled, during a Site database outage _____ will reference _____ to broker new sessions. (Choose the correct option to complete the sentence.)

- A. the principal Delivery Controller, its local database
- B. the principal Delivery Controller, its local XML file
- C. all Delivery Controllers; their local database
- D. all Delivery Controllers; their local XML file

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/manage-deployment/local-host-cache.html>

QUESTION 76

Which two resource locations are supported for machines running the Virtual Delivery Agent (VDA) when using the Citrix Virtual Apps and Desktops service? (Choose two.)

- A. Citrix Cloud
- B. On-premises datacenter

- C. Amazon Web Services (AWS)
- D. VMware Workspace One

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops-service.html>

QUESTION 77

Scenario: A Citrix Administrator is configuring the Citrix Workspace app to allow users to access their applications and desktops. Management requires users to be logged on to the Citrix Workspace app without entering their credentials and for sessions to be pre-launched in the background for expedited application access.

Which experience does the administrator need to configure for users in this environment?

- A. Citrix Workspace app for Windows
- B. Citrix Workspace for Web
- C. Citrix Workspace app for Universal Windows Platform
- D. Citrix Workspace app for HTML5



Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.citrix.com/blogs/2019/04/16/configuring-domain-pass-through-as-your-default-authentication-method/>

QUESTION 78

The "Limit Visibility" option should be configured when a Citrix Administrator wants to _____. (Choose the correct option to complete the sentence.)

- A. define what a custom administrator role can view within Citrix Studio
- B. restrict which Windows administrative menus can be accessed within a virtual desktop session
- C. prevent all access to an application which is installed on a Virtual Delivery Agent (VDA) machine
- D. hide a published application on Citrix Workspace app for specified users

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.carlstalhood.com/published-applications/>

QUESTION 79

Scenario: A user is working on a document in an HDX session and saves data on the desktop. The Virtual Delivery Agent (VDA) session abruptly crashes, causing the saved data to be lost.

Which Citrix Profile Management policy can a Citrix Administrator enable to prevent data loss?

- A. Active Write Back
- B. Profile Streaming
- C. Delay Cached Profile Deletion
- D. Profile Caching

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 80

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with local storage that contains several logical disk space locations. The administrator would like to reduce the total number of writes on the storage.

What can the administrator implement with minimal administrative effort to address these needs?

- A. Citrix Provisioning
- B. Machine Creation Services input/output optimization
- C. Personal vDisk
- D. Storage Area Network (SAN)

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 81

Which disk type will always be created for each virtual machine, when creating new virtual machines using Machine Creation Services (MCS)?

- A. Personal vDisk
- B. Differencing (Diff) disk
- C. Identity disk
- D. Full-clone base disk

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/install-configure/machine-catalogs-create.html>

QUESTION 82

Scenario: A Citrix Administrator created a machine catalog using Machine Creation Services. The Desktop Experience was set to 'Random'.

Where will the unique information for the virtual machines be stored?

- A. In the identity disk of each virtual machine
- B. In the PERSONALITY.INI file at the root directory of each virtual machine
- C. Only in the Site database
- D. In the differencing disk of each virtual machine

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 83

Scenario: A Citrix Administrator needs to grant permissions to a contractor to manage an inventory application in Citrix Virtual Apps and Desktops Service managed in Citrix Cloud. The administrator needs to minimize the access granted to the contractor to only administer the inventory application. Which two permissions will the administrator need to grant to the contractor? (Choose two.)

- A. Custom access in Citrix Cloud
- B. Cloud Administrator in the Citrix Virtual Apps and Desktops Service
- C. Help Desk Administrator in Citrix Virtual Apps and Desktops Service
- D. Full Administrator in Citrix Cloud
- E. Delivery Group Administrator in the Citrix Virtual Apps and Desktops Service

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops-service/manage-deployment/delegated-administration.html>

QUESTION 84

Which type of certificate should a Citrix Administrator request so that a client endpoint can communicate with StoreFront over an encrypted connection?

- A. Server
- B. Client
- C. Intermediate
- D. Root

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/storefront/current-release/secure.html>

QUESTION 85

Scenario: A StoreFront store supports 150 users who have full access to all enterprise resources. A Citrix Administrator needs to create a new StoreFront store for contractors who will work onsite for two months. The contractors need access to specific resources but will NOT be Active Directory users.

Which option should the administrator select while creating the store for contractors?

- A. HTTP Basic
- B. Unauthenticated
- C. Smart card
- D. Pass-through

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/storefront/current-release/configure-manage-stores/create-store-unauthenticated.html>

QUESTION 86

Scenario: A Citrix Administrator plans to implement HDX Insight in an environment to troubleshoot intermittent issues. The administrator needs to know which components make up HDX Insight to ensure that all of the necessary prerequisites are configured.

Which three components will the administrator need to review? (Choose three.)

- A. Citrix Application Delivery Management
- B. Citrix Studio
- C. Web Insight
- D. Citrix Gateway
- E. Citrix Director



Correct Answer: ADE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 87

When deploying an on-premises resource location for a Citrix Cloud-managed Site, a Citrix Administrator should configure the Virtual Delivery Agent (VDA) machines to communicate with a _____ that is located in the _____ location in order to become registered with the Site. (Choose the correct option to complete the sentence.)

- A. Delivery Controller, Citrix Cloud
- B. Cloud Connector, Citrix Cloud

- C. Delivery Controller, on-premises
- D. Cloud Connector, on-premises

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops-service.html>

QUESTION 88

Scenario: A Citrix Administrator is configuring the Citrix Workspace app to allow users to access their applications and desktops. Management requires that users can log on to the environment from any device without having to remember the server address.

What should the administrator do to meet these requirements?

- A. Deploy and configure the Citrix Workspace app using scripts.
- B. Configure a DNS Service Record for the Citrix Workspace app.
- C. Allow users to download the configuration from Citrix.com.
- D. Configure the Citrix Workspace app using a Group Policy Template File.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://support.citrix.com/article/CTX133982>

QUESTION 89

Scenario: A Citrix Administrator notices an intermittent latency issue within a Citrix Virtual Apps and Desktops environment. The issue only involves external users entering through a Citrix Gateway.

The administrator reviews Citrix ADC logs, identifies the problem as a networking issue, and now wants a more granular view of the data in order to isolate the issue further.

Which Citrix tool can the administrator use to view the network information?

- A. Citrix Diagnostic Toolkit
- B. HDX Insight

- C. Citrix Scout
- D. Configuration Logging

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 90

A Citrix Administrator is configuring a Citrix Virtual Desktops Site for use with a mirrored SQL Server database.

Which collation sequence should the administrator use when creating an empty database on the principal SQL Server?

- A. _100_CI_AS_KS
- B. _100_CI_AI_WS
- C. _100_CI_AI_SC
- D. _CS_AI_AS

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 91

Scenario: A Citrix Administrator will use PowerShell to configure a new restart schedule for the Windows 2016 Server OS group named “Win2016-ServerOS” within a Citrix Virtual Desktops infrastructure.

The administrator needs the machines in the Server OS group to restart at a time when no users will be accessing them: beginning at 23:00h (11:00 PM) each day, with 30-minute intervals between each machine restart.

Which PowerShell command should the administrator use?

- A. New-BrokerRebootSchedule -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016-ServerOS -Frequency Daily -StartTime “11:00” -Enabled \$true - RebootDuration 30



- B. New-BrokerRebootScheduleV2 -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016-ServerOS -Frequency Daily -StartTime "23:00" -Enabled \$true - RebootDuration 30
- C. Set-BrokerRebootScheduleV2 -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016-ServerOS -Frequency Daily -StartTime "11:00" -Enabled \$true - RebootDuration 30
- D. Set-BrokerRebootSchedule -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016-ServerOS -Frequency Daily -StartTime "23:00" -Enabled \$true RebootDuration 30

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 92

Scenario: A Citrix Administrator needs to migrate a Citrix Provisioning environment into Citrix Cloud. Management prefers that new virtual machines are created instead of using the existing Device Collection.

Which step does the administrator need to complete in order to migrate the Citrix Provisioning environment to Citrix Cloud?

- A. Run the Streamed VM Setup Wizard on the Citrix Provisioning servers.
- B. Install Citrix Cloud Connectors on the Citrix Provisioning servers.
- C. Update the Citrix Provisioning servers to the latest version.
- D. Deploy Citrix Cloud Remote SDK on the Citrix Provisioning servers.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 93

A Citrix Administrator has deployed a non-domain-joined StoreFront server.

Which two options should the administrator be aware of with this deployment? (Choose two.)

- A. Authentication occurs at the Domain Controller.
- B. Two-factor authentication is NOT supported.

- C. Authentication occurs at the Citrix ADC.
- D. Server groups are NOT supported.
- E. Authentication occurs at the Delivery Controller.
- F. Server groups are supported.

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.citrix.com/blogs/2016/06/01/whats-new-in-storefront-3-6/>

