

C_TPLM40_65.118q

Number: C_TPLM40_65

Passing Score: 800

Time Limit: 120 min

C_TPLM40_65



Website: <https://vceplus.com>

VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>

Facebook: <https://www.facebook.com/VCE.For.All.VN/>

Twitter : https://twitter.com/VCE_Plus

<https://vceplus.com/>

SAP Certified Application Associate - Quality Management with SAP ERP 6.0 EHP5

Exam A

QUESTION 1

The audit plan is hierarchically structured.



<https://vceplus.com/>

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 2

The BAPI technology allows the customer to implement customer-specific selection and mapping procedures.

- A. Correct
- B. Incorrect

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

In inspection planning, you create material-related information that is used when this material is inspected.

- A. Incorrect

B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

An activity consists of the following elements (more than one answer is true):

- A. Long text
- B. Processing quality factor
- C. Short test
- D. Processing deadlines
- E. Catalog entry

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 5

The work performed and costs incurred during results recording or when the usage decision is made can be confirmed in a QM order.

- A. Using direct activity allocation
- B. In cost processing

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

In which of the following you can display the information for multiple specifications functions and value them at characteristic level:

- A. Results Recording Worklist
- B. Record inspection results for the batch
- C. Record inspection results for the lot
- D. Record inspection results for the inspection point
- E. Record inspection results for the operation

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

Notification category 05 belongs to:

- A. Service notifications
- B. General notifications
- C. Claim notifications
- D. Quality notifications
- E. Maintenance notifications



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 8

A notification item consists which of the following elements? (More than one answer is true.)

- A. AssemblyBill of material item
- B. Catalog entry for defect location

- C. Number of defects identified
- D. Catalog entry for defect type (defect class)

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9

You can use the Quality Notifications to support the RMA (Return Material Authorization) process in your company.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 10

These are prerequisites to inspection lot creation:

- The inspection type is active in the material master
- QM is active in the table of movement types

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

The dynamic modification rule defines the inspection stages and the conditions for an inspection stage change.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

Which statements are correct? (More than one answer is true.)

- A. The MPN profile defines how you can work with MPN materials in the procurement process.
- B. Stock posting is generally performed in the Quality unit of measure of the material.
- C. An manufacturer part number profile (MPN profile) is assigned to an internal material in the material master.
- D. The function group `QEVA_ALT_QUANTITY_INPUT` contains coding that makes it possible to enter quantities in alternative units of measure.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

Which statements are correct? (More than one answer is true.)

- A. The procurement data in the Quality Management view affects sales.
- B. You use the inspection setup to define if and where the material is to be inspected.
- C. During inspection planning, you access different master data.
- D. QM-specific data is maintained at plant level.

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14

Which statements are correct? (More than one answer is true.)

- A. You cannot assign an individual inspection plan to each inspection type and status.
- B. The status profile stipulates a sequence for inspection lot processing.
- C. A further goods receipt for the material and delivery is only possible for the model lot if the usage decision was "OK".
- D. A further goods receipt for this material/vendor is not possible if the model inspection has not been completed.
- E. The inspection lots can be processed simultaneously.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 15

Which statements are correct? (More than one answer is true.)

- A. You use control charts to control or monitor one or more processes. In the task list characteristics, you use the SPC criterion to define these processes are to be combined or separated from one another (which inspection lots refer to a common control chart).
- B. The SPC criterion controls how processes are combined or separated for a control chart (that is which inspection lots refer to a common control chart).
- C. You make the preparations for a control chart in the sampling procedure and the task list or master inspection characteristic.
- D. You cannot use the control chart to evaluate inspection results. If an appropriate valuation rule is used, a sample can be rejected if at least one of the action limits in the related control chart is exceeded.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

Which statement is true?

- A. After the usage decision has been made, changes cannot be made to the characteristics.
- B. After the usage decision has been made, changes can be made to the characteristics.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

Which statement is false? A cause consists of the following elements (choose one):

- A. Short text
- B. Catalog entry
- C. Long text
- D. Catalog text



<https://vceplus.com/>

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

Which are belongs to Quality Notifications Activities? (More than one answer is true.)

- A. Defect analysis
- B. Results recording
- C. Sample management
- D. Priority
- E. Documentation
- F. Defects recording

Correct Answer: ADEF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

The QM System entered in the quality info record overrides the QM system entered in the vendor master record.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

Which statements are correct? (More than one answer is true.)

- A. You cannot assign an already existing QM order to a quality notification.
- B. QM orders can be settled to different account assignment objects.
- C. The controlling area always forms the first step in the hierarchy of an evaluation.
- D. The confirmation to a QM can be performed using direct activity allocation.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21

A unit to be inspected corresponds in this function to:

- A. a serial number
- B. a single unit
- C. both

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 22

Which statements are correct? (More than one answer is true.)

- A. All are false.
- B. In Customizing, you can deactivate the quality inspection for certain movement types.
- C. In the Standard System, all goods movements, for which inspections can be performed, have suitable inspection lot origins assigned to them.
- D. Results recording can only be carried out after the sample size has been determined.

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 23

Which notification type related to “Complaint against vendor”?

- A. notification type F4
- B. notification type F2
- C. notification type F3
- D. notification type F1

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 24

Inspection results are updated depending on the settings of the following parameters (more than one answer is true):

- A. Material, customer
- B. Material, Quantity
- C. Material, vendor
- D. Material
- E. Material, Value



Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 25

If the inspection plan and inspection lot have been approved, you cannot include additional unplanned characteristics.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26

You can create a where-used list for the following QM-specific master data (more than one answer is true):

- A. Inspection Methods
- B. Code groups
- C. Test equipment (PRT)
- D. Sampling Procedure
- E. Master Inspection Characteristics

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27

Statistical process control: Standardized statistical value for evaluating the quality of an inspection lot. The statistical value always has a specific reference criterion (such as a material or the material/vendor combination).

- A. Incorrect
- B. Correct

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

The unit of measurement, target value, accuracy, and upper and lower specification limits are defined for each tolerance key.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 29

Which statements are correct for handling unit? (More than one answer is true.)

- A. Each handling unit has an identification number on the basis of which information can be read
- B. Packaging materials (such as pallets, boxes, vacuum packaging, or containers)
- C. Goods (that have to be transported and stored, for example)
- D. Handling Units such as numbers forklift, tractors, cranes etc.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:



QUESTION 30

Which statement is correct?

- A. In the standard system, inspection type "14" is reserved for the calibration inspection.
- B. In the standard system, inspection type "41" is reserved for the calibration inspection.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31

QM is integrated in the processes of the logistics supply chain.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32

Inspection results recording must always be carried out for each inspection lot.

- A. Incorrect
- B. Correct

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 33

A material-dependent selection of defect codes cannot be planned.

- A. Correct
- B. Incorrect

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 34

When editing a bill of material or task list with the classic transactions, the whole structure is locked to other users.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35

Which statements are correct? (More than one answer is true.)

- A. You perform a defect analysis on the returned goods and enter the defects in the notification.
- B. If an inspection lot is used, the usage decision determines the next stage for the goods; if no inspection lot is used, a specific inventory posting can be made.
- C. Repairs Processing Using an Inspection Lot.
- D. Instead of using the quality notification to process the returned goods, you can create an inspection lot.

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 36

Worklist for tasks, transaction IQS9.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 37

Flexible inspection specifications are to be used where inspections can be fully planned in advance.

- A. Incorrect
- B. Correct

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 38

The characteristics and key figures in the QM information System allow you to pinpoint and monitor weak points in your logistical processes.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39

Confirmation at Reporting point is available for ____.

- A. Discrete Manufacturing
- B. Process Manufacturing
- C. Repetitive Manufacturing
- D. For all

Correct Answer: B

Section: (none)

Explanation



Explanation/Reference:

QUESTION 40

Which are different processing options in the worklist?

- A. Details for task list header
- B. General settings for task list headers
- C. QM-relevant settings for task list headers
- D. Administrative data for task list headers

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 41

Process-optimized results recording enable flexible tabular characteristic processing.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42

The notification category 05 belongs to ____.

- A. Claim notifications
- B. General notifications



<https://vceplus.com/>

- C. Maintenance notifications
- D. Quality notifications
- E. Service notifications

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 43

The Java Dispatcher execute the required Java code in one thread, adopt database accesses and make requested Web sites available.

- A. Incorrect
- B. Correct

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 44

If you do not use a sampling scheme in a sampling procedure, you should not use the inspection severities “Tightened”, “Normal”, or “Reduced” in the dynamic modification rule.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 45

You specify the business purpose of the quality notification when you define the notification type.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 46

Which statements are correct? (More than one answer is true.)

- A. A customer complaint can be recorded using the Internet.
- B. Documents cannot be assigned while processing a notification.
- C. You can access a sales summary from a customer complaint.
- D. You can switch directly to notification processing from the defects recording transaction.

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 47

You can only create inspection characteristics for operations, not for suboperations.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 48

If a planned inspection has inspection characteristics assigned to it, then ____.

- A. the assignment of the sampling procedure takes place at the inspection setup in the QM view of the material master.
- B. the assignment of the sampling procedure takes place at inspection characteristic level.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 49

You can display the results history with reference to ____.

- A. the type
- B. inspection lot number
- C. the Group

D. the batch.

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 50

A notification item consists which of the following elements? (More than one answer is true.)

- A. Short text/long text
- B. Classification
- C. Nonconforming quantities
- D. Defect valuation

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 51

The valuation rule contains a valuation mode.

- A. Incorrect
- B. Correct

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 52

The certificate type determines (more than one answer is true):

- A. Whether a certificate is needed for each purchase order item
- B. How the system reacts if the certificate is not available at goods receipt
- C. Whether a certificate is needed for each goods receipt
- D. All are false

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53

Which statements are correct? (More than one answer is true.)

- A. The inspection result can be stored in the system in different ways.
- B. The QM inspection is not activated in the material master.
- C. The quality inspection for an outbound delivery is necessary to check the quality of material or product before it leaves the premises of the manufacturer or vendor.
- D. mySAP ERP Quality Management (QM) supports sales and distribution processes by executing quality inspections for goods issues.

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 54

An inspection can be triggered at different stages in the logistics supply chain which includes (more than one answer is true):

- A. Goods movements (goods receipt, stock transfer, goods issue)
- B. Deadline monitoring (batch monitoring)
- C. Source inspections
- D. Orders (production orders, maintenance orders, delivery)

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 55

Characteristics must be manually valuated, if they have sampling procedure assigned in the task list or material specification, or not having a sampling procedure with manual valuation.

- A. Incorrect
- B. Correct

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 56

The valuation type is defined in the sampling procedure using the valuation mode.

- A. Correct.
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 57

You can access the inspection history from (more than one answer is true):

- A. The usage decision
- B. Inspection type

C. Inspection report D. Results recording

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 58

If the maximum possible lot size is exceeded, the sample size for the maximum possible lot size is used.

A. Incorrect

B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 59

You can use quality notifications in all areas of the logistics supply chain.

A. Correct

B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 60

The following notification origins exist for the notification category 02 (quality notifications) (more than one answer is true):

- A. Q3, Internal problem notification
- B. G1, General notification C. Q1, Customer complaint
- D. Q2, Complaint against a vendor

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 61

A customer complaint to be recorded in the following ways (more than one answer is true):

- A. The “quality assurance” department is notified using the SAP Business Workflow
- B. You create a notification with reference to an SD document.
- C. You create a notification with reference to a purchase document.
- D. You enter a general description of the problem and save the notification.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 62

The maintenance strategy can be time-based but cannot be performance-based.

- A. Correct
- B. Incorrect

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 63

The code groups and codes are maintained in multiple transaction.

- A. Correct
- B. Incorrect

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 64

Which processing stage refers to "Stock posting completed"?

- A. SPCD
- B. SPCL
- C. SPCO
- D. SPST



Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 65

During inspection planning, you cannot access different master data.

- A. Incorrect
- B. Correct

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 66

Which statements are correct? (More than one answer is true.)

- A. An inspection lot can be created automatically or manually.
- B. Results recording cannot be carried out after the sample size has been determined.
- C. When the indicator "QM procurement active" is set, quality management in procurement is activated for all plants of a client.
- D. Details for the QM specific procurement processes as plant level are determined using the QM control key.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 67

You can monitor the receipt of a quality certificate with and without inspection lot processing, independently of the time of goods receipt.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 68

You can assign follow-up actions to the codes in the code groups of the task catalog.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 69

The following inspection lots cannot be selected: inspection lots with inspection point processing, SD inspection lots with partial lots, and inspection lots that require a digital signature.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 70

In warehouse management, the goods receipt inspection is processed using inventory management. The system creates a quant on the interface and, depending on the system settings, creates a transfer requirement in WM.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 71

Which statements are correct? (More than one answer is true.)

- A. An inspection method can also be directly created in a task list.
- B. Documents can be assigned to an inspection method.

- C. Code groups and codes from one catalog type can be grouped together in selected sets.
- D. Codes from selected sets can be used for results recording.
- E. No code groups from catalogs can be assigned to an inspection method.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 72

You can transfer data from the internal problem notification to the external notification.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 73

Activity: Which statement is correct?

- A. Work that was carried out for a notification.
- B. Work that is planned for a notification.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 74

Which statements are correct for QM in Information Management? (More than one answer is true.)

- A. If the predefined critical tolerances are not exceeded, the system can automatically trigger follow-up actions.
- B. You can compare the data with preplanned scores.
- C. You can also define your own analyses based on characteristics and scores.
- D. The data in the Information System is updated continuously with results of the standard and event-controlled processes.
- E. The ECM in the Quality Information System (QMIS) allows you to monitor critical values.

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 75

SAP xApps (Composite Applications).

- A. Groups all cross-industry business applications.
- B. Allow you to integrate various systems into one user interface.
- C. It is the technological infrastructure for all SAP applications.
- D. All are true.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 76

Codes from different code groups within the same catalog type can be grouped together in selected sets.

- A. Incorrect
- B. Correct



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 77

The standard workflow processes in the notifications area are always active.

A. Incorrect

B. Correct

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 78

Which statements are correct? (More than one answer is true.)



A. The basic data cannot be maintained in other recording views (for example, the purchasing view). As a result, this data may already be maintained.

B. The procurement data affects the ordering transaction.

C. The inspection setup specifies, if and how a material is to be inspected.

D. QM-specific data must be maintained at plant level.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 79

You can edit individual operations from various task lists in your worklist without exiting the transaction.

A. Incorrect

B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 80

Which are related to "Function group QMLR"? Which statements are correct? (More than one answer is true.)

- A. Create/edit a return delivery
- B. Assign purchasing document
- C. Create a new quality notification including the items
- D. Performing stock postings
- E. Assign vendor

Correct Answer: ADE

Section: (none)

Explanation

Explanation/Reference:



QUESTION 81

You can use a follow-up function to trigger a Workflow task.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 82

The interaction of quality management in these processes is not supported by an EDP system.

- A. Correct

B. Incorrect

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 83

Which statements are correct? (More than one answer is true.)

- A. You can define a catalog profile for a material, a notification type and also for a report type.
- B. The notification type specifies which code groups can be used for a certain material, notification type, or report type.
- C. If there are no catalogs defined in the notification type, then you cannot assign any codes to the notification.
- D. The catalog profile specifies the assignment of the catalog types to the appropriate object in the notification (for example, defect).

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 84

The physical-sample records are either created automatically at inspection lot creation or manually.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 85

Many SAP systems such as SAP ECC, SAP EP, SAP CRM and SAP SRM use the SAP NetWeaver AS.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 86

Which is a product that is based on mySAP Business Suite and contains business functions from other SAP applications?

- A. Applications for Small and Midsize Enterprises
- B. Industry Solutions

Correct Answer: A

Section: (none)

Explanation



Explanation/Reference:

QUESTION 87

The notification category defines the business context in which a notification is used.

- A. Correct
- B. Incorrect

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 88

Which QM processes occur spontaneously?

- A. Standard processes
- B. Event-controlled processes

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 89

Info structures are special statistics tables, in which the summarized data is updated.

- A. This data comes from the productive operations.
- B. This data comes from the purchase data.
- C. This data comes from the Sales report.
- D. All are true.



Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 90

Which statements are true? (More than one answer is true.)

- A. Specifications are copied from the inspection plan to the inspection lot.
- B. If you work without a change number, the old values in the task list are overwritten by new values.
- C. Specifications are copied from the inspection lot to the inspection plan.
- D. Change master records are identified by the change number.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 91

BEx is the SAP BW component.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 92

In the usage decision transactions, it is standard that quantities for the stock transfer can only be specified in the base unit of measure of the material.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 93

If inspection lots have already been created for the storage condition for future test dates that lie within in this inactive period, you must manually cancel these inspection lots.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 94

The certificate creation process can be automated.

A. Correct

B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 95

Inspection lots can always only be created with reference to a logistical process (for example, goods movements, order release).

A. Incorrect

B. Correct

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 96

The following standard analyses are available in the QM Information System.

A. Inspection lots

B. Inspection Groups

- C. Notification overview
- D. Inspection results
- E. Problems in notifications

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 97

The inspection types and their process parameters can be assigned to the material in the material master using the inspection setup in the QM view.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 98

Which statements are correct? (More than one answer is true.)

- A. You cannot record costs and track capacity load utilization in the order.
- B. You can use a relevant follow-up actions to change the equipment status.
- C. You can record results for each item of test equipment (by unit to be inspected).



<https://vceplus.com/> D. You

can also run control charts for equipment or functional locations.

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 99

Stock posting is generally performed in the base unit of measure of the material.

A. Correct



Incorrect

B.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 100

Which statements are correct? (More than one answer is true.)

- A. Measuring point from the basis for time-based maintenance.
- B. You can enter counter readings for these measuring point.
- C. The maintenance strategy can be performance-based.
- D. The maintenance strategy can be time-based.

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 101

You can cancel the stability study at any time for one particular storage condition or for all storage conditions.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

- A. Incorrect
- B. Correct

Correct Answer:

Section: (none)

Explanation

QUESTION 102

Sample management: processing and managing physical samples.

B

Explanation/Reference:

QUESTION 103

The information obtained from inspections is updated in the quality level.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 104

Almost all audit management functions are accessible with the help of the HTML GUI and also via the Internet or Intranet.

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

- A. Incorrect
- B. Correct

Correct Answer:

Section: (none)

Explanation

Explanation/Reference:

QUESTION 105

If there are inspection specifications from both the variant configuration and the task list or material specification that are relevant for the characteristic, the material specification take precedence over those from the specifications from the variant configuration.

A

Explanation/Reference:



QUESTION 106

You can create inspection lots for a production version, using transaction "MFPR".

- A. Incorrect
- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 107

When you assign the inspection methods to the master inspection characteristics, only inspection methods with a validity date that corresponds to the master inspection characteristic are proposed.

- A. Incorrect

- A. Incorrect
- B. Correct

Correct Answer:

Section: (none)

Explanation

- B. Correct

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 108

The OCX graphic functions provide unproved display options for the control charts.

- B



Explanation/Reference:

QUESTION 109

Specifications are copied from the inspection lot to the inspection plan.

- A. Incorrect
- B. Correct

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

- A. Incorrect
- B. Correct

Correct Answer:

Section: (none)

Explanation

QUESTION 110

The test equipment in the maintenance plan is copied to the inspection lot.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 111

You can use the action box functions to process the wrong delivery.

- A. Correct

Incorrect

B.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 112

Which of the following strings are not valid entries in the command field?

- A. /nsm04
- B. From SAP Easy Access: SM04
- C. /nex
- D. ?SM04
- E. /nend
- F. From SAP Easy Access: search_sap_menu

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 113

In the response profile, you can define the days and times when tasks are to be processed.

- A. Correct
- B. Incorrect

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 114

The life cycle of a control chart is (more than one answer is true):

- A. Creating a control chart for the first inspection lot
- B. Creating additional inspection lots, inspection points and inspection results
- C. Creating inspection point and recording results
- D. Calculating action limits

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 115

Flexible inspection specifications are to be used where inspections can be fully planned in advance.

- A. Correct
- B. Incorrect



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 116

The call object for scheduling in stability studies is:

- A. the inspection lot
- B. the inspection Group
- C. the inspection type
- D. all are true

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 117

Which are the following control charts for qualitative characteristic? (More than one answer is true.)

- A. c-control chart for the number of defects
- B. u-control chart for the number of defects for each unit
- C. p-control chart for the fraction of nonconforming units for each sample
- D. np-control chart for the number of nonconforming units

Correct Answer: ABCD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 118

You can use the F4 key to ____.

- A. display possible entries for an input field
- B. create a print request of the screen currently displayed
- C. start another session
- D. call the SAP Library
- E. display detailed technical information on a program

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



<https://vceplus.com/>

