

MuleSoft Certified Developer - Level 1 (Mule 4).27q

Number: MuleSoftDeveloper1

Passing Score: 800

Time Limit: 120 min

MuleSoft Certified Developer - Level 1 (Mule 4)



Website: <https://vceplus.com>

VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>

Facebook: <https://www.facebook.com/VCE.For.All.VN/>

Twitter : https://twitter.com/VCE_Plus

<https://vceplus.com/>

Exam A

QUESTION 1

How to import Core (dw::Core) module into your DataWeave scripts?



<https://vceplus.com/>

- A. import dw::core
- B. Not needed
- C. None of these
- D. import core

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 2

What is the value of the stepVar variable after the processing of records in a Batch Job?

- A. -1
- B. 0
- C. Null
- D. Last value from flow

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

What is the object type returned by the File List operation?

- A. Object of String file names
- B. Array of String file names
- C. Object of Mule event objects
- D. Array of Mule event objects

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

How can you call a flow from Dataweave?

- A. Not allowed
- B. Include function
- C. Look up function
- D. Tag function



Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

DataWeave is tightly integrated with _____.

- A. Mule runtime
- B. All APIs
- C. Flow Designer
- D. Exchange

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

In the Database On Table Row operation, what does the Watermark column enable the On Table Row operation to do?

- A. To save the most recent records retrieved from a database to enable database caching.
- B. To enable duplicate processing of records in a database.
- C. To avoid duplicate processing of records in a database.
- D. To delete the most recent records retrieved from a database to enable database caching.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:



QUESTION 7

An API has been created in Design Center.

What is the next step to make the API discoverable?

- A. Deploy the API to a Maven repository.
- B. Publish the API from inside flow designer.
- C. Publish the API to Anypoint Exchange.
- D. Enable autodiscovery in API Manager.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Anypoint Exchange enables publishing, sharing, and searching of APIs.

QUESTION 8

What is the correct way to format the decimal 200.1234 as a string to two decimal places?

- A. 200.1234 as string {format: ".0#"}
- B. 200.1234 as string as format: ".0#"}
- C. 200.1234 as String {format: ".0#"}
- D. 200.1234 as String as format: ".0#"}

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9

http://dev.acme.com/api/patients?year=2016 What

should this endpoint return?

- A. Patient with id 2016
- B. All patients
- C. No patients
- D. Patients from year 2016



Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

Which one of them is NOT a flow in Mule?

- A. sync flow
- B. subflow
- C. async flow

D. async sub flow

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

How are multiple conditions used in a Choice router to route events?

- A. To route the same event to the matched route of EVERY true condition.
- B. None of these.
- C. To find the FIRST true condition, then distribute the event to the ONE matched route.
- D. To find the FIRST true condition, then route the same event to the matched route and ALL FOLLOWING routes.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:



QUESTION 12

What asset can NOT be created by using Design Center?

- A. API
- B. API Portals
- C. Mule Apps
- D. API Fragments

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

A flow has a JMS Publish consume operation followed by a JMS Publish operation. Both of these operations have the default configurations.



<https://vceplus.com/>

Which operation is asynchronous and which one is synchronous?

- A. Publish consume: Synchronous. Publish: Asynchronous.
- B. Publish consume: Asynchronous. Publish: Synchronous.
- C. Publish consume: Asynchronous. Publish: Asynchronous.
- D. Publish consume: Synchronous. Publish: Synchronous.



Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14

What is the use of API Notebooks?

- A. None of these
- B. Test Policies
- C. Test API functions
- D. Test RAML

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15

What is the DataWeave expression to log the Content-Type header using a Logger component?

- A. `#["Content-Type: " ++ attributes.headers.'content-type']`
- B. `#["Content-Type: " ++ headers.'content-type']`
- C. `#["Content-Type: " + headers.'content-type']`
- D. `#["Content-Type: " + attributes.headers.'content-type']`

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

What is the trait name you would use for specifying client credentials in RAML?

- A. headers
- B. client-id
- C. client-id-required
- D. we do not specify in RAML

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

What does the Mule runtime use to enforce policies and limit access to APIs?

- A. API Manager

- B. The proxy created by API Manager
- C. The Mule runtime's embedded API Gateway
- D. Anypoint Access Control

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

What is the correct syntax to reference a fragment in RAML?

- A. examples: #include examples/BankAccountsExample.raml
- B. examples: \$include examples/BankAccountsExample.raml
- C. examples: ?include examples/BankAccountsExample.raml
- D. examples: !include examples/BankAccountsExample.raml

Correct Answer: D

Section: (none)

Explanation



Explanation/Reference:

QUESTION 19

Which keyword do you use to create a new function in DataWeave?

- A. function
- B. fun
- C. func
- D. None of these

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

How many Mule applications can run on a CloudHub worker?

- A. At most one
- B. None of these
- C. Depends
- D. At least one

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21

How would you debug Mule applications?

- A. By Deploying apps on production
- B. Checking RAML
- C. Using logger component
- D. Cannot do it



Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 22

What does the minus operator do in DataWeave?

- A. Decrements the value by one.
- B. Removes items from a list.
- C. Increments the value by one.
- D. Removes characters from a string.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 23

Does a root element need when creating a response using Dataweave?

- A. None of these
- B. Sometimes
- C. Never
- D. Always

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Only needs for XMLs.



QUESTION 24

What MuleSoft API-led connectivity layer is intended to expose part of a backend database without business logic?

- A. Data
- B. System
- C. Process
- D. Experience

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 25

How does Runtime Manager Console connect with App Data and Logs of a Mule app?

- A. None of these
- B. Integration Apps
- C. CloudHub Workers
- D. Rest API

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26

What is the minimum required configuration in a flow for a Mule application to compile?

- A. An event source
- B. RAML file
- C. An event processor
- D. Logger Component



Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27

Where would you create SLA Tiers for an API?

- A. Exchange
- B. API Manager
- C. Anypoint MQ
- D. Within the API

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



<https://vceplus.com/>

