

VCS-325.VCEplus.premium.exam.81q

Number: VCS-325  
Passing Score: 800  
Time Limit: 120 min  
File Version: 1.0



Website: <https://vceplus.com>

VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>

Facebook: <https://www.facebook.com/VCE.For.All.VN/>

Twitter : [https://twitter.com/VCE\\_Plus](https://twitter.com/VCE_Plus)

VCS-325


Administration of Veritas Backup Exec 20.1



## Exam A

### QUESTION 1

Refer to the exhibit.



**Settings** [X]

- Preferences
- Alerts
- Backups
- Job Status and Recovery
- Job Logs
- Catalog**
- Database Maintenance and Security
- Reports
- Login Accounts
- Discover Data to Back Up
- Veritas Update
- Network and Security
- Simplified Disaster Recovery
- Storage
- Cloud Storage
- Barcode Rules
- Granular Recovery Technology
- Virtual Machines
- Oracle
- DBA-initiated Job Settings
- Veritas Information Map

☒ Request all media in the sequence for catalog operations

☒ Use storage-based catalogs

☒ Truncate catalogs after

Catalog path

Catalog path

**i** It is recommended that you use Backup Exec Utility to change the catalog location. If you change the location using the Catalog path field, you must also manually copy the existing catalogs to the new location and then restart the Backup Exec services. Click here for more information:  
[https://www.veritas.com/support/en\\_US/article.TECH210578](https://www.veritas.com/support/en_US/article.TECH210578)

Backup Exec catalogs each backup job.

What is the effect if the catalogs are truncated in the Backup Exec server's settings?

- A. restores fail
- B. only backup set information is listed in the restore wizard
- C. no backup set information is listed in the restore wizard
- D. restores are only performed from disk devices

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 2** What are two results of moving a server to the **Retired Servers** group?  
(Choose two.)

- A. The server is removed from the **All Servers** group.
- B. Scheduled backups for the server will be discontinued.
- C. The server is ineligible for restore operations.
- D. The server is ineligible for new backup operations.
- E. Information about the server is removed from Backup Exec.

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 3** An administrator needs to restore a folder to a running Hyper-V virtual machine.

What must be installed for the restore to complete successfully?

- A. Agent for VMware and Hyper-V on the virtual machine
- B. Agent for Windows on the Hyper-V host server
- C. Agent for VMware and Hyper-V on the Hyper-V host server
- D. Agent for Windows on the virtual machine

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**



**QUESTION 4**

Backup Exec reports can be manually saved in any of the following five file formats; which two of these formats can the reports initially be displayed as? (Choose two.)

- A. XML
- B. CSV
- C. HTML
- D. PDF
- E. XLS

**Correct Answer:** AB

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 5** Where is the metadata for the backup sets contained?

- A. in the ...Backup Exec\Catalogs directory
- B. in the ...Backup Exec\Data directory
- C. in the Backup Exec Database
- D. in the HKLM\SOFTWARE\Veritas\Backup Exec registry key

**Correct Answer:** A

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/support/en\\_US/article.100042698](https://www.veritas.com/support/en_US/article.100042698)

**QUESTION 6** Which two choices of agents or features are included with the V-Ray Edition of Backup Exec?  
(Choose two.)

- A. NDMP Feature
- B. Agents for Applications and Databases on virtual machines
- C. Library Expansion Feature
- D. Enterprise Server Feature
- E. Deduplication Feature

**Correct Answer:** BE

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 7** An administrator is attempting to browse file and directory details, but only backup set header information is available.

What may be the cause for the lack of detailed information; and how should the administrator enable the selection of individual items for restore?

- A. The backup sets have expired, and the media must be re-cataloged.
- B. The backup sets have expired, and the media must be re-inventoried.
- C. The Backup Exec server catalog settings have been set to truncate automatically, and the media must be re-cataloged.
- D. The Backup Exec server catalog settings have been set to truncate automatically, and the media must be re-inventoried.

**Correct Answer:** C

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 8** Which option should an administrator select to add a tape with a barcode to the library?

- A. Initialize now
- B. Scan
- C. Inventory and Catalog now
- D. Inventory

**Correct Answer:** B









**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 9**

Refer to the exhibit.

 <b>Deduplication disk storage 0001</b>	Online	Deduplication disk storage
 <b>Disk storage 0001</b>	Online	Disk storage
▼  <b>Robotic library 0001</b> STK L700	Online	Robotic library
 <b>Tape drive 0001 (No media)</b> IBM ULT3580-TD5	Online	Tape drive
 <b>Tape drive 0002 (No media)</b> IBM ULT3580-TD5	Online	Tape drive
 <b>Tape drive 0003 (No media)</b> IBM ULT3580-TD5	Online	Tape drive
 <b>Tape drive 0004 (No media)</b> IBM ULT3580-TD5	Online	Tape drive
 <b>Slots</b>		Robotic library slots

How many Library Expansion Option (LEO) licenses are required in order to use all drives in the robotic library shown?

- A. 0
- B. 1
- C. 3
- D. 2

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**



**QUESTION 10** Which two conditions contribute to achieve a high deduplication ratio?

(Choose two.)

- A. The percentage of data that changes is low.
- B. The same file is backed up from multiple locations.
- C. Client-side and server deduplication are simultaneously enabled.
- D. Compression is enabled in the backup job.
- E. All data being protected is from physical servers.

**Correct Answer:** AB

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 11** Which selection methods are available in the Restore Wizard when creating a **Files, folders, or volumes**

restore job?

- A. file and folder backups to an SDR recovery point, file and folder backups from a backup set, and file and folders located through search
- B. file and folder backups to a point-in-time, file and folder backups from a backup set, and file and folders located through search
- C. file and folder backups to an NTFS checkpoint, file and folder backups from a backup set, and file and folders located through search

D. file and folder backups to a change journal sequence number, file and folder backups from a tape, and file and folders located through search

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/59226269-99535599-0/v94658605-99535599](https://www.veritas.com/content/support/en_US/doc/59226269-99535599-0/v94658605-99535599)

**QUESTION 12** In which two circumstances will the overwrite protection period for a tape begin?

(Choose two.)

- A. at the start time of an overwrite job (if there are no appends)
- B. at the end time of an overwrite job (if there are no appends)
- C. at the start time of the last append operation on a media
- D. at the end time of the first append operation on a media
- E. at the end time of the last append operation on a media

**Correct Answer:** BE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 13** What are two requirements for configuring Optimized Duplication between two or more Backup Exec servers?

(Choose two.)

- A. The Central Admin Server (CAS) and Managed Backup Exec Server (MBES) must be configured.
- B. The NDMP option must be installed.
- C. The OS must be similar on the Backup Exec servers where the Deduplication Folder needs to be shared.
- D. The same Deduplication account must be used on all the Backup Exec servers.
- E. The Deduplication storage on each Backup Exec server must be shared.

**Correct Answer:** AE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 14** What is the maximum number of full Simplified Disaster Recovery (SDR) backup set chains supported when performing a system recovery?

- A. 2
- B. 3
- C. 4
- D. 5

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 15**

Which two components must be installed on a destination server before an Exchange database can be redirected to that server? (Choose two.)

- A. Microsoft Outlook Client
- B. Agent for Windows
- C. Agent for Applications and Database
- D. Microsoft Exchange
- E. Exchange Management tools

**Correct Answer:** BD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 16** Which backup method is invalid when performing a SharePoint farm backup using a SharePoint agent?

- A. full copy - back up databases (copy)
- B. full (block-level)
- C. differential (block-level)
- D. incremental (block-level)

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 17**

An administrator has restored the System State which has created a temporary directory named F52E2DD5-CE7D-4e54-8766-EE08A709C28E, and wants to delete the directory.

Where can the administrator find the temporary directory?

- A. %SYSVOL%\
- B. C:\temp\
- C. C:\Windows\System32\
- D. %SystemRoot%\

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/59226269-99535599-0/v53900731-99535599](https://www.veritas.com/content/support/en_US/doc/59226269-99535599-0/v53900731-99535599)

**QUESTION 18** Which two agents or features are included in the Bronze licensing edition?  
(Choose two.)

- A. Agent for VMware and Hyper-V
- B. Remote Media Agent for Linux Servers
- C. Agent for Applications and Databases
- D. Deduplication Feature
- E. VTL Unlimited Drive Feature

**Correct Answer:** AD

**Section:** (none)

**Explanation****Explanation/Reference:**

Reference: [https://www.veritas.com/support/en\\_US/doc/BE203\\_Licensing\\_Guide](https://www.veritas.com/support/en_US/doc/BE203_Licensing_Guide)

**QUESTION 19** Which statement is correct about configuring OpenDedupe storage?

- A. OpenDedupe must be shared in CAS-MBES scenario to get a better deduplication ratio.
- B. Multiple Backup Exec servers can use the same cloud container with OpenDedupe.
- C. OpenDedupe is supported on Windows Server 2012 R2 or above.
- D. OpenDedupe can be configured directly from the Backup Exec console.

**Correct Answer: D**

**Section: (none)**

**Explanation****Explanation/Reference:**

**QUESTION 20** Which option is an administrator unable to select when configuring a test run job?

- A. check logon account credentials
- B. check for checksum errors
- C. check for sufficient storage space
- D. check that media is available

**Correct Answer: A**

**Section: (none)**

**Explanation****Explanation/Reference:**

**QUESTION 21** Which option can an administrator use to reduce the size of catalogs when the catalog folder is too large?

- A. Delete after X days
- B. Truncate after X days
- C. Age database
- D. BE Database maintenance

**Correct Answer: B**

**Section: (none)**

**Explanation****Explanation/Reference:**

**QUESTION 22** Which two types of information are stored in the Backup Exec database?  
(Choose two.)

- A. catalogs
- B. device and media information
- C. reports
- D. encryption keys
- E. job logs



**Correct Answer:** BD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 23** An administrator wants to perform a virtual-based backup of a VMware virtual machine.

In which scenario is the administrator unable to use Instant GRT (Granular Recovery Technology)?

- A. when the virtual machine is backed up on deduplication disk storage
- B. when the virtual machine is backed up on tape storage
- C. when the virtual machine has Microsoft Exchange server application installed
- D. when the virtual machine has multiple volumes configured

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/59226269-99535599-0/v53949877-99535599](https://www.veritas.com/content/support/en_US/doc/59226269-99535599-0/v53949877-99535599)

**QUESTION 24** Which software encryption recommendation is part of Veritas best practices?

- A. Use the Blowfish encryption algorithm.
- B. Avoid using the same encryption keys for all synthetic backup templates.
- C. Avoid using hardware compression with software encryption.
- D. Use 128-bit encryption to be FIPS compliant.



**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 25** What is required in order to perform a Simplified Disaster Recovery (SDR) of a system from a deduplicated backup set?

- A. The deduplicated data must be staged to the local server before recovery.
- B. The deduplication storage folder must be locally attached to the target server.
- C. The deduplication storage folder must be taken offline to prevent backups from running during the restore operation.
- D. The target server must connect to a Backup Exec Server with the deduplication storage.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 26** A multi-server backup is failing. After checking the job log, the root cause is unclear.

What is the next action an administrator should take to identify the issue?

- A. perform a test run of the job
- B. run Veritas Quick Assist and review the failed job report
- C. divide the job and back up the servers individually
- D. leave the job intact and enable error handling rules to retry job on failure

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 27

Which storage device should an administrator use to store virtual agent-based (Granular Recovery Technology) GRT-enabled backup sets that will be used to instantly recover a virtual machine?

- A. Deduplication disk storage
- B. Cloud storage
- C. Disk storage
- D. Tape storage

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 28** The **Tag as Business-Critical** option allows users to select resources that are most important to business continuity.

Which two resources can be tagged as business-critical? (Choose two.)

- A. Exchange databases
- B. partial selections
- C. SQL instances
- D. Enterprise Vault resources
- E. resources from an older version of Backup Exec

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/59226269-99535599-0/v53892093-99535599](https://www.veritas.com/content/support/en_US/doc/59226269-99535599-0/v53892093-99535599)

#### QUESTION 29

When is an administrator unable to install Backup Exec using the local default instance, SQL Express 2014, as the Backup Exec database repository?

- A. if the Backup Exec database size is 5GB
- B. if the Backup Exec server is a Central Admin Server (CAS)
- C. if the Backup Exec server is a Read-Only Domain Controller (RODC)
- D. if the Backup Exec server is a Managed Backup Exec Server (MBES)

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://www.bechtel.com/shop/medias/57765e749ce969671a563cbe.pdf?context=bWFzdGVyfHJvb3R8MjkzMjE2fGFwcGxpY2F0aW9uL3BkZnNoZjIvaGFmLzk2MjA3NTA0MzQzMzQucGRmfDZjMjIwMjg1NjJhNjhhNzc1ODEyMWUwY2F1OTRkYjA0NDIxYzg4YTdmN2FkZmRlMmJjNTNmMDVjNWRjMGQ0NDA>

**QUESTION 30** When the **Deduplication feature** is installed on a Backup Exec server, four services are installed.

Which two services are also available on a remote computer that has the Agent for Windows installed, even if the **Deduplication feature** is unavailable on the Backup Exec server?

- A. Backup Exec Deduplication Engine and Backup Exec Deduplication Manager
- B. Backup Exec Deduplication Manager and Backup Exec Deduplication Multi-threaded Streaming Agent
- C. Backup Exec Deduplication Engine and Backup Exec PureDisk Filesystem Service
- D. Backup Exec PureDisk Filesystem Service and Backup Exec Deduplication Multi-threaded Streaming Agent

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 31**

How should an administrator create a backup using the same settings as a backup job previously created?

- A. go to **Backup Exec settings** > select the **copy job settings** option
- B. highlight the backup job to copy > right click on the backup > select copy
- C. highlight the backup job to copy > click CTRL + C
- D. go to the **Backup and Restore** tab > select **Backup** > select **Create a New Backup Using the Settings from an Existing Backup**

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 32**

Which two methods can an administrator use to find more information on Backup Exec job error messages? (Choose two.)

- A. review the job log and click the UMI link
- B. use the Backup Exec Diagnostic utility `Bediag.exe`
- C. in the Administrative Console, open the Help pages and search for the error
- D. use the Veritas Quick Assist tool
- E. search the Veritas Technical Support Knowledge base for common errors

**Correct Answer:** AE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/support/en\\_US/article.100021291](https://www.veritas.com/support/en_US/article.100021291)

**QUESTION 33**

Which two vSphere permission levels are required for successful backup of a VMware virtual machine without Granular Recovery Technology (GRT)? (Choose two.)

- A. **Virtual machine > Provisioning > Allow read-only disk access**
- B. **Virtual machine > Interaction > Power Off**
- C. **Virtual machine > Inventory > Register**

- D. Virtual machine > State > Create snapshot
- E. Virtual machine > Interaction > Power On

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/article.100001960](https://www.veritas.com/content/support/en_US/article.100001960)

**QUESTION 34** An administrator needs to protect new resources added to a server in the future and ensure they will be automatically included in the backup jobs.

How should the administrator achieve dynamic inclusion?

- A. check the box next to the server name in the backup selections
- B. check the job option for dynamic inclusion
- C. check the job configuration for manual inclusions/exclusions
- D. enable the option to **Discover Data to Back Up** in **Backup Exec Settings**

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 35** In which scenario should an administrator choose to use the **faster processing method** for Hyper-V backups?

- A. The administrator wants to use full and incremental backup methods.
- B. The administrator wants to use full and differential backup methods.
- C. The administrator wants to use client-side deduplication for backups.
- D. The Hyper-V host has limited space for checkpoints.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 36** Which catalog mode is invalid in a Central Administration Server Option (CASO) environment?

- A. centralized
- B. distributed
- C. replicated
- D. synchronized

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 37**

What is a capability of the Backup Exec Agent for VMware and Hyper-V?

- A. It integrates directly with the Simplified Disaster Recovery (SDR) process to provide complete recovery.
- B. It enables image-level protection of virtual machines with physical Raw Device Mapping volumes.
- C. It shuts down and restarts virtual machines to consistently backup the content.
- D. It supports agentless virtual machine backup and complete recovery of guest virtual machines.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 38

What is the minimum number of characters the passphrase must have, in order to enable hardware encryption using the T10 standard?

- A. 8 characters
- B. 16 characters
- C. 32 characters
- D. 128 characters

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/59226269-99535599-0/v53895058-99535599](https://www.veritas.com/content/support/en_US/doc/59226269-99535599-0/v53895058-99535599)

#### QUESTION 39

Which type of server should an administrator choose in **Add a Server** wizard under the **Backup and Restore** tab to add a SQL server?

- A. Microsoft Windows computers and servers
- B. File server or NDMP data server
- C. Microsoft SharePoint server farm
- D. Microsoft SQL server

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=4&ved=2ahUKEwilo7PJ9PrIAhXKxoUKHXQPBAAsQFjADegQIAhAC&url=ftp%3A%2F%2Fuwis-ftp.ethz.ch%2FISG%2FDVD%2FBE%2FWinNT%2FInstall%2FDOCS%2Fbeadmin\\_en.pdf&usq=AOvVaw1m4U77EXeYekWazJkfpGz0](https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=4&ved=2ahUKEwilo7PJ9PrIAhXKxoUKHXQPBAAsQFjADegQIAhAC&url=ftp%3A%2F%2Fuwis-ftp.ethz.ch%2FISG%2FDVD%2FBE%2FWinNT%2FInstall%2FDOCS%2Fbeadmin_en.pdf&usq=AOvVaw1m4U77EXeYekWazJkfpGz0)

#### QUESTION 40

When does Backup Exec Data Lifecycle Management (DLM) delete all the backup sets on which the backup set expiry date is reached?

- A. when the backup sets contain multiple unexpired incremental backup sets, but the full backup has expired
- B. when the backup sets contain expired backup sets created by different backup definitions
- C. when the **Allow Backup Exec to delete all expired backup sets** option is checked
- D. when the overwrite protection level is set to **None**

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 41** When should an administrator disable the option **Request all media in the sequence for catalog operations** within the Backup Exec settings?

- A. when cataloging deduplication storage folders
- B. when media is missing within spanned backup sets
- C. when cataloging incremental backups only
- D. to free disk space by purging catalogs from disk

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://kamilpro.com/backup-exec-cataloging-multiple-tapes-with-a-single-tape-drive/>

**QUESTION 42** Which two types of information are held in the Backup Exec server catalogs?  
(Choose two.)

- A. the resource credentials
- B. the resource
- C. the primary copy
- D. the backup time stamp
- E. the device credentials

**Correct Answer:** BD

**Section:** (none)

**Explanation**

**Explanation/Reference:**



**QUESTION 43** What should the Overwrite Protection Level setting be to minimize the risk of data loss?

- A. Partial
- B. None
- C. Full
- D. Overwrite scratch media before overwriting recyclable media

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/support/en\\_US/article.100017917](https://www.veritas.com/support/en_US/article.100017917)

**QUESTION 44** Which two methods can an administrator use to retrieve data that has been backed up by Backup Exec?  
(Choose two.)

- A. a traditional restore job
- B. instant recovery for export jobs
- C. a client-directed restore job
- D. instant recovery for virtual machines
- E. instant recovery for physical hosts

**Correct Answer:** CD

**Section:** (none)

**Explanation****Explanation/Reference:****QUESTION 45**

An administrator is using the restore wizard to browse files and folders and sees that the system, volume, and backup set information is available, but it is impossible to browse the individual file and folder content.

Why might the individual file and folder content be unavailable?

- A. The tape is missing from the library.
- B. There are no files that have been backed up from the system.
- C. An incorrect date range is defined in the **Show backups from** setting.
- D. The server is configured to truncate catalogs.

**Correct Answer:** D

**Section:** (none)

**Explanation****Explanation/Reference:****QUESTION 46**

An administrator is performing a complete online recovery of a system using a full backup followed by a series of five incremental backups.

How many backup sets will need to be accessed by the Backup Exec server to complete the restore from the last incremental backup?

- A. 1
- B. 4
- C. 5
- D. 6



**Correct Answer:** D

**Section:** (none)

**Explanation****Explanation/Reference:****QUESTION 47**

An administrator is using Simplified Disaster Recovery to perform a full recovery of a Backup Exec server including the volume that contains the deduplication storage folder. Which two conditions will exist after the recovery is performed? (Choose two.)

- A. All backup sets sent to the deduplication storage folder after it was backed up will be restored.
- B. Any existing backup sets sent to the deduplication storage folder after it was backed up are unavailable.
- C. The Backup Exec server will be fully functional, including all media devices.
- D. The deduplication storage folder logon account will need to be reset.
- E. The deduplication storage folder will need to be restored via Shadow Copy Components.

**Correct Answer:** BE

**Section:** (none)

**Explanation****Explanation/Reference:****QUESTION 48**

Which activity information is an administrator unable to configure for display in the Audit Logs?

- A. Alerts

- B. Error-Handling Rules
- C. Reports
- D. Logon Accounts

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/59226269-99535599-0/v53890179-99535599](https://www.veritas.com/content/support/en_US/doc/59226269-99535599-0/v53890179-99535599)

**QUESTION 49** Which diagnostic tool is designed to capture and save Backup Exec Debug Logs for the purpose of troubleshooting issues within Backup Exec?

- A. discover.exe
- B. VeritasQuickAssist.exe
- C. Bediag.exe
- D. SGMon.exe

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 50** Which two scenarios require the Backup Exec database encryption key to be provided?  
(Choose two.)

- A. a rolling upgrade of the Central Admin Server (CAS)
- B. a migration of Backup Exec from one server to another
- C. a Backup Exec database optimization
- D. a repair of the Backup Exec database
- E. a disaster recovery of the Backup Exec server



**Correct Answer:** BE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 51** An administrator is using Backup Exec to back up to an LTO tape device using default settings. Backups are running slower than expected.

Which option may improve backup performance?

- A. use deduplication
- B. power cycle the tape device
- C. look for updates for the device and the controller
- D. change device concurrency settings

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**



**QUESTION 52**

DRAG DROP

Which actions can an administrator perform on an active or scheduled job in the **Job Monitor** pane?

Drag the three (3) actions that an administrator can perform in the **Jobs** pane on the **Job Monitor** from the left column to the right column.

**Select and Place:**

	Actions that can be performed
Edit scheduled jobs	
Enable error-handling rules	
Cancel active jobs	
Duplicate job histories	
Run a test backup job	
Run a verify backup job	

**Correct Answer:**

<div>Edit scheduled jobs</div> <div>Enable error-handling rules</div> <div>Cancel active jobs</div> <div>Duplicate job histories</div> <div>Run a test backup job</div> <div>Run a verify backup job</div>	<b>Actions that can be performed</b> <div>Edit scheduled jobs</div> <div>Cancel active jobs</div> <div>Run a test backup job</div>
--	--

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/59226269-99535599-0/v53899047-99535599](https://www.veritas.com/content/support/en_US/doc/59226269-99535599-0/v53899047-99535599)

**QUESTION 53** Which two requirements are necessary when installing and configuring the Central Administration Server Option (CASO)?  
(Choose two.)

- A. Fully qualified domain names must be used when specifying the Central Admin Server name during the installation of a managed Backup Exec server.
- B. Administrative rights on the computer where the Central Administration Server Option is installed are required.
- C. The Central Administration Server and all other managed Backup Exec servers must have all storage devices that will be used connected and online.
- D. One Enterprise Server Option License is required for each Backup Exec media server connected in a Central Administration Server Option environment.
- E. The Central Admin Server and all other managed Backup Exec servers must be part of a domain or domains.

**Correct Answer: BE**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 54**

An administrator's robotic library has gone offline the last three times the same piece of media has been used. Where can the administrator look to determine whether the tape has any soft or hard errors?

- A. on the properties of the media set
- B. on the properties of the tape drive
- C. on the properties of the job history
- D. on the properties of the media

**Correct Answer: D**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 55**

An administrator has a backup job that protects three SQL instances on the server. The third instance hosts a very important application database, so the administrator wants to ensure that instance is the first one backed up.

What is the most efficient way to ensure the application database instance is the first to be backed up?

- A. drag the application database instance to the top of the backup selections tree
- B. create a new backup job that backs up only the application database instance, and run that backup job first
- C. use the reordering controls on the **Selection Details** page to make the application database instance the first one selected
- D. select the specific SQL instance in the backup selection list and use the **Tag as business-critical** option

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 56**

An administrator has several expired backup sets that are still showing under the configured Disk Storage.

Which two reasons will prevent the expired backup sets from being deleted? (Choose two.)

- A. There are other unexpired backup sets that are dependent on them.
- B. The expired backup sets need to be duplicated before they will be deleted.
- C. The expired backup sets are part of a (Simplified Disaster Recovery) SDR-enabled backup.
- D. The expired backup sets have to be overwritten by a new backup job.
- E. The expired backup sets need to be manually deleted from the Backup Exec console.



**Correct Answer: AC**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 57** Which condition can cause a cleaning job to fail?

- A. library automatic cleaning function is disabled
- B. cleaning job schedule conflicts with a backup job
- C. a cleaning slot remains undefined for library
- D. a cleaning Tape Alert flag remains unraised

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 58**

An administrator runs a server backup to the Tape Library and has two backups created for the same server. The first backup contains the drive backup [C, D], and the second backup has the system state selected. When a virtual conversion of the server is attempted, the **Convert to virtual** option is greyed out.

What could be the reason for the **Convert to virtual** option being greyed out?

- A. Catalogs operation needs to be performed on the backup sets.
- B. The **Convert to virtual** option is unsupported on tape backups.
- C. Simplified Disaster Recovery (SDR) is disabled.
- D. The VMware and Hyper-V Agent needs to be installed.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 59** Which two capabilities of the Backup Exec Agent for Microsoft Exchange are supported?

(Choose two.)

- A. granular restore from virtual agent backup for Database Availability Groups (DAG)
- B. continuous backup of Exchange databases and mailboxes
- C. redirect restore of Exchange 2010 database to Exchange Server 2013
- D. redirect restore of mailboxes or mailbox items to a .PST file
- E. restore of individual mail items

**Correct Answer:** DE

**Section:** (none)

**Explanation**

**Explanation/Reference:**



**QUESTION 60** Which features must be installed to share a Robotic Library containing one tape drive between an NDMP server and multiple Backup Exec servers?

- A. the NDMP Feature and the Library Expansion Feature
- B. the Enterprise Server Feature and the Virtual Tape Library Unlimited Drive Feature
- C. the NDMP Feature and the Enterprise Server Option Feature
- D. the NDMP Feature and the Virtual Tape Library Unlimited Drive Option Feature

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 61** An administrator targets a backup to a disk storage device, but the backup goes into a queued state due to insufficient disk space.

Which action should the administrator take to ensure the next backup completes successfully?

- A. split the backup into more than one backup job
- B. include only as much data as can fit on the disk storage device
- C. target the backup to a disk storage pool that has more than one device in the pool with sufficient space
- D. recreate the backup job

**Correct Answer:** C

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 62** Which two settings can be configured in the `ralus.cfg` file of the Agent for Linux?

(Choose two.)

- A. the list of files and directories to be excluded from backup jobs
- B. enable client-site replication
- C. the list of Backup Exec servers to publish to
- D. the list of Network Interface Cards (NIC) to use for the backup
- E. the list of accounts which can access the Backup Exec server

**Correct Answer:** AC

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 63** Where should an administrator set the option to make all new jobs automatically choose a particular disk storage as the target device?

- A. change the storage options in **Backup Exec Settings**
- B. change the storage options in each new job
- C. change the storage options in **Job Defaults**
- D. change the storage options in the properties of the storage

**Correct Answer:** C

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 64** Which action can an administrator perform during the Backup Exec database maintenance?

- A. apply patches to the database
- B. take the database offline
- C. delete expired data from the database
- D. put the database into single user mode

**Correct Answer:** C

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/59226269-99535599-0/v53890319-99535599](https://www.veritas.com/content/support/en_US/doc/59226269-99535599-0/v53890319-99535599)

**QUESTION 65** An administrator is configuring the Amazon S3 cloud-based storage device.

Which two options should the administrator consider to ensure a successful configuration? (Choose two.) A.

The bucket name should start with lowercase letters.

- B. The bucket should be pre-configured before adding a Cloud storage device.
- C. The bucket which is in use by different Backup Exec servers can be shared.
- D. The bucket can be created in any region the Cloud provider designates.
- E. The user must obtain an Amazon access key ID and a secret access key.

**Correct Answer:** BE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 66** What is the purpose of enabling the **Allow Backup Exec to Delete All Expired Backup Sets** setting?

- A. It ensures a response to an alert will be required before any backup set is deleted.
- B. It ensures Data Lifecycle Management (DLM) is enabled instead of ADAMM.
- C. It prevents Backup Exec from keeping the most recent backup set per resource.
- D. It causes Backup Exec to immediately delete all expired backup sets and disable the setting.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 67**

An administrator needs to use Backup Exec to protect a VMware environment. The datastore containing the VMware virtual machines is located on SAN disk storage. The Backup Exec server is also connected to the SAN infrastructure. The administrator needs to ensure the backup data only travels over the SAN.

How should the administrator proceed?

- A. enable forced SAN mode on the VMware vCenter server
- B. select the NBD transport option in backup properties
- C. use the transport mode priority list option to only select SAN transport mode
- D. enter the IP Address of the SAN data storage server

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 68**

Which two conditions cause Data Discovery to fail to detect remote servers in the same domain as the Backup Exec server? (Choose two.)

- A. The administrator failed to add the default logon account to the local administrators group on the remote servers.
- B. The servers have Windows Management Instrumentation (WMI) disabled.
- C. The firewall on the remote servers is configured to block WMI traffic.
- D. The firewall on the remote servers is configured to block port 10000.
- E. The remote servers have an old version of the Backup Exec Agent for Windows installed.

**Correct Answer:** BC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 69**

What is the maximum number of days the Job logs, Alert history, Reports, and Audit logs can be retained if the **Delete aged data** check box is selected?

- A. 30 days
- B. 60 days
- C. 180 days
- D. 999 days

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 70** An administrator has a vCenter server containing 3 VMware hosts running a total of 25 virtual machines. Each host has 2 Quad-Core CPU sockets.

How many V-Ray licenses does the environment require?

- A. 1 V-Ray license is necessary; one for each vCenter server
- B. 3 V-Ray licenses are necessary; one for each host
- C. 6 V-Ray licenses are necessary; one for each CPU socket
- D. 8 V-Ray licenses are necessary per host; one for each logical processor

**Correct Answer:** C

**Section:** (none)

**Explanation**



**Explanation/Reference:**

**QUESTION 71** Which two backup settings can be modified for a duplicate stage added to a backup job?  
(Choose two.)

- A. Schedule
- B. Security
- C. Notification
- D. NetworkE. Test run

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 72** Which two alternate destinations are available when using the restore wizard to restore from file and folder backups?  
(Choose two.)

- A. Zip file
- B. Drive and Path
- C. Microsoft Virtual Hard Disk
- D. PST file
- E. VMDK file

**Correct Answer:** BC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 73** When is the Install Device Drivers Option unavailable in the Configure Storage wizard?

- A. when Backup Exec detects hardware that is unsupported
- B. when Backup Exec detects that device drivers are already installed
- C. when Backup Exec is installed on a Windows 2008 or earlier operating system
- D. when Backup Exec is installed on a Windows 2012 or later operating system

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 74** Which two types of media can be given first priority when Backup Exec searches for overwritable media during a backup job? (Choose two.)

- A. media in the local vault
- B. scratch media
- C. recyclable media in any media set
- D. imported media
- E. recyclable media in destination media set



**Correct Answer:** BE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 75** Which setting can be configured to enable a disk storage device to allow five jobs to run simultaneously?

- A. **Auto detect block and buffer size**
- B. **Concurrent write operations**
- C. **Auto detect settings**
- D. **Buffer count**

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 76**

By default, when does Data Lifecycle Management (DLM) search for expired backup sets to delete from disk-based storage?

- A. every 12 hours
- B. every 24 hours



- C. every hour
- D. every 4 hours

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/59226269-995355599-0/v81416912-995355599](https://www.veritas.com/content/support/en_US/doc/59226269-995355599-0/v81416912-995355599)

#### QUESTION 77

Which two capabilities are available with Instant Granular Recovery Technology (GRT)? (Choose two.)

- A. Backup sets can be searched for granular data.
- B. Backup sets can be dynamically browsed to select individual items.
- C. The catalog jobs are run as part of the backup job.
- D. The catalog jobs are run immediately after the backup job.
- E. Instant GRT can be enabled for tape-based backups.

**Correct Answer:** BC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/59226269-995355599-0/v90439869-995355599](https://www.veritas.com/content/support/en_US/doc/59226269-995355599-0/v90439869-995355599)

**QUESTION 78** Which two scenarios are invalid for Instant Recovery of a VMware virtual machine? (Choose two.)

- A. The virtual machine is a Windows server.
- B. The virtual machine backup is targeted to deduplication disk storage.
- C. The Backup Exec server has NFS role installed.
- D. An agent-based backup is used to protect the virtual machine.
- E. A GRT-enabled virtual backup is used to protect the virtual machine.



**Correct Answer:** CE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/59226269-137906722-0/v120578008-137906722](https://www.veritas.com/content/support/en_US/doc/59226269-137906722-0/v120578008-137906722)

#### QUESTION 79

The security team that monitors and audits a network has captured unexpected but regular network traffic being sent from the Backup Exec server to systems that are deliberately restricted from being involved with Backup Exec. The team has notified the backup administrator of the findings.

Which Backup Exec setting should the administrator change to stop the unexpected network traffic to restricted systems?

- A. Allow Backup Exec to report anonymous usage information
- B. Discover servers that have data that has not been backed up
- C. Enable TCP dynamic port range
- D. Check for updates automatically according to a schedule

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 80** For which backup storage type does Backup Exec store the .DR file along with the backup sets?

- A. tape storage
- B. deduplication storage
- C. disk storage
- D. robotic library storage

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 81** Which option, selected during the backup of NetApp filer using the **NDMP** feature, will provide the ability to restore an individual file or folder?

- A. Faster recovery option
- B. Enable file history
- C. Back up Access Control Lists
- D. Backup with checkpoint

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.veritas.com/content/support/en\\_US/doc/24427212-131831690-1](https://www.veritas.com/content/support/en_US/doc/24427212-131831690-1)