

250-445.VCEplus.premium.exam.69q

Number: 250-445
Passing Score: 800
Time Limit: 120 min
File Version: 1.0



Website: <https://vceplus.com>
VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>
Facebook: <https://www.facebook.com/VCE.For.All.VN/>
Twitter : https://twitter.com/VCE_Plus

250-445

Administration of Symantec Email Security.cloud - v1



Exam A

QUESTION 1

Which quarantine settings are able to be managed within the Administrator Quarantine for Email Security.cloud?

- A. Domain Block Lists
- B. End User Block Lists
- C. Data Protection Policies
- D. Anti-Spam Scanning Settings

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/SMG_10_6_6/SMG/v5747403_v125807409/Quarantine-Settings?locale=EN_US

QUESTION 2 What is the standard Time to Live (TTL) for an MX Record?

- A. 12-24 hours
- B. 8 hours
- C. 24-48 hours
- D. 72 hours

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://help.dyn.com/ttl/>

QUESTION 3 Which type of assessment is unavailable within Phishing Readiness?

- A. Whaling Attack
- B. Open / Click
- C. Attachment
- D. Data Exposure

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article/150736/symantec-phishing-readiness-faq.html>

QUESTION 4 Where does Email Security.cloud reside when it is deployed?

- A. Office 365
- B. Company Private Cloud
- C. Wide Area Network
- D. Local Area Network

Correct Answer: A

Section: (none)



Explanation**Explanation/Reference:**

Reference: <https://www.it-klinika.rs/blog/uporedna-analiza-koliko-je-symantec-dobar-u-zastiti-vaseg-imejla/email-security-cloud-en.pdf>

QUESTION 5 What is the purpose of checking for Sender Policy Framework (SPF) Records in regards to email security?

- A. To ensure that the SMTP connection is encrypted
- B. To help validate domain ownership
- C. To help validate recipient email addresses
- D. To ensure that incoming emails are RFC compliant

Correct Answer: D

Section: (none)

Explanation**Explanation/Reference:**

Reference: <https://knowledge.broadcom.com/external/article?legacyId=TECH226211>

QUESTION 6 What is the purpose of Email Impersonation Control?

- A. To guard against spoofed client's domains
- B. To guard against "whaling" attacks
- C. To guard against spoofed government domains
- D. To guard against spoofed IP addresses

Correct Answer: B

Section: (none)

Explanation**Explanation/Reference:**

Reference: https://help.symantec.com/cs/EMAIL_WEB.CLOUD/EMAILSECURITYCLOUD/v122075815_v116575109/Email-Impersonation-Control-Settings?locale=EN_US

QUESTION 7 When does Real Time Link Following scan a webpage for malware?

- A. After the Web Proxy has intercepted the web request
- B. After an email with a URL link is delivered to the end user
- C. After an email with a URL link is clicked the end user
- D. Before an email with a URL link is delivered to the end user

Correct Answer: C

Section: (none)

Explanation**Explanation/Reference:**

QUESTION 8 Which type of Mail Transfer Agent is required for automated group synchronization?

- A. Domino
- B. Exchange
- C. Postix
- D. Google Apps

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9 What is the Service Level Agreement (SLA) for Email Security.cloud Service Availability?

- A. 95%
- B. 99.999%
- C. 100%
- D. 99%

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: https://www.pugh.co.uk/wp-content/uploads/2017/08/Symantec-Email-Security.cloud_.pdf

QUESTION 10 Why should an administrator configure Symantec Validation & ID Protection (VIP) with ClientNet?

- A. To enable Data Protection Policies
- B. To enable Policy Based Encryption
- C. To enable Transport Layer Security
- D. To enable Two Factor Authentication



Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/EMAIL_WEB.CLOUD/CLOUDPORTAL/v97248373_v116856119/Informazioni-sul-controllo-dell?locale=EN_US

QUESTION 11 Which process is acceptable for validating domain ownership within the “Add New Domain” wizard?

- A. Text message validation
- B. DNS Validation with an added TXT Record
- C. Email Security.cloud support ticket
- D. DNS Validation with an added SPF Record

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docplayer.net/22114006-Deployment-document-for-office-365-and-symantec-cloud-v1-0.html> (20)

QUESTION 12 What does Domain Keys Identified Mail (DKIM) use to verify that an email message was sent from an authorized mail server?

- A. Public Key Cryptography
- B. Sender Policy Framework
- C. Private Key Cryptography

D. Domain Name Service

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/SMG_10_6_6/SMG/v5748156_v125807409/Sender-Authenticationemail_firewall_sender_authentication?locale=EN_US

QUESTION 13 How long are emails identified as spam kept in an end user's quarantine?

- A. 14 days
- B. 5 days
- C. 30 days
- D. 7 days

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <http://images.message labs.com/EmailResources/ServiceAdminGuides/EmailQuarantineUserGuide.pdf>

QUESTION 14

What is the importance of selecting the appropriate content type, when creating a list for Data Protection policy?

- A. The content type determines the condition the list resides in.
- B. The content type determines whether the list can be used for Policy Based Encryption.
- C. The content type determines how often a list can be used.
- D. The content type determines what type of policies can be created.



Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/EMAIL_WEB.CLOUD/DATAPROTECTIONCLOUD/v72686193_v117919862/Creating%20a%20list%20group%20in%20Email%20Data%20Protection?locale=EN_US

QUESTION 15 What are the two characteristics for an email to be considered Spam?
(Choose two.)

- A. Unsolicited
- B. Malicious
- C. Unwanted
- D. Bulk

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Reference:
https://books.google.com.pk/books?id=QzndBAAQBAJ&pg=PA469&lpg=PA469&dq=symantec+characteristics+for+an+email+to+be+considered+Spam+unsolicited+malicious&source=bl&ots=I_T3VTUt18&sig=ACfU3U2lvi_cJl3o9tiMTnm_vZUf2sj8Fg&hl=en&sa=X&ved=2ahUKEwj34oGA1dHoAhWrBWMBHYVLB8cQ6AEwCXoECA0QJg#v=onepage&q=symantec%20characteristics%20for%20an%20email%20to%20be%20considered%20Spam%20unsolicited%20malicious&f=false

QUESTION 16

What is the Email Security.cloud Service Level Agreement (SLA) for Anti-Spam false positives?

- A. 0.3%
- B. 0.0003%
- C. 0.03%
- D. 0.003%

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://resemblesystems.com/wp-content/uploads/2017/10/Symantec-email-security-cloud-en.pdf> (3)

QUESTION 17 Where can an administrator locate the “Pen Number” for an email quarantined by Anti-Malware?

- A. Cynic Alert Notification email
- B. Malware Alert Notification email
- C. Quarantine Alert Notification email
- D. Attack Alert Notification email

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=HOWTO109647&SAMLRequest=%5BB%408d0355a>

QUESTION 18

A customer has purchased the Email Security.cloud solution. They would like to automatically receive SMS messages for any service alerts for Email Security.cloud.

What is the URL required to configure this setting?

- A. <https://symantec.identity.com>
- B. <https://symantec.clientnet.com>
- C. <https://identity.symanteccloud.com>
- D. <https://clientnet.symanteccloud.com>

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <http://symantec884.rssing.com/chan-5173756/latest.php>

QUESTION 19 Which ClientNet settings allow an administrator to configure the maximum email size allowed through Email Security.cloud?

- A. Data Protection
- B. Inbound Routes
- C. Outbound Routes
- D. Mail Platform

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=tech252363>

QUESTION 20 Which Email Security.cloud scanning technology is able to be modified by a customer?

- A. Traffic Shaping
- B. Anti-Spam
- C. SMTP Heuristics
- D. Anti-Malware

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21 Which scanning technology is unable to provide individual customer reporting data within Email Security.cloud?

- A. Image Composition Analysis
- B. Data Protection
- C. Cynic
- D. Traffic Shaping

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://us.cloud.im/legal/symantec-email-security-cloud-terms.aspx/>

QUESTION 22 Which method is unavailable to populate internal email addresses for use with Email Security.cloud Address Registration?

- A. Outbound harvesting
- B. Address Synchronization Tool (Schemus)
- C. Exchange Journaling
- D. Manual entry

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/EMAIL_WEB.CLOUD/EMAILSECURITYCLOUD/v117710566_v116575109/Automatic-outbound-address-harvesting?locale=EN_US

QUESTION 23 What is the minimum configuration requirement a customer must make to enable Email Security.cloud?

- A. Install Address Registration Tool
- B. Install Mail Security for Exchange
- C. Create SMTP pointer
- D. Change MX Record

Correct Answer: D



Section: (none)

Explanation

Explanation/Reference:

QUESTION 24 What happens when “0 Minutes” is selected with the Cynic Maximum Hold Time to an email?

- A. Email is delivered bypassing Cynic completely
- B. Email is delivered, but Cynic will continue to scan the message until a verdict is determined
- C. Email is redirected to a SECOPS administrator
- D. Email is put into a quarantine until Cynic determines a verdict

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/EMAIL_WEB.CLOUD/EMAILSECURITYCLOUD/v117853501_v116575109/Configuring-Cynic-settings?locale=EN_US

QUESTION 25 Which Email Security.cloud scanning technology is bypassed when a domain is added to an “Approved List”?

- A. Anti-Malware
- B. Anti-Spam
- C. Address Registration
- D. Cynic

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26 What is the default action for a Data Protection Policy Based Encryption (PBE) Template policy?

- A. Tag the header and allow the message through
- B. Redirect to administrator
- C. Tag the subject and allow the message through
- D. Log only

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/email_web.cloud/EMAILENCRYPTIONCLOUD/v117750152_v117532632/Introduction-to-Policy-Based-Encryption-Advanced?locale=EN_US

QUESTION 27

Which type of attack is executed by a cybercriminal posing as a senior executive of a company that targets other executives within that same organization?

- A. Executive attack
- B. Shark attack
- C. Business attack
- D. Whaling attack



Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.varonis.com/blog/whaling-attack/>

QUESTION 28 What will the “Match All” condition trigger with Data Protection?

- A. It will automatically trigger the policy action for any email
- B. It will match all of the lists created within Data Protection
- C. It will match different emails to corporate senders
- D. It will match different emails to corporate recipients

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=howto127157>

QUESTION 29 What does Address Registration protect against within the Email Security.cloud solution?

- A. Domain impersonation
- B. Email impersonation
- C. Email address spoofing attacks
- D. Targeted phishing attacks

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30 What is the default Transport Layer Security (TLS) port for encrypted email traffic?

- A. 21
- B. 8080
- C. 443
- D. 5135

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31 What is unable to be configured for the Email Security.cloud Anti-Malware Service?

- A. Whether administrators can receive malware notification alerts
- B. Auto-generated summary reports
- C. Whether users can receive malware notification alerts



D. The aggressiveness of the malware scanning

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32 What is the Email Security.cloud Service Level Agreement (SLA) for Anti-Malware false positives?

- A. 0.1%
- B. 0.01%
- C. 0.001%
- D. 0.0001%

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://resemblesystems.com/wp-content/uploads/2017/10/Symantec-email-security-cloud-en.pdf> (3)

QUESTION 33 What will Image Composition Analysis detect when the “heuristics” setting is selected within Image Control?

- A. Images with embedded content
- B. Spoofed images
- C. Confidential images
- D. Pornographic images



Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/EMAIL_WEB.CLOUD/EMAILSECURITYCLOUD/Ref148249240_v116575109/Enable-the-heuristics-detection-for-Image-Control?locale=EN_US

QUESTION 34 Which sandbox technology is available for Email Security.cloud?

- A. Cynic
- B. Malware Analysis
- C. Cylance
- D. Carbon Black

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.broadcom.com/doc/content-analysis-block-threats-with-atp-at-gateway-en> (2)

QUESTION 35 What is a SMTP server that is configured to allow anyone to send email through it called?

- A. Open MTA
- B. Open Email

- C. Open Relay
- D. Open Office

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=howto126073>

QUESTION 36 What is the Symantec best practice regarding customer Mail Transfer Agent (MTA) configuration for Policy?

- A. S/MIME TLS connection between MTA and Symantec
- B. Opportunistic TLS connection between MTA and Symantec
- C. PGP TLS connection between MTA and Symantec
- D. Enforced TLS connection between MTA and Symantec

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=tech235024>

QUESTION 37

Where does a company's MX Record reside?

- A. Mail Transfer Agent
- B. Postfix
- C. Firewall
- D. DNS



Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.experts-exchange.com/questions/21420645/Where-does-an-mx-record-reside.html>

QUESTION 38 What is the Availability Service Level Agreement (SLA) for Email Security.cloud?

- A. 99.9%
- B. 99%
- C. 99.999%
- D. 100%

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.broadcom.com/doc/administration-of-email-security-cloud-v1-study-guide-en>

QUESTION 39

Which industry-standard type of policy, providing computer users with rules governing their actions on a company-owned computer, would Data Protection help enforce?

- A. Password Policy
- B. Firewall Policy
- C. Encryption Policy
- D. Acceptable Use Policy

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: https://en.wikipedia.org/wiki/Acceptable_use_policy

QUESTION 40 Which service is compatible with Automatic Remediation with Email Security.cloud?

- A. Google Apps
- B. Live Office
- C. Office 365
- D. Lotus Notes

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article/172923/autoremediation.html>

QUESTION 41 Where can an administrator locate the “Pen Number” for an email that has been quarantined by Anti-Malware?

- A. Pen Detail Report
- B. Cynic Detail Report
- C. Remediation Detail Report
- D. Anti-Malware Detail Report

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=howto109647>

QUESTION 42 Which service needs to be enabled in order to populate Email Security.cloud data into a SIEM?

- A. Email Data Feed
- B. Python Script API
- C. SIEM Feed
- D. Provisioning API

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 43

When will an end user receive a block page from Click-Time Protection?

- A. When a website followed from an email link contains specific inappropriate content
- B. When a website followed from an email link contains large video files
- C. When a website followed from an email link contains malware
- D. When a website followed from an email link contains pornography

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/EMAIL_WEB.CLOUD/EMAILSECURITYCLOUD/v117876575_v116575109/Managing-your-Click-time-URL-Protection-settingsCTP_Settings?locale=EN_US

QUESTION 44 What is the purpose of creating groups for use with Data Protection?

- A. To add email addresses for Address Registration
- B. To apply Anti-Malware scanning from certain employees
- C. To apply policies to certain employees
- D. To record email address triggered by policies

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 45 What is an “outbound route”, as configured with Email Security.cloud?

- A. The list of a customer’s domains
- B. The list of a customer’s internal email addresses
- C. The list of a customer IP addresses that will be receiving email from Symantec
- D. The list of a customer IP addresses that will be sending email to Symantec

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: https://www.proximus.be/dam/jcr:9203caca-be4b-42e4-8e62-697f6f2f5329/cdn/sites/support/documents/en/cloud/Symantec_EmailServices_DeploymentGuide_EN~2018-09-17-09-15-13~cache.pdf

QUESTION 46 Why should an organization publish a Send Policy Framework (SPF) Record to DNS?

- A. To display a list of invalid recipient domains
- B. To display a list of valid recipient domains
- C. To ensure that only their customers could email them
- D. To display which hosts are authorized to send mail for a domain

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:



Reference: <https://knowledge.broadcom.com/external/article/161394/implement-spf-records-for-email-security.html>

QUESTION 47 What is the Symantec recommended best practice for testing a Data Protection policy?

- A. Copy to administrator
- B. Tag subject line
- C. Log only
- D. Redirect to administrator

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 48 Which Email Security.cloud scanning service is unable to send emails to an end user's quarantine?

- A. Image Control
- B. Anti-Spam
- C. Data Protection
- D. Anti-Malware

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/EMAIL_WEB.CLOUD/EMAILSECURITYCLOUD/v116260626_v116575109/About-Anti-Spam-detection-settings-and-actions?locale=EN_US

QUESTION 49 What action does Symantec recommend for Image Control heuristics?

- A. Copy suspected mail to the Image Control administrator
- B. Block and delete suspected mail
- C. Tag suspected mail within header
- D. Redirect suspected mail to the Image Control administrator

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/EMAIL_WEB.CLOUD/EMAILSECURITYCLOUD/v115385332_v116575109/Overview-of-the-configuration-process-for-Image-Control?locale=EN_US

QUESTION 50 What is the purpose of Email Security.cloud Click-Time protection?

- A. Scan email web links for malware before email is delivered
- B. Scan email web links for inappropriate content when the link is accessed by the user
- C. Scan email web links for inappropriate content before email is delivered
- D. Scan email web links for malware when the link is accessed by the user

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: https://www.pugh.co.uk/wp-content/uploads/2017/08/Symantec-Email-Security.cloud_.pdf

QUESTION 51 Which Email Security.cloud service helps protect a company from unsolicited bulk email?

- A. Data Protection
- B. Anti-Spam
- C. Email Impersonation Control
- D. Advanced Threat Protection

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: https://www.insight.com/content/dam/insight-web/en_US/article-images/datasheets/symantec-email-security-cloud.pdf

QUESTION 52 When do Data Protection policies stop processing?

- A. Once all of the created policies have been applied to an email
- B. Once the email triggers a single policy
- C. Once the policies have all timed out
- D. Once the email triggers an exit event action of a policy

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53 Which email client is compatible with the Email Security.cloud Email Submission add-in?

- A. Google Apps
- B. Office 365
- C. Lotus Notes
- D. Microsoft Outlook

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=TECH248402>

QUESTION 54 Which two file formats are available for Email Security.cloud reports? (Choose two.)

- A. DOC
- B. CSV
- C. XLSD. TXT

E. PDF

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.digitalmarketplace.service.gov.uk/g-cloud/services/330873547893024>

QUESTION 55 How often are end users able to receive quarantine summary notifications?

- A. Every other day
- B. Once a week
- C. Every day
- D. The frequency is configured by the administrator

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=tech246878>

QUESTION 56 What is the basic requirement for deploying Email Security.cloud?

- A. Office 365
- B. SMTP
- C. Microsoft Exchange
- D. POP



Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=TECH247070>

QUESTION 57 Which information is required in order to release an email from the Malware Quarantine?

- A. Pen Number
- B. Date, Sender & Recipient
- C. Email ID
- D. Identified Malware Name

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference <https://knowledge.broadcom.com/external/article?legacyId=HOWTO109647&SAMLRequest=%5BBB%408d0355a>

QUESTION 58 Which Email Security.cloud service will help filter Newsletter and Marketing emails?

- A. Anti-Malware

- B. Anti-Spam
- C. Data Protection
- D. Email Impersonation Control

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article/163521/manage-newsletter-and-marketing-email-fi.html>

QUESTION 59 Which scanning technology will create an Advanced Threat Incident within ClientNet?

- A. Cynic
- B. Malware Signatures
- C. Skeptic
- D. Data Protection

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 60 What is the default action for a non-PBE policy template?

- A. Tag the subject line
- B. Copy to administrator
- C. Quarantine the message
- D. Log only



Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 61

What best describes Symantec Cynic?

- A. An on-premises sandbox tool
- B. A cloud sandbox tool
- C. An on-premises signature based tool
- D. A cloud signature based tool

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: https://help.symantec.com/cs/ATP_3.2/ATP/v117615290_v127300344/Cynic?locale=EN_US

QUESTION 62 What is the primary reason a business would require encrypted email delivery?

- A. Industry Best Practice
- B. Data Loss Prevention
- C. Customer Security
- D. Compliance

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 63 Which protocol is required for Email Security.cloud?

- A. POP
- B. FTP
- C. SMTP
- D. UDP

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://community.broadcom.com/symantecenterprise/communities/community-home/digestviewer/viewthread?MessageKey=78eb0d64-21e5-4ec0-9a34-b6b618a107ea&CommunityKey=f5d62f53-a337-4805-842fe5bc06329b21&tab=digestviewer#bm78eb0d64-21e5-4ec0-9a34-b6b618a107ea>

QUESTION 64 How does an administrator create a detailed report for Email Security.cloud Anti-Malware scanning?



- A. Report request wizard within ClientNet
- B. Report request wizard within Administrator Quarantine
- C. Contact support via ClientNet
- D. Contact support via email

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 65 What is the purpose of Email Track and Trace?

- A. To locate when an email was processed by the receiving mail server
- B. To locate when an email was scanned by Email Security.cloud
- C. To locate when an email was processed by the sending mail server
- D. To locate when an email was processed by the archiving server

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=howto124881>

QUESTION 66

What is the primary vector for the delivery of Advanced Persistent Threats, per the Internet Security Threat Reports from 2016 through 2018?

- A. USB drives
- B. Website injections
- C. Email
- D. DNS Poisoning

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www-east.symantec.com/content/dam/symantec/docs/reports/istr-22-2017-en.pdf>

QUESTION 67 Which firewall port should be restricted to only accept email traffic from Email Security.cloud?

- A. 23
- B. 25
- C. 21
- D. 443

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=tech227034>



QUESTION 68 Where can an administrator locate the “Pen Number” for an email quarantined by Anti-Malware?

- A. Administrator Quarantine
- B. Track and Trace
- C. Malware Release
- D. End User Quarantine

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=HOWTO109647&SAMLRequest=%5BB%408d0355a>

QUESTION 69 What is the default port for email traffic?

- A. 21
- B. 23
- C. 35
- D. 25

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://knowledge.broadcom.com/external/article?legacyId=tech88942>

