

N10-007.exam.105q

Number: N10-007 Passing Score: 800 Time Limit: 120 min



Website: https://vceplus.com

VCE to PDF Converter: https://vceplus.com/vce-to-pdf/
Facebook: https://vceplus.com/vce-to-pdf/
Facebook:

Twitter: https://twitter.com/VCE_Plus

https://vceplus.com/

N10-007

CompTIA Network+ Certification Exam

Exam A

QUESTION 1

A network technician is troubleshooting wireless network issues in a crowded office complex and suspects there is interference from nearby wireless networks. Which of the following should the technician perform to discover possible interference?





https://vceplus.com/

- A. Site survey
- B. Vulnerability scanning
- C. Wardriving
- D. Checking logical diagram
- E. Bandwidth test

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

QUESTION 2

A network technician is troubleshooting an issue and has established a theory of probable cause. Which of the following steps should the network technician take

NEXT?

- A. Test the possible solution
- B. Question the users
- C. Determine what has changed
- D. Document the theory

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

QUESTION 3

Users are reporting Internet connectivity issues. The network administrator wants to determine if the issues are internal to the company network or if there is an issue with the ISP. Which of the following tools should be used to BEST determine where the outage is occurring?

_.com

- A. traceroute
- B. ping
- C. nslookup
- D. netstat

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 4

Which of the following security mechanisms dynamically assigns a Layer 2 address and restricts traffic only to that Layer 2 address?

- A. Sticky MAC
- B. 802.1x
- C. ACL
- D. NAC

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 5

According to the OSI model, at which of the following layers is data encapsulated into a packet?

- A. Layer 2
- B. Layer 3



C. Laver

D. Layer 5

E. Laver 6

Correct Answer: B

Section: (none) Explanation

Explanation/Reference:

QUESTION 6

Which of the following WAN technologies is MOST preferred when developing a VoIP system with 23 concurrent channels?

A. DSL

B. POTS

C. T1

D. DOCSIS

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

QUESTION 7

A junior network technician is setting up a new email server on the company network. Which of the following default ports should the technician ensure is open on the firewall so the new email server can relay email?

A. 23

B. 25

C. 110

D. 143

Correct Answer: B



Section: (none) Explanation

Explanation/Reference:

QUESTION 8

A network technician is considering opening ports on the firewall for an upcoming VoIP PBX implementation. Which of the following protocols is the technician MOST likely to consider? (Choose three.)

- A. SIP
- B. NTP
- C. H.323
- D. SMB
- E. ICMP
- F. RTP
- G. IPSec
- H. RDP

Correct Answer: ACF

Section: (none) Explanation



Explanation/Reference:

QUESTION 9

A device operating at Layer 3 of the OSI model uses which of the following protocols to determine the path to a different network?



https://vceplus.com/

A. STP



B. RTPC, RIP

D. NTP

E. SIP

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 10

A network administrator is setting up a web-based application that needs to be continually accessible to the end users. Which of the following concepts would BEST ensure this requirement?

A. High availability

B. Snapshots

C. NIC teaming

D. Cold site

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

QUESTION 11

Which of the following devices should a network administrator configure on the outermost part of the network?

A. Media converter

B. Switch

C. Modem

D. Firewall

Correct Answer: D Section: (none) Explanation



Explanation/Reference:

QUESTION 12

A technician is connecting a router directly to a PC using the G1/0/1 interface. Without the use of auto-sensing ports, which of the following cables should be used?

- A. Straight-through
- B. Console
- C. Rollover
- D. Crossover

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 13

A technician is diagnosing an issue with a new T1 connection. The router is configured, the cable is connected, but the T1 is down. To verify the configuration of the router, which of the following tools should the technician use?

- A. Loopback adapter
- B. Cable tester
- C. Tone generator
- D. Multimeter

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 14

A network technician receives a call from a user who is experiencing network connectivity issues. The network technician questions the user and learns the user brought in a personal wired router to use multiple computers and connect to the network. Which of the following has the user MOST likely introduced to the network?



- A. Rogue DHCP server
- B. Evil twin
- C. VLAN mismatch
- D. Honeypot

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 15

Which of the following is the number of broadcast domain that are created when using an unmanaged 12-port switch?

- A. 0
- B. 1
- C. 2
- D. 6
- E. 12

Correct Answer: B Section: (none) Explanation



QUESTION 16

A network engineer wants to a segment the network into multiple broadcast domains. Which of the following devices would allow for communication between the segments?

- A. Layer 2 switch
- B. Layer 3 switchC. Bridge
- D. Load balancer

Correct Answer: B





Section: (none) Explanation

Explanation/Reference:

QUESTION 17

The Chief Information Officer (CIO) has noticed the corporate wireless signal is available in the parking lot. Management requests that the wireless network be changed so it is no longer accessible in public areas, without affecting the availability inside the building. Which of the following should be changed on the network?

- A. Power levels
- B. Overcapacity
- C. Distance limitations
- D. Channel overlap

Correct Answer: A Section: (none) Explanation

Explanation/Reference:



QUESTION 18

Client PCs are unable to receive addressing information from a newly configured interface on a router. Which of the following should be added to allow the clients to connect?

- A. DHCP lease time
- B. IP helper
- C. TTL
- D. DNS record type

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 19



When enabling jumbo frames on a network device, which of the following parameters is being adjusted?

Α.	Speed

B. Duplex

C. MTU

D. TTL

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 20

A technician logs onto a system using Telnet because SSH is unavailable. SSH is enabled on the target device, and access is allowed from all subnets. The technician discovers a critical step was missed. Which of the following would allow SSH to function properly?



https://vceplus.com/

A. Perform file hashing

B. Generate new keys

C. Update firmware

D. Change default credentials

Correct Answer: B Section: (none) Explanation

Explanation/Reference:



QUESTION 21

A network administrator wants to ensure sensitive data is not exfiltrated from the system e	n electronically. Which of the follo	wina should be imp	olemented'
---	--------------------------------------	--------------------	------------

- A. DLP
- B. AUP
- C. NDA
- D. SLA

Correct Answer: A Section: (none) **Explanation**

Explanation/Reference:

QUESTION 22

An office network consists of one two-port router connected to a 12-port switch. A four-port hub is also connected to the switch. On this particular network, which of the following is the number of collision domain that exist? **CEplus**

- A. 3
- B. 12
- C. 13
- D. 14
- E. 15

Correct Answer: D Section: (none) **Explanation**

Explanation/Reference:

QUESTION 23

A network technician wants to remotely and securely access the desktop of a Linux workstation. The desktop is running remote control software without encryption. Which of the following should the technician use to secure the connection?

- A. SSH in tunnel mode
- B. RDP set to console connection



C FAP-PFAP

D. SFTP

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 24

Which of the following should current network performance be compared against to determine network anomalies?

A. Baseline

B. Traffic analysis

C. Packet capture

D. Logs

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

QUESTION 25

A network technician is working on a proposal for email migration from an on-premises email system to a vendor-hosted email in the cloud. The technician needs to explain to management what type of cloud model will be utilized with the cloud-hosted email. Which of the following cloud models should the technician identify in the proposal?

A. laaS

B. PaaS

C. SaaS

D. MaaS

Correct Answer: C Section: (none) Explanation

Explanation/Reference:



QUESTION 26

Which of the following is the correct port number for NTP?

A. 25

B. 69

C. 123

D. 161

Correct Answer: C Section: (none) **Explanation**

Explanation/Reference:

QUESTION 27

A network technician is connecting two switches together. Which of the following protocols should the technician use to increase speed and fault tolerance?


A. SIP

B. BGP

C. LACP

D. LLDP

Correct Answer: C Section: (none) **Explanation**



Explanation/Reference:

QUESTION 28

A company has a web-based application that is used by many different departments. The company has experienced some overload of resources on the database server. The network administrator implements a network device in between the servers and the database. Which of the following BEST describes the purpose of this device?

- A. Content filtering and network analysis
- B. Load balancing and providing high availability
- C. Port sniffing and protocol analysis
- D. Clustering and NIC teaming





Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 29

A computer lab on a campus network was recently reconfigured using recycled network cables. One of the 24 computers in the lab is unable to connect to the network after the upgrade. A network technician successfully uses the cable in question to connect directly to another computer. Which of the following is MOST likely issue with the cable?

- A. The cable is a crossover cable
- B. The cable is rollover cable
- C. The cable has bent pins
- D. The cable is a Cat 5 cable

Correct Answer: A Section: (none) Explanation

Explanation/Reference:



QUESTION 30

Which of the following is a reason why a business may be hesitant to move sensitive data to a SaaS cloud service?

- A. Decreased performance of internal network
- B. Loss of full control over data resourcesC. Increased malware exposure
- D. Incompatibility with the current network

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 31



Users have been experiencing slow network response times, and management has asked the network technician to provide evidence of network improvement. After optimizing the network, which of the following would be required?

- A. IDF/MDF documentation
- B. Change management
- C. Performance baseline
- D. Physical diagram

Correct Answer: C Section: (none) **Explanation**

Explanation/Reference:

QUESTION 32

A network technician has created a network that consists of a router, a firewall, a switch, and several PCs. Which of the following physical network topologies was created? CEplus

- A. Star
- B. Mesh
- C. Ring
- D. Bus

Correct Answer: D Section: (none) **Explanation**

Explanation/Reference:

QUESTION 33

A systems administrator has recently purchased and installed a large electronic signage screen for the company's parking garage. The screen's management software was installed on a server with public IP address to allow remote management. The systems administrator is now troubleshooting an issue with the screen displaying unknown, random, and inappropriate messages. Which of the following is MOST effective in resolving this issue?

- A. Changing the management software's default credentials
- B. Disabling unnecessary services from the server and management software



- C. Changing the management software's default port
- D. Replacing the management software's self-signed certificate with a valid certificate

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 34

A technician is investigating a server performance issue. The technician has gathered the server utilization statistics. Which of the following should the technician use to determine which statistics are not in the normal range?

- A. Baseline review
- B. Vulnerability scan
- C. System life-cycle report
- D. Archiving logs

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

QUESTION 35

Which of the following devices, if implemented, would result in decreased administration time of an 802.11 network running centralized authentication services? (Choose two.)

- A. VPN concentrator
- B. Proxy server
- C. Wireless controller
- D. RADIUS server
- E. Multilayer switch

Correct Answer: CD



Section: (none) Explanation

Explanation/Reference:

QUESTION 36

A technician must determine if a web page user's visits are connecting to a suspicious website's IP address in the background. Which of the following tools would provide the information on TCP connections?

A. netstat

B. tracert

C. arp

D. ipconfig

E. route

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

QUESTION 37

A network technician receives a spool of Cat 6a cable and is asked to build several cables for a new set of Ethernet runs between devices. Which of the following tools are MOST likely needed to complete the task? (Choose three.)





https://vceplus.com/

- A. Wire stripper
- B. Cable crimper
- C. RJ-11 connectors
- D. RJ-45 connectors
- E. Multimeter
- F. Punchdown tool
- G. Tone generator

Correct Answer: ABD

Section: (none) Explanation

Explanation/Reference:

QUESTION 38

As part of a transition from a static to a dynamic routing protocol on an organization's internal network, the routing protocol must support IPv4 and VLSM. Based on those requirements, which of the following should the network administrator use? (Choose two.)

- A. OSPF
- B. IS-IS
- C. RIPv1
- D. BGP
- E. VRRP

Correct Answer: AB Section: (none) Explanation

Explanation/Reference:

QUESTION 39

A telecommunications provider has just deployed a new OC-12 circuit at a customer site. While the circuit showed no errors from the provider end to the customer's demarcation point, a network administrator is trying to determine the cause of dropped packets and errors on the circuit. Which of the following should the network administrator do to rule out any problems at Layer 1? (Choose two.)



- A. Use a loopback at the demark and router, and check for a link light
- B. Use an OTDR to validate the cable integrity
- C. Use a pinout tester to validate the cable integrity
- D. Use a multimeter to validate the cable integrity
- E. Check for any devices that may be causing EMI on the cable
- F. Clean the cables to be sure they are free of dust and debris

Correct Answer: AB Section: (none) Explanation

Explanation/Reference:

QUESTION 40

A single PRI can deliver multiple voice calls simultaneously using which of the following Layer 1 technologies?

- A. Time division multiplexing
- B. Analog circuit switching
- C. CSMA/CD
- D. Time division spread spectrum

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 41

A network technician is diagnosing a time-out issue generated from an end user's web browser. The web browser issues standard HTTP get and post commands to interact with the website. Given this information, the technician would like to analyze the entire TCP handshake of the HTTP requests offline. Which of the following tools would allow the technician to view the handshake?

- A. Packet analyzer
- B. Port analyzer
- C. SNMP traps





D. Spectrum analyzer

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 42

A network technician needs to separate a web server listening on port 80 from the internal LAN and secure the server from the public Internet. The web server should be accessible to the public Internet over port 80 but not the private LAN. Currently, the network is segmented with a network-based firewall using the following IP addressing scheme on each interface:

Zone	Interface	IP Address
Public	eth0	10.0.0.1/24
DMZ	eth1	10.0.1.1/24
Private	eth2	10.0.2.1/24



Which of the following ones should the technician use to place the web server and which of the following firewall rules should the technician configure?

- A. Place the web server in the public zone with an inbound rule from eth0 interface to accept traffic over port 80 designated to the web server
- B. Place the web server in the DMZ with an inbound rule from eth0 interface to eth1 to accept traffic over port 80 designated to the web server
- C. Place the web server in the private zone with an inbound rule from eth2 interface to eth1 to accept traffic over port 80 designated to the web server
- D. Place the web server in the DMZ with an inbound rule from eth1 interface to eth0 to accept traffic over port 80 designated to the web server

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 43



A disgruntled employee executes a man-in-the-middle attack on the company network. Layer 2 traffic destined for the gateway is redirected to the employee's computer. This type of attack is an example of:

- A. ARP cache poisoning
- B. IP spoofing
- C. amplified DNS attack
- D. evil twin

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 44

The process of attempting to exploit a weakness in a network after being given permission by the company is known as:

- A. penetration testing
- B. vulnerability scanning
- C. reconnaissance
- D. social engineering

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

QUESTION 45

A company has contracted with an outside vendor to perform a service that will provide hardware, software, and procedures in case of a catastrophic failure of the primary datacenter. The Chief Information Officer (CIO) is concerned because this contract does not include a long-term strategy for extended outages. Which of the following should the CIO complete?

- A. Disaster recovery plan
- B. Business continuity plan
- C. Service level agreement
- D. First responder training



Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 46

A typical cell tower will have microwave and cellular antennas. Which of the following network topologies do these represent? (Choose two.)

- A. Point-to-multipoint
- B. Bus
- C. Point-to-point
- D. Mesh
- E. Peer-peer
- F. Ring

Correct Answer: CD Section: (none) Explanation



Explanation/Reference:

QUESTION 47

A contractor is setting up and configuring conference rooms for a convention. The contractor sets up each room in the conference center to allow wired Internet access going to individual tables. The contractor measured the distance between the hotel's patch panel to the jack, and the distance is within Cat 5e specifications. The contractor is concerned that the room will be out of specification if cables are run in each room from the wall jacks. Which of the following actions should the contractor take to ensure the cable runs meet specifications and the network functions properly?

- A. Place a switch at the hotel's patch panel for connecting each room's cables
- B. Place a switch on each table to ensure strong connectivity
- C. Place repeaters between the patch panel and the rooms
- D. place a switch at the wall jack and run the cables in the room from there

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

QUESTION 48

Users are reporting their network is extremely slow. The technician discovers pings to external host have excessive response times. However, internal pings to printers and other PCs have acceptable response times. Which of the following steps should the technician take NEXT?

- A. Determine if any network equipment was replaced recently
- B. Verify malware has not disabled the users' PC firewalls
- C. Replace users' network cables with known-good network cables
- D. Power cycle the web server

Correct Answer: A Section: (none) **Explanation**

Explanation/Reference:

QUESTION 49
Which of the following is a system of notation that uses base 16 rather than base 10?

- A. Hex
- B. Octal
- C. Binary
- D. CIDR

Correct Answer: A Section: (none) **Explanation**

Explanation/Reference:

QUESTION 50

A network administrator would like to collect information from several networking devices using SNMP. Which of the following SNMP options should a network administrator use to ensure the data transferred is confidential?



- A. authpriv
- B. SHA
- C. MD5
- D. Authentication passphrase

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 51

Which of the following would be the MOST efficient subnet mask for a point-to-point link?

- A. /28
- B. /29
- C. /31
- D. /32

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

QUESTION 52

An office user cannot access local network drives but has full access to the Internet. A technician troubleshoots the issue and observes the following output of the ipconfig command:



Windows IP Configuration

Ethernet LAN Adapter: 980GTS

Connection-specific DNS Suffix: ...comptia.net

APv4 Address:10.0.5.99 Subnet Mask:255.255.255.0 Default Gateway: ...10.0.5.1

Wireless LAN Adapter: FastWifi 99

Connection-specific DNS Suffix: ... guestwireless.local

IPv4 Address:172.16.0.5 Subnet Mask:255.255.255.0 Default Gateway: ...172.16.0.254

Which of the following would MOST likely allow the network drives to be accessed?

A. Update the WLAN adapter driver

B. Disable the WLAN adapter

C. Check the wireless DHCP configuration

D. Disable the LAN adapter

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 53

Ann, a network technician, has just installed a fiber switch in a datacenter. To run the fiber cabling, Ann plans the cable route over the top of the rack using the cable trays, down to the switch, coiling up any excess cable. As Ann configures the switch, she notices several messages in the logging buffer stating the receive signal of the SFP is too weak. Which of the following is MOST likely the cause of the errors in the logging buffer?







https://vceplus.com/

- A. Bend radius exceeded
- B. Fiber cable mismatch
- C. Fiber type mismatch
- D. Bad fiber switch

Correct Answer: A Section: (none) Explanation





QUESTION 54

Which of the following wireless connection types utilize MIMO on non-overlapping channels? (Choose two.)

- A. 802.11a
- B. 802.11ac
- C. 802.11b
- D. 802.11g
- E. 802.11n

Correct Answer: BE Section: (none) Explanation

Explanation/Reference:



QUESTION 55

A network engineer is designing a new IDF in an old building. The engineer determines the equipment will fit in a two-post rack, and there is power available for this equipment. Which of the following would be the FIRST issue to remediate?

- A. Air flow and cooling
- B. UPS capability
- C. Circuit labeling
- D. Power redundancy

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 56

Which of the following DNS records needs to be configured for SMTP traffic?

- A. MX
- B. CNAME
- C. AAAA
- D. PTR

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 57

In which of the following ways does a DDoS attack differ from a spoofing attack?

- A. DDoS attacks target multiple networks
- B. Spoofing attacks originate from a single host
- C. DDoS attacks are launched from multiple hosts
- D. Spoofing attacks require physical presence





Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 58

A user checks an IP address using an external website. The address is different than the one the user sees when opening a command prompt and typing in <code>ipconfig/all</code>. The user does not understand why the two tools show different IP addresses. This is BEST explained by the interworking of:

- A. network devices
- B. packet flow
- C. public/private networks
- D. traffic-routing protocols

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

QUESTION 59

To replace a defective UPS, the network administrator must take the switch offline. The administrator wants to be able to perform maintenance UPS in the future without affecting the availability of the attached switch. Which of the following would BEST allow this to happen?

- A. Add a redundant power supply to the switch
- B. Implement stacking on the switches in the rack
- C. Add a second UPS into the rack
- D. Install a power converter for the switch

Correct Answer: A Section: (none) Explanation

Explanation/Reference:



QUESTION 60

A forensic first responder arrives at the scene where an employee is suspected to have committed a computer-based crime. Which of the following should the first responder do FIRST?

- A. Document the scene
- B. Take pictures upon arrival
- C. Secure the area
- D. Implement chain of custody

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 61

A small town is attempting to attract tourists who visit larger nearby cities. A network engineer is asked to implement a network encompassing the five-block town center and nearby businesses. The inclusion of smartphones and portable devices is crucial to the plan. Which of the following is the network engineer being asked to implement?

A. LAN

B. PAN

C. MAN

D. WAN

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 62

An employee wishes to use a personal cell phone for work-related purposes, including storage of sensitive company data, during long business trips. Which of the following is needed to protect BOTH the employee and the company?

- A. An NDA ensuring work data stored on the personal phone remains confidential
- B. An AUP covering how a personal phone may be used for work matters



- C. A consent to monitoring policy covering company audits of the personal phone
- D. Real-time remote monitoring of the phone's activity and usage

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 63

A user reports that a laptop cannot connect to the Internet despite the fact the wireless Internet was functioning on it yesterday. The user did not modify the laptop in any way, and the wireless Internet is functional on other users' laptops. Which of the following issues should be reviewed to help the user to connect to the wireless network?

- A. Wireless switch toggled off
- B. WAP settings
- C. WLAN IP address out of scope
- D. Wireless controller misconfiguration

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

QUESTION 64

A network technician is building a network for a small office. The office currently has cable TV and now requires access to the Internet without adding any cabling other than what is already in place. Which of the following solutions should the technician install to meet these requirements?

- A. DOCSIS modem
- B. Wireless router
- C. DSL modem
- D. Access point

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

QUESTION 65

A network engineer arrives at work and discovers that many users are having problems when attempting to connect to the company network shared drives. The network operations center (NOC) technician just completed server upgrades the night before. To which of the following documents should the NOC technician refer to determine what potentially caused the connectivity problem?

- A. Network maps
- B. Cable management
- C. Release notes
- D. Change management

Correct Answer: D Section: (none) Explanation

Explanation/Reference:



QUESTION 66

Which of the following VPN protocols establishes a secure session that can be initiated using a browser?

- A. IPSec
- B. SSL VPN
- C. PTP
- D. PPTP

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 67

A technician is setting up a public guest network for visitors to access the Internet that must be separate from the corporate network. Which of the following are the BEST steps for the technician to take with minimum overhead configuration? (Choose two.)



- A. Enable SSID broadcasting to identify the guest network
- B. Configure visitor devices to use static IP addresses
- C. Enable two-factor authentication on visitor devices
- D. Configure the access point to use WPA2-AES encryption
- E. Ensure the access point is not running in mixed mode

Correct Answer: AB Section: (none) Explanation


Explanation/Reference:

QUESTION 68

When choosing a type of storage that integrates with the existing network infrastructure, the storage must be easily configurable to share files and can communicate with all existing clients over TCP/IP. Which of the following is the BEST technology for the network administrator to implement?

- A. iSCSI
- B. Fibre Channel
- C. NAS
- D. DAS

Correct Answer: C Section: (none) Explanation



QUESTION 69

Which of the following WAN technologies utilizes the concept of virtual circuits and point-multipoint connections?

- A. ISDN
- B. MPLS
- C. PRI
- D. Broadband cable
- E. Frame relay





Correct Answer: E Section: (none) Explanation

Explanation/Reference:

QUESTION 70

A network administrator wishes to ensure there are no unnecessary open communication paths into a server. Using a port scanner, the administrator finds that ports are reported as closed. Which of the following BEST explains this response?

- A. The ports belong to an active system and are denying requests
- B. The ports are associated with deprecated services
- C. The ports do not belong to a live system
- D. The ports replied with a SYN/ACK response

Correct Answer: B Section: (none) Explanation



Explanation/Reference:

QUESTION 71

A network technician is configuring a firewall access list to secure incoming connections to an email server. The internal address of this email server is 192.168.1.143. The firewall should allow external email servers to send email to the email server. The email server also supports client access via a web browser. Only secure protocols should be used, and only the necessary ports should be open. Which of the following ACL rules should be configured in the firewall's WAN port? (Choose two.)

- A. Permit 192.168.1.143.25
- B. Permit 192.168.1.143.80
- C. Permit 192.168.1.143.110
- D. Permit 192.168.1.143.143
- E. Permit 192.168.1.143.443
- F. Permit 192.168.1.143.587

Correct Answer: EF



Section: (none) Explanation

Explanation/Reference:

QUESTION 72

A network administrator is testing connectivity at a new corporate site. The site has a wireless guest as well as a wired employee network. After verifying connectivity, the administrator checks link speeds by using a speed testing website. The speed testing website shows lower download and upload speeds for the wired network than the wireless network. Which of the following is the MOST likely explanation?



- A. There is less local congestion on the wireless network
- B. The testing server for the wired network was farther away
- C. The firewall is configured to throttle traffic to specific websites
- D. The wireless access points were misconfigured

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 73

A technician replaces a failed router with a spare that has been in inventory for some time. After attempting to enable HTTPS on the spare router, the technician discovers the feature is unavailable. The support office was able to connect to the previous router. Which of the following actions should the technician perform to enable HTTPS access for the support team?

A. Reboot the router



- B Enable HTTP on the router
- C. Update the firmware of the spare router
- D. Perform a factory reset on the router

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 74

A technician is trying to configure a previously owned WAP. The technician successfully logs into the administrative console and attempts to input the IP address on the WAP. However, the WAP is not accepting the command. Which of the following is causing the problem?

- A. The WAP antenna is damaged
- B. The WAP transmitter light is dim
- C. The terminal emulation software is misconfigured
- D. The LWAPP image is installed on the WAP

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

QUESTION 75

A technician has installed a Linux server in the tax office. The server can access most of the resources on the network, but it cannot connect to another server that has a share for backup. The technician learns that the target server is on a different subnet. Which of the following tools should the technician use to ensure the Linux server can reach the backup location?

- A. netstat
- B. traceroute
- C. route
- D. dia
- E. ifconfig



Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 76

Which of the following WAN technologies provides a guaranteed throughput rate?

A. DSL

B. T-1

C. Cable broadband

D. Dial-up

Correct Answer: B Section: (none) Explanation

Explanation/Reference:



QUESTION 77

Which of the following datacenter security methodologies is MOST likely to remain usable during a network outage?

A. biometric scanners

B. door locks

C. video surveillance

D. motion detectors

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 78

A network technician is implementing a solution on the network to hide the workstation internal IP addresses across a WAN. Which of the following is the technician configuring?



- A. QoS
- B. DMZ
- C. RIP
- D. NAT

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 79

Employees want the ability to use personal devices on the guest network while working out at the company gym. In order to meet the request, which of the following policies requires employee adherence?

- A. AUP
- B. SLA
- C. NDA
- D. MOU

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 80

A customer is reporting difficulty connecting some devices after replacing a wireless router with a new wireless 802.11ac router. The SSID, encryption and password are the same as the previous router. A technician goes on-site and notices the devices that are no longer connecting appear to be several years ago. Which of the following is MOST likely the problem?

- A. the password needs to be re-entered.
- B. there is a security type mismatch.
- C. there is insufficient antenna power.
- D. there is a frequency mismatch.





E. the channel has changed.

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 81

A system administrator receives reports from users of odd behavior in regard to a recently installed server. While reviewing the server network configuration, the systems administrator does both a forward and a reverse DNS lookup on the host, along with the network adapter configuration.

\$ host server.company.com

server.company.com has address 129.168.0.100

server.company.com is handled by 100 mail.company.com

\$ host 192.168.0.100

100.0.168.192.in-addr.arpa domain name pointr web.company.com

\$ host web.company.com

server.company.com has address 129.168.0.50

server.company.com is handled by 100 mail.company.com

\$ ifconfig -a

eth0Link encap:Ethernet HWaddr 00:30:48:9D:06:73

Inet addr:192.168.0.100 Bcast:192.168.0.255 Mask:255.255.255.0

UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1

lo0Link encap:Local Loopback inet addr:127.0.0.1 Mask:255.0.0.0

UP LOOPBACK RUNNING MTU:16436 Metric:1

Which of the following is the problem identified in the output above?

- A. There is no reverse DNS entry for this host.
- B. The server IP address is incorrectly configured.
- C. The DNS lookup entry is incorrectly configured.
- D. The reverse DNS entry is pointing to a different host.



Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 82

A network technician at a small office upgrades the LAN switch. After the upgrade, a user reports being unable to access network resources. When the technician checks the switchport, the LED light is not lit. Which of the following should the technician check FIRST?

- A. The device is using the correct cable type.
- B. The switchport is functioning properly.
- C. The device is connected to the switch.
- D. The switch is connected to the router.

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

QUESTION 83

Which of the following storage network technologies inherently leverages block-level storage?

- A. NAS
- B. SAN
- C. FCoE
- D. iSCSI
- E. FTP

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 84



Which of the following networking devices operates at Layer1?

- A. Router
- B. Firewall
- C. Hub
- D. Bridge

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 85

A disgruntled employee decides to leak critical information about a company's new product. The employee places keyloggers on the department's computers, allowing the information to be sent out to the Internet. Which of the following attacks is occurring?

- A. Man-in-the-middle
- B. Logic bomb
- C. Insider threat
- D. Social engineering

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 86

Which of the following DNS record types is an alias?

- A. CNAME
- B. PTR
- C. NS
- D. SRV





Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 87

A recently constructed building makes use of glass and natural light. Users in the building are reporting poor cellular connectivity and speeds. Which of the following is MOST likely the cause?

- A. Absorption
- B. Channel overlap
- C. Reflection
- D. Frequency mismatch

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

QUESTION 88

A Chief Information Officer (CIO) is concentrated about an attacker gaining administrative access to the company's network devices. Which of the following is the MOST secure way to prevent this?

- A. ACL allowing only HTTP
- B. ACL allowing only Telnet
- C. Out-of-band modem
- D. Out-of-band console router

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 89



The Chief Executive Officer's (CEO's) tablet cannot connect to the wireless network from the corner office. A network technician verified the tablet can connect to the wireless network in other areas of the building. The distance between the office and the 802.11ac WAP is 150ft (46m), and there are a few cubicles in between. Which of the following is the MOST likely cause of the tablet not connecting?

Α.	Abso	rption

- B. Reflection
- C. Distance
- D. Refraction
- E. Attenuation

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 90

A company has two geographically separate locations that need to connect using a VPN. Which of the following devices must be specifically configured to allow VPN traffic into the network?

A. Firewall

B. Switch

C. Router

D. Modem

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 91

A technician is working on a new machine that has been procured for testing and development. The machine will run a hypervisor and host several operating systems of various types so the development team can test the company's applications in a variety of environments. The technician wants the virtual machines to be available to communicate with each other without leaving the hypervisor. Which of the following is the BEST solution to the problem?





https://vceplus.com/

- A. The technician should connect the machine to its own separate switch.
- B. The technician should add a route in each virtual machine to the default gateway.
- C. The technician should configure a virtual switch.
- D. The technician should set up individual routes between the machines.

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

QUESTION 92

A network administrator is assigned to run and connect a Cat 6e Ethernet cable between two nodes in a datacenter. Which of the following connector types should the network administrator use to terminate this cable?

- A. DB-9
- B. RS-232
- C. DB-25
- D. RJ-45

Correct Answer: D Section: (none) Explanation

Explanation/Reference:



QUESTION 93

Which of the following are DNS record types? (Choose three.)

- A. CNAME
- B. NTP
- C. PTR
- D. LDAP
- E. DHCP
- F. TTL
- G. SRVH. SSH

Correct Answer: ACG

Section: (none) Explanation

Explanation/Reference:

QUESTION 94

A technician is observing brownout issues at a smaller office. At least once a week, the edge switch power cycles. Which of the following should the technician do to resolve the issue?

- A. Install a new switch
- B. Install a UPS
- C. Replace the switch uplink cable.
- D. Install a new electrical circuit.

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 95

A technician is troubleshooting a workstation's network connectivity and wants to confirm which switchport corresponds to the wall jack the PC is using. Which of the following concepts would BEST help the technician?



- A. Consistent labeling
- B. Change management
- C. Standard work instructions
- D. Inventory management
- E. Network baseline

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 96

Under which of the following layers of the OSI model do ATM cells operate?

- A. Data link
- B. Network
- C. Session
- D. Transport
- E. Presentation

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 97

Which of the following provides two-factor authentication?

- A. Username + password
- B. Smart card + PIN
- C. Fingerprint + retina scan
- D. Key fob + ID card





Correct Answer: B
Section: (none)
Explanation

Explanation/Reference:

QUESTION 98

A company is allowing its employees to use their personal computers, tablets, and IoT devices while at work. However, there are rules and guidelines to which employees must adhere. Which of the following documents applies to these employees?

A. NDA

B. SOP

C. BYOD

D. SLA

Correct Answer: C Section: (none) Explanation

Explanation/Reference:



QUESTION 99

Which of the following are characteristics of jumbo frames? (Choose two.)

A. Commonly used on SAN

B. MTU size greater than 1500

C. MTU size greater than 10000D. Commonly used on laaS

E. MTU size greater than 12000

Correct Answer: AB Section: (none) Explanation

Explanation/Reference:

QUESTION 100



A network administrator gets a call regarding intermittent network outages across the country. Which of the following should be used to connect to the network so the administrator can troubleshoot this issue from home? (Choose two.)

Λ.		ГП
Δ	_	-

B. SMTP

C. VPN

D. SSH

E. SNMP

Correct Answer: CD Section: (none) **Explanation**

Explanation/Reference:

QUESTION 101

A technician is troubleshooting network connectivity issues with a remote host. Which of the following tools would BEST inform the technician of nodes between the client and the remote host? (Choose two.) CEplus

A. tracert

B. ping

C. tcpdump

D. pathping E. netstat

F. nslookup

G. route

Correct Answer: AD Section: (none) **Explanation**

Explanation/Reference:

QUESTION 102

Which of the following will listen on the line to ensure there is no traffic transmitting and implement a back-off timer if a collision occurs?



A CSMA/CD

B. CSMA/CA

C. MPLS D. OSPF

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 103

A technician needs to order cable that meets 10GBaseT and fire safety requirements for an installation between a drop ceiling and a standard ceiling. Which of the following should the technician order to ensure compliance with the requirements?

A. PVC Cat 5

B. Plenum Cat 5e

C. Plenum Cat 6a

D. PVC Cat 7

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

QUESTION 104

Which of the following physical security devices is used to detect unauthorized server room access?

A. Access badge

B. Biometrics

C. Smart card

D. Video surveillance

Correct Answer: D Section: (none) Explanation



Explanation/Reference:

QUESTION 105

A network administrator is going to be performing a major upgrade to the network. Which of the following should the administrator use in case of a failure?

- A. Baseline report
- B. Vulnerability report
- C. Rollback plan
- D. Business continuity plan

Correct Answer: C Section: (none) Explanation

Explanation/Reference:



https://vceplus.com/