

2V0-21.20

Number: 2V0-21.20
Passing Score: 800
Time Limit: 120 min
File Version: 1



Website: https://vceplus.com - https://vceplus.co

VCE to PDF Converter: https://vceplus.com/vce-to-pdf/

Facebook: https://www.facebook.com/VCE.For.All.VN/

Twitter: https://twitter.com/VCE_Plus

https://vceplus.com/



Exam A

QUESTION 1

What are two supported ESXi boot options? (Choose two.)



https://vceplus.com/

- A. NFS
- B. iSCSI
- C. vSAN
- D. SAN
- E. vSphere Virtual Volumes

Correct Answer: BD Section: (none) Explanation





QUESTION 2

An administrator receives an escalation to investigate a low disk space alarm on a datastore. The administrator discovers that a snapshot has been accidentally taken on a production, write-intensive database server. The snapshot has grown to nearly 1 TB in size in less than an hour and continues growing every second.

Which behavior should the administrator expect while deleting the snapshot? (Choose the best answer.)

- A. ESXi will create a virtual RAM disk to cache ongoing database write activity; performance impact will be limited.
- B. ESXi will commit the snapshot delta disk into the base disk; ongoing database write activity could result in long stun times.
- C. ESXi will merge the snapshot delta disk into the base disk; the virtual machine will be briefly stunned.



D. ESXi will instantly switch from the base disk to the snapshot delta disk with no performance impact.

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 3

Which two storage technologies can an administrator use to deploy the Virtual Machine File System (VMFS)? (Choose two.)

- A. Fibre Channel storage
- B. vSAN storage
- C. Virtual Volumes storage
- D. NFS storage
- E. iSCSI storage

Correct Answer: AE Section: (none) Explanation



Explanation/Reference: Reference:

https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/techpaper/vmware-vmfs-tech-overview-white-paper.pdf

QUESTION 4

Which TCP/IP stack can support management traffic, vSphere vMotion, IP storage and vSphere Fault Tolerance? (Choose the best answer.)

- A. VXLAN TCP/IP stack
- B. Provisioning TCP/IP stack
- C. Default TCP/IP stack
- D. vSphere vMotion TCP/IP stack

Correct Answer: C Section: (none) Explanation




Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-D4191320-209E-4CB5-A709-C8741E713348.html

QUESTION 5

Refer to the exhibit.



What is the effective role the test1 account has on the Finance01 virtual machine? (Choose the best answer.)

- A. No access
- B. Administrator
- C. Read-only
- D. Virtual machine user

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 6

A recently deployed set of test virtual machines are impacting the performance of a company development team project datastore. The shared cache server appears to be suffering from storage congestion.

Storage I/O Control is already enabled on all company datastores.

Which two steps should the administrator take to improve the performance of the cache server? (Choose two.)



- A. Update the storage provider for the existing array.
- B. Create a claim rule to control the storage path.
- C. Configure the path selection policy.
- D. Configure storage shares per virtual machine.
- E. Configure storage limits per virtual machine.

Correct Answer: DE Section: (none) Explanation

Explanation/Reference:

QUESTION 7

A single host is manually configured to company standards.

Which option would an administrator select to capture this configuration for future use? (Choose the best answer.)

- A. Extract Host Profile
- B. Reset Host Customizations
- C. Attach Host ProfileD. Import Host Profile

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.esxi.install.doc/GUID-4D8EDD07-6C77-4845-8F0E-A0F4C9102840.html

QUESTION 8

What is the minimum CPU core requirement for successful installation, or upgrade, or ESXi on a host? (Choose the best answer.)

- A. 8
- B. 1
- C. 32
- D. 2

Correct Answer: D



Section: (none) Explanation

Explanation/Reference:

Reference:

https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.esxi.upgrade.doc/GUID-DEB8086A-306B-4239-BF76-E354679202FC.html_QUESTION

9

What is the server virtualization product that combines the ESXi hypervisor and the vCenter Server? (Choose the best answer.)

A. NSX

B. vRealize Operations Manager

C. vSphere

D. vSAN

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

Reference: <a href="https://www.mustbegeek.com/understanding-vmware-vsphere-7-editions-and-decom/understand-decom/und

features/

QUESTION 10

Which two vSphere features enable remote site availability? (Choose two.)

A. Proactive High Availability

B. vSphere Fault Tolerance

C. Cross vCenter Migration

D. vSphere vMotion

E. vSphere Replication

Correct Answer: AE Section: (none) Explanation

Explanation/Reference:

..com



QUESTION 11

Refer to the exhibit.

Manage Snapshots | vm1 ✓ ♣ vm1 ✓ ♠ Snap-A ✓ ♠ Snap-B ♠ You are here ♠ Snap-C DELETE ALL DELETE REVERT TO

Which two statements are true regarding the state of the virtual machine (VM) if an administrator clicks the "Delete All" option? (Choose two.)

- A. The VM state will match Snap-C.
- B. No snapshots will remain on the VM.
- C. Snap-A will be intact on the VM.
- D. The VM state will match Snap-B
- E. The VM state will match Snap-A.

Correct Answer: BD Section: (none) Explanation



Explanation/Reference:

QUESTION 12

An administrator wants to be able to log in to the vSphere Client and view the inventories of two vCenter Server instances.

What must the administrator do to meet this requirement? (Choose the best answer.)

- A. Configure Enhanced Linked Mode on each vCenter Server instance after deployment is complete.
- B. Connect each vCenter Server instance to the same vCenter Single Sign-On domain during deployment.
- C. Connect each vCenter Server instance to the same vCenter Single Sign-On domain using the vSphere Client.
- D. Configure the vCenter Server Management Interface to view both vCenter Server instances.



Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 13

A new vSphere 7.0 environment is deployed with the following:

- A single vCenter Server
- Two vSAN clusters
- A vSAN default storage policy

Which statement is true regarding virtual disk availability in this environment? (Choose the best answer.)

- A. Replicas will be placed on different disk groups but can be placed on the same host.
- B. All stripes will be placed on different disk groups and cannot be placed on the same host.
- C. Each virtual disk will have four replicas of data.
- D. Each virtual disk will have two replicas of data.

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

Reference: https://storagehub.vmware.com/t/microsoft-sql-server-2014-on-virtual-san-6-1-hybrid/architecture-diagrams-

<u>1/</u>

QUESTION 14

Which two VMware features are supported in a virtual machine using Intel Software Guard Extensions (Intel SGX) technology? (Choose two.)

- A. Fault tolerance
- B. vSphere vMotion
- C. VM encryption
- D. Virtual machine suspend and resume
- E. Storage I/O Control

Correct Answer: CE



Section: (none) Explanation

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.hostclient.doc/GUID-C8EBF77C-F21E-4C28-ABC6-8E3337341DD2.html

QUESTION 15

Which feature is a pre-requisite for configuring admission control on a cluster? (Choose the best answer.)

A. vSphere Enhanced vMotion Compatibility (EVC)

B. vSphere High Availability (HA)

C. vSphere Fault Tolerance

D. vSphere Distributed Resource Scheduler (DRS)

Correct Answer: B Section: (none) Explanation

Explanation/Reference:



QUESTION 16

An administrator is tasked with upgrading an existing vSphere environment to version 7.0. There are existing VMFS3 and VMFS5 datastores in the environment.

Which statement is true regarding this upgrade? (Choose the best answer.)

A. An ESXi 7.0 host will NOT recognize a VMFS3 datastore.

B. VMFS3 is supported with ESXi 7.0 to store boot configurations only.

C. A VMFS5 datastore CANNOT be upgraded; a new VMFS6 datastore is required.

D. An ESXi 7.0 host can automatically upgrade a VMFS5 datastore.

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.storage.doc/GUID-DAD74662-E09E-44A4-82F1-DB7A3433CEF9.html



QUESTION 17

A company has a vSphere environment consisting of the following characteristics:

- A content library named 'CORP' is published at corporate headquarters on a vCenter Server named 'vcenterCorp'.
- A regional data center contains a set of hosts managed by a vCenter Server named vcenterR1. vcenterR1 subscribes to the CORP content library.

The administrator wants to create a new virtual machine image to use on vcenterR1.

What are two possible ways the administrator can accomplish this task? (Choose two.)

- A. Configure vcenterR1 to download all library content immediately.
- B. Upload the new image to the CORP library on vcenterR1.
- C. Publish the CORP content library on vcenterR1.
- D. Upload the new image to the CORP library on vcenterCorp.
- E. Upload the new image to a local content library on vcenterR1.

Correct Answer: AD Section: (none) Explanation



Explanation/Reference:

QUESTION 18

A vSphere environment is configured with 1 Gigabit Ethernet for vSphere vMotion. The application team is complaining that when they try to migrate a powered-on virtual machine, the progress is slow and unsuccessful the majority of the time.

Which two recommendations should the administrator make to improve vSphere vMotion performance? (Choose two.)

- A. Use at least two port groups.
- B. Use vSphere Storage I/O Control (SIOC).
- C. Use 10 Gigabit Ethernet or above.
- D. Use Link Aggregation Control Protocol (LACP) on the port group.
- E. Disable vSphere Fault Tolerance.

Correct Answer: CE Section: (none)



Explanation

Explanation/Reference:

QUESTION 19

Which virtual disk option allows a virtual machine to consume the minimum storage capacity? (Choose the best answer.)

- A. Independent persistent
- B. Lazy-zeroed thick-provisioned
- C. Eager-zeroed thick-provisioned
- D. Thin-provisioned

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

CEplus

QUESTION 20

In a vSphere High Availability (vSphere HA) cluster, which condition can be detected by datastore heartbeating? (Choose the best answer.)

- A. Fault tolerance virtual machine (VM) failover
- B. Network isolation
- C. Virtual machine (VM) disk failure
- D. Datastore All Paths Down (APD) event

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

Reference:

https://docs.vmware.com/en/VMware-vSphere/6.5/vsphere-esxi-vcenter-server-65-availability-guide.pdf (19)

QUESTION 21

vCenter Server experiences a catastrophic failure and the administrator must restore from a vCenter Server backup stored on an FTP server.



What must the administrator do to restore vCenter Server? (Choose the best answer.)

- A. Use the vSphere Client to deploy the appliance onto an ESXi host and restore the vCenter Server data from the backup.
- B. Use the vCenter Server Management Interface to restore the vCenter Server data, and power on the appliance.
- C. Use the vCenter Server GUI installer to deploy a vCenter Server instance and use the vSphere Client to restore vCenter Server data from the backup.
- D. Use the vCenter Server GUI installer to deploy a vCenter Server instance and restore the vCenter Server data from the backup.

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.install.doc/GUID-3EAED005-B0A3-40CF-B40D-85AD247D7EA4.html

QUESTION 22

ESXi provides VLAN support by assigning a VLAN ID to which component? (Choose the best answer.)

- A. Virtual standard switch
- B. Physical network interface card (NIC)
- C. Virtual distributed switch
- D. Port group

Correct Answer: D Section: (none) Explanation



Reference: <u>https://geek-university.com/vmware-esxi/configure-</u>

vlans/

QUESTION 23

An administrator would like to make virtual machine templates and ISO images available to all vCenter Server instances in the data center.

Which feature should the administrator use to achieve this goal? (Choose the best answer.)

- A. Host profiles
- B. Content libraries
- C. Storage policies





D. Resource pools

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

 $\label{lem:reference:matter:matter:lem:reference:matter:lem:reference:matter:lem:reference:matter:lem:reference:matter:matter:lem:reference:matter:matter:matter:lem:reference:matter:$

QUESTION 24

Refer to the exhibit.

Send email notifi	cations Repeat ①
Subject *	Alarm {Alarm name} on vCenter Server : {Target Name} is {New status}
Email to *	admin@vmware.com

An administrator enables email notifications as shown in the attached alarm. However, notifications are NOT being sent.

Where must the mail server settings be configured to resolve this issue? (Choose the best answer.)

- A. In vCenter Server General settings in the vSphere Client.
- B. In the alarm rule definitions
- C. In the ESXi host system config for the cluster node hosting the vCenter Server Appliance
- D. In Administration settings in the vCenter Server Management Interface

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 25

An administrator is troubleshooting a recent failure and finds the following error messages:



The guest OS has reported an error during quiescing. The error code was: 5 The error message was: Asynchronous operation failed: >VssSyncStart
The guest OS has reported an error during quiescing. The error code was: 5 The error message was: 'VssSyncStart' operation failed: The >system cannot find the file specified. (0x80070002)

Which action has failed, thus resulting in these errors? (Choose the best answer.)

- A. Virtual machine power off
- B. Virtual machine snapshot
- C. Virtual machine migration
- D. Virtual machine reconfiguration

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

Reference:

https://kb.vmware.com/s/article/2090545

QUESTION 26

What are two functions of vSphere Lifecycle Manager? (Choose two.)

- A. Update ESXi hosts in a cluster using baselines
- B. Upgrade VMware Tools and virtual machine hardware
- C. Run vCenter Server interoperability reports
- D. Run vCenter Server upgrade pre-checks
- E. Update standalone ESXi hosts using images

Correct Answer: AB Section: (none) Explanation

Explanation/Reference:

QUESTION 27

An administrator runs third-party software in a virtual machine (VM). The third-party licensing agreement requires payment of a license fee for each host to which the VM migrates.



How can the administrator configure Distributed Resource Scheduler (DRS) to minimize licensing costs? (Choose the best answer.)


- A. Create a 'Virtual Machines to Virtual Machines' dependency rule.
- B. Create a 'Virtual Machines to Virtual Machines' affinity rule.
- C. Create a 'Should run Virtual Machines to Hosts' anti-affinity rule.
- D. Create a 'Must run Virtual Machines to Hosts' affinity rule.

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 28

Refer to the exhibit.



Which two migration methods can an administrator use to move virtual machines from the SA-Dev cluster to the SA-Compute cluster? (Choose two.)

- A. Cold migration of compute resource only
- B. Cold migration of storage only
- C. Hot migration of compute resource and storage resource
- D. Hot migration of compute resource only
- E. Cold migration of compute resource and storage resource

Correct Answer: CE



Section: (none) Explanation

Explanation/Reference:

QUESTION 29

There are two vSphere clusters in a company environment. One cluster is hosting development workloads and another is hosting production workloads. Both vSphere clusters are managed by the same vCenter Server. The application team would like to move a new virtual machine from the development to production cluster with no downtime.

Which feature would allow non-disruptive movement between these two clusters? (Choose the best answer.)

A. Cross vCenter Migration

B. vSphere High Availability

C. vSphere vMotion

D. vSphere Replication

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

QUESTION 30

A virtual machine with a single 100 GB virtual machine disk file has a single 20 GB snapshot. The virtual machine is powered off.

How much additional free space on the datastore is required to delete the snapshot, committing the snapshot delta disk to the base disk? (Choose the best answer.)

A. 0 GB

B. 100 GBC. 20 GB

D. 120 GB

Correct Answer: A Section: (none) Explanation



Explanation/Reference:

QUESTION 31

An administrator wants to configure vCenter Server High Availability so that each node is located in a different data center.

Which requirement must be met? (Choose the best answer.)

- A. Each node must be configured with at least three network adapters.
- B. Network latency between the nodes must be less than 10 milliseconds.
- C. All nodes must be located on a vSAN datastore in each data center.
- D. A vCenter Server license must be assigned to each node.

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 32

What is a pre-requisite for increasing datastore capacity? (Choose the best answer.)

- A. The backing device for the datastore has enough free space.
- B. The datastore is managed by Storage DRS (SDRS).
- C. The datastore is 100% full.
- D. There are NO powered-on virtual machines on the datastore.

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

 $\label{lem:reference:https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.storage.doc/GUID-D57FEF5D-75F1-433D-B337-E760732282FC.html$

QUESTION 33

An administrator is asked to take a snapshot of a virtual machine prior to an application upgrade. The virtual machine has one standard virtual machine disk (VMDK) and one physical mode raw device mapping (RDM) attached.



Which statement is true with regard to taking this snapshot? (Choose the best answer.)

- A. The administrator will be unable to snapshot the RDM.
- B. The administrator will be able to snapshot the standard VMDK in independent persistent mode.
- C. The administrator will be able to snapshot the RDM in independent persistent mode.
- D. The administrator will be able to snapshot both disks.

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 34

Which local only host utility is used for primary, real-time performance monitoring in vSphere? (Choose the best answer.)

A. resxtop

 ${\bf B}$. top

C. esxtop

D. vSphere Command-Line Interface (CLI)

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

Reference:

https://searchvmware.techtarget.com/tip/VMware-vSpheres-built-in-performance-monitoring-tools

QUESTION 35

What is a requirement of Storage I/O Control? (Choose the best answer.)

- A. Storage connected through Fibre Channel
- B. Management by a single vCenter Server
- C. Datastores with multiple extents
- D. Automated storage tiering capabilities





Correct Answer: B Section: (none) Explanation

Explanation/Reference:

 $Reference: \underline{https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.resmgmt.doc/GUID-37CC0E44-7BC7-479C-81DC-FFFC21C1C4E3.html \\$

QUESTION 36

An administrator is tasked with upgrading an existing vSphere environment to version 7.0. The current configuration is using an external Platform Services Controller.

Which two statements are true regarding this upgrade? (Choose two.)

- A. The external Platform Services Controller needs to be converged into an embedded vCenter Server Appliance.
- B. The external Platform Services Controller needs to be decommissioned following the deployment of the new vCenter Server Appliance.
- C. The external Platform Services Controller backup can be restored to a new embedded vCenter Server Appliance.
- D. The external Platform Services Controller needs to be upgraded after the vCenter Server Appliance.
- E. The external Platform Services Controller needs to be powered down while a new vCenter Server Appliance is deployed.

Correct Answer: AB Section: (none) Explanation

Explanation/Reference:

QUESTION 37

Which resource pool setting is used to specify the relative priority or importance as high, normal or low? (Choose the best answer.)

- A. Limits
- B. Reservation type
- C. Shares
- D. Reservations

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

 $\label{lem:resmgmt.doc/GUID-C0D2EFAE-1FE4-4867-AC3F-3E70D9A9ED59.html} Reference: $$ \underline{\text{https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.resmgmt.doc/GUID-C0D2EFAE-1FE4-4867-AC3F-3E70D9A9ED59.html} $$ \underline{\text{https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.resmgmt.doc/GUID-C0D2EFAE-1FE4-4867-AC3F-3E70D9A9ED59.html} $$ \underline{\text{https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.resmgmt.doc/GUID-C0D2EFAE-1FE4-4867-AC3F-3E70D9A9ED59.html} $$ \underline{\text{https://docs.vmware.vsphere.resmgmt.doc/GUID-C0D2EFAE-1FE4-4867-AC3F-3E70D9A9ED59.html} $$ \underline{\text{https://doc.www.doc/GUID-C0D2EFAE-1FE4-$

QUESTION 38

An IT department is decommissioning a storage array and tasks an administrator with removing a datastore from ESXi

hosts. What is a prerequisite for unmounting the datastore? (Choose the best answer.) A. The datastore is NOT managed

by Storage DRS.

- B. The datastore is NOT being used by vSphere High Availability heartbeating.
- C. The datastore is NOT referenced by a host profile.
- D. The datastore does NOT contain powered-off virtual machines.

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

Reference:

https://kb.vmware.com/s/article/2004605

CEplus

QUESTION 39

Which step can an administrator take so that vSphere can access patch information if vCenter Server does NOT have Internet access? (Choose the best answer.)

- A. Use a Web server on the vCenter Server machine to automate the transfer of files.
- B. Install VMware vSphere Update Manager Download Service on a Windows server.
- C. Use an offline ISO file to import patches to the vSphere Lifecycle Manager depot manually.
- D. Install VMware vSphere Update Manager Download Service on a Linux server.

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 40



An administrator places a 300 GB virtual machine named "Finance1" on a 2 TB datastore containing other virtual machines. After virtual machine placement, the datastore has 200 GB of free space. The accounting department takes a nightly snapshot of Finance1, then deletes the previous snapshot. The administrator is concerned about snapshots filling the datastore.

Which statement is true regarding snapshots? (Choose the best answer.)

- A. The snapshots on Finance1 cannot outgrow the datastore in less than 24 hours.
- B. Any snapshot on Finance1 has the potential to fill the datastore to capacity.
- C. vCenter Server will not allow snapshots to fill the datastore beyond 95%.
- D. The snapshots on Finance1 will be automatically committed if SEsparse format is used.

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 41

What are two pre-requisites for enabling ESXi secure boot? (Choose two.)

- A. External Key Management Service
- B. vCenter Server 7.0 or greater
- C. Trusted Platform Module version 2.0
- D. ESXi 6.5 or greater
- E. Unified Extensible Firmware Interface (UEFI)

Correct Answer: DE Section: (none) Explanation

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-5D5EE0D1-2596-43D7-95C8-0B29733191D9.html

QUESTION 42

An administrator wants to enable bandwidth allocation for workloads by using Network I/O Control.

What should the administrator configure to accomplish this? (Choose the best answer.)



- A. Management traffic
- B. Virtual machine traffic
- C. Load-balancing
- D. NIC teaming policy

Correct Answer: B Section: (none) **Explanation**

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.networking.doc/GUID-E13CC2B0-5357-4261-8C0E-8BE5BD56BD20.html

QUESTION 43

How does vSphere handle memory allocation during the instant clone process? (Choose the best answer.)

- A. The first child virtual machine serves as a memory snapshot for any subsequent child virtual machines.
- B. An identical clone of the parent virtual machine's memory is created for each child virtual machine
- C. Memory is shared among all child virtual machines using a delta disk.

 D. A unique memory pool is created per child virtual machine using copy-on-write.

Correct Answer: D Section: (none) **Explanation**

Explanation/Reference:

QUESTION 44

A company has one corporate datacenter (C1) and one regional datacenter (R1). There is a vCenter Server in each location. An administrator wants a central library available to C1 and R1 for all templates and ISO images.

Which two steps must the administrator take to configure the content library feature to meet this requirement? (Choose two.)

- A. Create a published content library on C1.
- B. Create a local content library on R1.
- C. Create a local content library on C1.
- D. Create a subscribed content library on C1.



E. Create a subscribed content library on R1.

Correct Answer: AE Section: (none) Explanation

Explanation/Reference:

QUESTION 45

An administrator is utilizing Network I/O Control (NIOC) to allocate bandwidth utilization on a physical 10 Gbps adapter.

What is the maximum amount of bandwidth that can be reserved? (Choose the best answer.)

A. 2.5 Gbps

B. 10 Gbps

C. 5.0 Gbps

D. 7.5 Gbps

Correct Answer: D Section: (none) Explanation



Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.4/installation/GUID-9A8FD62A-F099-4329-8220-6D5853F9A62D.html (note)

QUESTION 46

Which vSphere feature provides for continuous local data center availability? (Choose the best answer.)

A. vSphere Fault Tolerance

B. Cross vCenter Migration

C. vSphere Storage vMotion

D. vSphere Replication

Correct Answer: A Section: (none) Explanation

Explanation/Reference:



Reference: https://virtualizationreview.com/articles/2015/03/09/vsphere-6-fault-tolerance.aspx

QUESTION 47

An administrator is configuring ESXi host behavior before and during the remediation process.

Which remediation setting is supported only on select hardware platforms? (Choose the best answer.)

- A. VM migration
- B. HA admission control
- C. Maintenance mode failures
- D. Quick Boot

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

8B1E6C7CB4906DF8.html

QUESTION 48

Which feature can be used to specify data services for virtual disks, such as caching or replication? (Choose the best answer.)

- A. Host profiles
- B. Virtual machine storage policies
- C. VM Customization Specification
- D. Storage Distributed Resource Scheduler (DRS)

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

 $\textbf{Reference:} \ \underline{\text{https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.storage.doc/GUID-A8BA9141-31F1-4555-A554-4B5B04D75E54.html} \\$

QUESTION 49

An administrator is asked to deploy a virtual machine (VM) that can sniff packets for the Security team.

Which setting must be set to "accept" on the VM's port group? (Choose the best answer.)

CEplus



- A. Promiscuous mode
- B. Forged transmits
- C. MAC address changes
- D. Traffic shaping

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

Reference: https://blog.packet-foo.com/2013/04/capturing-packets-of-vmware-machines/comment-page-1/

QUESTION 50

What determines the default bandwidth share allocation for system traffic, such as vSphere Fault Tolerance and vSphere vMotion? (Choose the best answer.)

- A. Physical network adapter
- B. Network I/O Control version
- C. Virtual machine hardware version
- D. Load-balancing

Correct Answer: B Section: (none) Explanation



Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-26AAAFA4-BFD3-4D72-AEC8-55F4CF439DC0.html

QUESTION 51

What is a pre-requisite for configuring virtualization-based security (VBS)? (Choose the best answer.)

- A. Change the firmware type from UEFI to Legacy BIOS
- B. Change the firmware type from Legacy BIOS to UEFI
- C. Use Windows Server 2012
- D. Use Windows Server 2008 R2

Correct Answer: B Section: (none) Explanation



Explanation/Reference:

Reference: https://blogs.vmware.com/vsphere/2018/05/introducing-support-virtualization-based-security-credential-guard-vsphere-6-7.html

QUESTION 52

Which action is supported over a VMkernel vMotion TCP/IP stack? (Choose the best answer.)

- A. Hot migrations
- B. Fault tolerance protection
- C. Virtual machine cloning
- D. Snapshot creation

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 53

An administrator is investigating the reason for a powered on virtual machine failing to migrate with the following error log message:

The virtual machine requires hardware features that are unsupported or disabled on the target host.

CPUID details: incompatibility at level 0xx register 'xxx'
Host bits: xxxx:xxxx:xxxx:xxxx:xxxx:xxxx
Required: xxxx:xxxx:xxxx:xxxx:xxxx:xxxx

Which step should the administrator complete to resolve this error? (Choose the best answer.)

- A. Configure High Availability on the cluster.
- B. Configure vSAN on the cluster.
- C. Configure Distributed Resource Scheduler (DRS) on the cluster.
- D. Configure Enhanced vMotion Compatibility on the cluster.

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

_.com



Reference: https://kb.vmware.com/s/article/65151

QUESTION 54

An administrator is tasked with planning an upgrade of a VMware vSphere environment to version 7.0. The platform consists of 80 ESXi hosts, logically divided into 10 clusters. The tasks will be completed by another operations team within the company.

The hardware is consistent and a single embedded vCenter Server 6.7 appliance is managing the environment.

Which statement is true regarding a suitable upgrade approach? (Choose the best answer.)

- A. The vCenter Server can be upgraded using a pre-configured customized JSON template.
- B. The ESXi hosts can only be upgraded using the Graphical User Interface Installer.
- C. Auto-deploy must be used to upgrade the large scale environment.
- D. A new Platform Services Controller must be deployed first.

Correct Answer: C Section: (none) Explanation

Explanation/Reference:



QUESTION 55

An administrator has been tasked with mitigating datastore capacity issues without datastore expansion.

Which vSphere Storage vMotion migration option would achieve this mitigation? (Choose the best answer.)

- A. Lazy-zeroed thick-provisioned
- B. Thin-provisioned
- C. Eager-zeroed thick-provisioned
- D. Same as format source

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 56



An administrator is deploying a vCenter Server Appliance and wants to join an existing vCenter Single Sign-On domain.

The administrator gathers the following information:

- FQDN of the vCenter Single Sign-On server to join
- Domain name of the vCenter Single Sign-On server being joined

Password of the vCenter Single Sign-On server administrator account.

What other information is needed to join the existing vCenter Single Sign-On domain? (Choose the best answer.)

- A. vSphere Client port
- B. Lightweight Directory Access Protocol (LDAP) port
- C. Single Sign-On (SSO) port
- D. HTTPS port

Correct Answer: D Section: (none) Explanation

Explanation/Reference:



QUESTION 57

Which VMware feature should an administrator configure to help manage and delegate CPU and memory resources? (Choose the best answer.)

- A. VMware Enhanced vMotion Compatibility (EVC)
- B. Resource pools
- C. vSphere Distributed Resource Scheduler (DRS)
- D. vSphere High Availability (HA)

Correct Answer: B Section: (none) Explanation


Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.0/vsphere-esxi-vcenter-server-601-resource-management-guide.pdf

QUESTION 58

Refer to the exhibit.





An administrator repeatedly encounters this error message while attempting to connect to vCenter Server.

What should the administrator do to address this error message? (Choose the best answer.)

- A. Use a different browser.
- B. Trust the VMware certificate authority (CA) root certificate.
- C. Restart the vCenter Server Appliance.
- D. Reissue a new, unexpired certificate.

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 59

A development team has a recurring need to rapidly replicate hundreds of virtual machines (VMs) for load testing.

Which method should the team use to deploy the VMs? (Choose the best answer.)

- A. Linked clones from a content library
- B. Instant clones using the vSphere API
- C. Full clones using vSphere Auto Deploy
- D. Full clones from a template






Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 60

Refer to the exhibit.



Which element is missing from this vCenter High Availability (HA) cluster? (Choose the best answer.)

- A. A secondary witness node
- B. The management interface on the passive node
- C. The connection between the active and passive nodes
- D. The management interface and connection on the witness node

Correct Answer: C Section: (none) Explanation



Explanation/Reference:

Reference: https://nolabnoparty.com/en/vmware-vcenter-high-availability-setup-pt-1/

QUESTION 61

What is the basic packaging for vSphere Installation Bundles (VIBs) and metadata in vSphere Lifecycle Manager? (Choose the best answer.)

- A. Vendor add-on
- B. Base image
- C. Component
- D. Baseline


Correct Answer: C Section: (none) **Explanation**

Explanation/Reference:

Reference: https://ulisesbecerro.com/vsphere-lifecycle-manager/

QUESTION 62

Which two features are only supported by VMFS6 datastores? (Choose two.)



- B. On-disk locking
- C. Dynamic expansion
- D. 4K native storage devices
- E. Automatic space reclamation

Correct Answer: DE Section: (none) **Explanation**

Explanation/Reference:

Reference: http://www.vmwarearena.com/difference-between-vmfs-5-vmfs-6/

QUESTION 63

An administrator identifies a snapshot file named "Win10-000001-sesparse.vmdk" on a datastore.

Which type of information can be determined about this datastore? (Choose the best answer.)



- A. The datastore is formatted as VMFS3.
- B. The datastore is formatted as VMFS6.
- C. The datastore is a raw device mapping.
- D. The datastore is a vSAN datastore.

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.storage.doc/GUID-88E5A594-DEBC-4662-812F-EA421591C70F.html

QUESTION 64

What is the default shutdown order of virtual machines (VMs) on a host? (Choose the best answer.)

- A. Alphabetical based on VM names
- B. Highest utilization to lowest utilization
- C. Largest VM to smallest VM
- D. Reverse of the startup order

Correct Answer: D Section: (none) Explanation



Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-5FE08AC7-4486-438E-AF88-80D6C7928810.html

QUESTION 65

An administrator sees a virtual machine message that reads, "Consolidation is required" in the vSphere Client.

Which action does ESXi take when the administrator completes snapshot consolidation? (Choose the best answer.)

- A. Collapses all snapshots in the current snapshot tree
- B. Commits redundant delta disks to the base disk
- C. Collapses all snapshots into a single snapshot
- D. Deletes all snapshots without committing to the base disk

Correct Answer: D



Section: (none) Explanation

Explanation/Reference:

