

NSE6\_FVE-5.3.VCEplus.premium.exam.30q

Number: NSE6\_FVE-5.3

Passing Score: 800

Time Limit: 120 min

File Version: 1.0



Website: <https://vceplus.com>

VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>

Facebook: <https://www.facebook.com/VCE.For.All.VN/>

Twitter : [https://twitter.com/VCE\\_Plus](https://twitter.com/VCE_Plus)

NSE6\_FVE-5.3


Fortinet NSE 6 – FortiVoice 5.3



## Exam A

### QUESTION 1

Refer to the exhibit.



The image shows a 'HA Configuration' window. It has a title bar with a minus, maximize, and close button. The window contains the following fields:

- Mode of operation: master (dropdown menu)
- On failure: switch off (dropdown menu)
- Shared password: change\_me (text field)
- Advanced options (collapsible section):
  - HA base port: 20000 (text field)
  - Heartbeat lost threshold: 30 (text field) seconds
  - Remote services as heartbeat: ☐
  - Call recoding sync: ☒
- Buttons: Apply, Cancel

In the event of a failover, which statement about the configuration shown in the exhibit is true?

- A. Once the unit has recovered from failure the mode of operation changes to slave.
- B. Once the unit has recovered from failure it goes back to its programmed state of master.
- C. Once the unit has recovered from failure it stays in idle state until it is manually configured as master or slave.
- D. Once the unit has recovered from a failure it shuts down.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**



### QUESTION 2

Refer to the exhibit.

**Extension Setting**

User ID: 7711  
Number: 7711  
Enabled: ☒  
Display name: John Doe  
External caller ID: e.g, Jim <612223>  
**Password policy is disabled**  
SIP password: ..... ☒ Generate ☐ View password  
User PIN: ..... ☒ Generate ☐ View PIN  
Authentication type: Local  
Phone language: English  
Preference: [\[Edit preference...\]](#)  
Description: [Click to edit...](#)

**Advanced Setting**

Location: mobile New... Edit...  
Survival branch: --None-- Edit...  
SIP setting: sip\_setting\_default New... Edit...  
User privilege: default New... Edit...  
Personal code: 3761 Generate  
Phone type: FortiFone-SoftClient  
Phone profile: ☒ Admin defined  
☐ User defined  
Default-FortiFone-SoftClient New... Edit...  
[\[Auxiliary device...\]](#)

An administrator has configured FortiVoice Advanced Setting for a user as shown in the exhibit.

Given this configuration, which statement is true?

- A. The extension can be reached at 3761 when user is remote.
- B. FortiVoice is configured behind a NAT device.
- C. The user extension is currently disabled.
- D. The user extension is configured for SoftClient use.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

### QUESTION 3

What is a Page Group?

- A. A group containing saved fax messages to be printed.
- B. A group of extensions that can receive a page from another extension.
- C. A group of available extensions to receive queued calls.
- D. A group of extensions that are waiting to be configured.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://pub.kb.fortinet.com/ksmcontent/Fortinet-Public/current/FortiVoice\\_5\\_0/FortiVoice-5.3.26-User-Portal-Guide-Sept30-2020.pdf](https://pub.kb.fortinet.com/ksmcontent/Fortinet-Public/current/FortiVoice_5_0/FortiVoice-5.3.26-User-Portal-Guide-Sept30-2020.pdf) (13)

**QUESTION 4** What does the caller ID modification option do on managed gateways?

- A. Allows the reception and relay of caller ID out on the trunk
- B. Allows the relay of the caller ID from FortiVoice out on the trunk
- C. Allows the reception of caller ID on the trunk and passes it to FortiVoice
- D. Allows the application of caller ID modification rules to the trunk

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 5** For which purpose can the Pickup Group be used?

- A. To update names in the directory
- B. To email transcripts of voicemail to users
- C. To make calls to any specified phone number
- D. To allow you to log into another extension with your extension number

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/03eb7779-50a7-11e9-94bf-00505692583a/FVE\\_admin\\_v5.3.0\\_rev9.pdf](https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/03eb7779-50a7-11e9-94bf-00505692583a/FVE_admin_v5.3.0_rev9.pdf) (189)

**QUESTION 6** With respect to programming extensions, how is Pickup Group used?

- A. To allow extensions to answer calls ringing at another extension
- B. To allow extensions to pick up calls when already on a call
- C. To allow extensions to continuous ring until call is answered or dropped
- D. To group extensions that can only answer calls by picking up the handset

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/03eb7779-50a7-11e9-94bf-00505692583a/FVE\\_admin\\_v5.3.0\\_rev9.pdf](https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/03eb7779-50a7-11e9-94bf-00505692583a/FVE_admin_v5.3.0_rev9.pdf) (189)

**QUESTION 7** When configuring High Availability, which three configurations are required on both units?  
(Choose three.)

- A. Configure the system time
- B. Configure the Admin Profile
- C. Configure the Mode of Operation
- D. Configure the On Failure behavior
- E. Configure the Virtual IP address

**Correct Answer:** CDE

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 8** What is Auto Provisioning used for?

- A. Connects a FortiFone IP phone to a gateway device
- B. Connects the FortiVoice to a gateway device
- C. Allows the FortiFone IP phone to register with a SIP trunk
- D. Allows FortiFone IP phones to automatically obtain configuration files when discovered on the network

**Correct Answer: D**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Reference: [https://s3.amazonaws.com/fortinetweb/docs.fortinet.com/v2/attachments/92604e64-243b-11e9-b20a-f8bc1258b856/fortivoice\\_auto\\_provisioning.pdf](https://s3.amazonaws.com/fortinetweb/docs.fortinet.com/v2/attachments/92604e64-243b-11e9-b20a-f8bc1258b856/fortivoice_auto_provisioning.pdf)

**QUESTION 9** Which statement describes what happens when you add a DID to an eFax account?

- A. FortiVoice will monitor for CNG tones on the DID when the calls come in on that number.
- B. The eFax account can use the DID for sending out only.
- C. Calls to the DID will go directly to the eFax account.
- D. FortiVoice will ignore inbound calls to the DID.

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Reference: <https://www.vunkers.com/wp-content/uploads/2018/09/FortiVoice-6.0.0-Cookbook.pdf>

**QUESTION 10** When adding gateways, which information is retrieved when you select 'Get device information'? (Choose three.)

- A. Serial Number
- B. Firmware
- C. MAC Address
- D. Description
- E. Type

**Correct Answer: ACE**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Reference: <https://docs.fortinet.com/document/fortivoice-enterprise/6.4.0/fortivoice-phone-system-administration-guide/355098/managing-fxo-gateways>

**QUESTION 11**

Refer to the exhibit.



Office Peers							
New... Edit... Delete Save Fetch Office Directory							
Page 1 / 1 Records per page: 50							
Enabled	Name	Location	Type	Server	Port	SIP setting	Status
<input checked="" type="checkbox"/>	Office_B	Office_B	SIP	192.168.1.25	5080	sip setting default	Unavailable

Given the Office Peers setting shown in the exhibit, which conclusion can be drawn about the behavior of the FortiVoice system?

- A. The Office Peers are connected to each other but the FortiVoice system is configured to not send keep alive messages.
- B. The FortiVoice administrator has disabled the office peer.
- C. The FortiVoice system is cannot reach the Office\_B location.
- D. The FortiVoice has not received a 200 OK response from the Office Peer.

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Reference: [https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/03eb7779-50a7-11e9-94bf-00505692583a/FVE\\_admin\\_v5.3.0\\_rev9.pdf](https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/03eb7779-50a7-11e9-94bf-00505692583a/FVE_admin_v5.3.0_rev9.pdf)

## QUESTION 12

Refer to the exhibit.

Scheduled Backup

☒ Not scheduled
   
☐ Daily
   
☐ These Days ☒ Sun ☐ Mon ☐ Tue ☐ Wed ☐ Thu ☐ Fri ☐ Sat
   
 At hour 
  
 Max backup number 
  
☒ Local backup
 

☐ Available local backup

Download
Restore

  
☒ Remote backup
 

Protocol 
  
IP address 
  
User name 
  
Password 
  
Remote directory

Apply
Cancel



Given the scheduled backup settings shown in the exhibit, which two statements are true? (Choose two.)

- A. A copy of the backup file is uploaded on a remote FTP server.
- B. The oldest backup files are automatically deleted once the number of backups exceeds 10.
- C. The maximum of 10 backups are saved locally on the FortiVoice unit.

D. The logs and system settings backup is automatically saved every Sunday at 11:00 PM.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 13** What disposition would you use to search for calls that were unsuccessful outbound calls?

- A. Declined
- B. Failed
- C. Aborted
- D. Incomplete

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 14** Which statement correctly describes the configuration of a survivable branch system when set to fully managed?

- A. The central system configures the device, excluding network settings.
- B. The central system configures the device, excluding VoIP profile settings.
- C. The central system configures the full configuration for the system.
- D. The central system configures the device, excluding network settings, and administrator settings.



**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 15**

Refer to the exhibit.

Interface						
Port	Heartbeat Stat...	Peer IP Address	Virtual IP Action	Virtual IP Address	Port Monitor	
port1	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0		✗
port2	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0		✓
port3	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0		✗
port4	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0		✗

Service Monitor						
Name	Remote IP	Port	Timeout	Interval	Retries	Enabled
Remote HTTP	10.0.1.231	80	30	120	3	✓
SIP UDP	10.0.1.231	5060	30	120	3	✓
Interface monitor				120	3	--
Local hard drives				120	3	✗

Given the settings shown in the exhibit, which two statements about the configuration are true? (Choose two.)

- A. A failover will occur if there is no heartbeat for 30 seconds.
- B. Local hard disk drive failure will trigger an HA failover event.
- C. port2 is configured to carry VoIP traffic.
- D. HTTP or SIP UDP on the specified ports can be used to detect master system failure.

**Correct Answer:** CD

**Section:** (none)

**Explanation**

**Explanation/Reference:**



#### QUESTION 16

Refer to the exhibit.

Outbound		
New...	Edit...	Move ▾   Delete   Save   Test
Page 1	/1	Records per page: 50 ▾
Enabled	Name	Pattern
<input checked="" type="checkbox"/>	emergency	911;
<input checked="" type="checkbox"/>	outgoing_default	91NX.; 9011NX.;
<input checked="" type="checkbox"/>	HR	9NX;
<input checked="" type="checkbox"/>	All_Outbound	*;

A FortiVoice system is configured with multiple outbound rules as shown in the above exhibit.

Which statement about the outbound rule is true?

- A. The 923 extension will use All\_Outbound outbound call handling rule.
- B. The 9213 extension will use HR outbound call handling rule.



- C. The 9153 extension will use outgoing\_default outbound call handing rule.
- D. The 9245 extension will use emergency outbound call handing rule.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 17

An administrator is configuring a new FortiVoice system and is having trouble with outbound and external inbound calls. The network administrator has verified that Internet connectivity is stable and the FortiVoice system can reach the Internet. Local extension calls are also working without any issue.

Which two configurations are likely causing this issue? (Choose two.)

- A. Office Peers
- B. DID mapping
- C. VoIP Trunk
- D. Inbound call routing

**Correct Answer:** AB

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 18

When High Availability is configured and the heartbeat link is lost between FortiVoice units, what will happen?

- A. The slave unit takes over as the master unit.
- B. The master unit beeps loudly to indicate an error.
- C. The master unit defaults the configuration.
- D. The slave unit sends calls to voicemail until the master unit has been rebooted.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 19

A user is consistently reporting issues with call drops and an unstable connection. The administrator is investigating the issue.

Which action can the administrator take to help troubleshoot this problem?

- A. Disable the SIP helper on the network Firewall.
- B. View call record logs of the problematic extension.
- C. Contact the SIP provider to troubleshoot the issue.
- D. Use a capture tool to capture traffic using the extension and trunk.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 20** What happens when an extension is added as a fax monitor to an efax account?

- A. efax account will receive a copy of the fax in their user portal FTP.
- B. efax account can send outbound faxes.
- C. efax account will receive an email of the fax.
- D. The fax will get relayed to the assigned extension as well.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://docs.fortinet.com/document/fortivoice-enterprise/6.0.4/fortivoice-cookbook/508046/configuring-fortivoice-to-receive-faxes>

**QUESTION 21** What is a User Group used for?

- A. Creating a user directory
- B. Groups together extension profiles
- C. Creating login usernames and passwords for the User Portal
- D. Simplifies adding extensions to other groups

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 22** Which two protocols are supported for scheduled backups to off load configurations or recordings? (Choose two.)

- A. FTP
- B. HTTPS
- C. SFTP
- D. TFTP

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://docs.fortinet.com/document/fortigate/6.0.0/Handbook/662495/configuration-backups>

**QUESTION 23** If the survivable branch system is set to partially managed, what is true about the configuration?

- A. The central system configures the extensions, and VoIP profiles, all other settings are manually configured by the administrator.
- B. The central system configures only the extensions; all other settings are manually configured by the administrator.
- C. The central system configures the extensions, VoIP profiles, Auto Attendants and call routing, all other settings are manually configured by the administrator.
- D. The central system configures the extensions, VoIP profiles; and Auto Attendants, all other settings are manually configured by the administrator.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 24

What action occurs when the maximum number of backups has been reached?

- A. An email is sent to the administrator
- B. The oldest copy is overwritten with a newer copy
- C. The latest copy is overwritten with a newer copy
- D. Automatic back ups stop

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://docs.fortinet.com/document/fortimail/6.4.0/administration-guide/988966/system-maintenance>

**QUESTION 25** What is the SIP Session Helper used for?

- A. Blocks duplicate SIP messages from reaching IP extensions
- B. Applies NAT to SIP messages
- C. Randomizes the SIP registration port on the FortiVoice
- D. Initiates SIP trunk calls automatically

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://www.fortinetguru.com/2018/10/the-sip-session-helper-2/>



#### QUESTION 26

Refer to the exhibit.

**Number Management**

Extension number pattern:

Speed dial pattern:  + -

System prohibited prefix:  + -

System unrestricted prefix:

Operator extension:

Supporting extension:

Given the Number Management settings shown in the exhibit, which number is a valid internal extension number?

- A. 506
- B. 951
- C. 055
- D. 800

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 27** A large call center has multiple offices around the world that require communication with each and other.

Which feature of FortiVoice allows multiple remote offices to show up as one office under FortiVoice Gateway?

- A. FortiOffice Client
- B. Office HA
- C. External Extensions
- D. Office Peers

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://www.fortinet.com/content/dam/fortinet/assets/data-sheets/FortiVoiceEnterprise.pdf> (3)

**QUESTION 28**

An administrator is troubleshooting a recent VoIP outage that may originate from the FortiVoice system. The network administrator has ruled out any network related issues.

Which two items are needed to troubleshoot the issue on the FortiVoice system? (Choose two.)

- A. Call record logs
- B. System events logs
- C. FortiVoice system status
- D. Up time

**Correct Answer:** BC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 29** Which two items are needed when troubleshooting an unexpected system restart?

(Choose two.)

- A. Service Status
- B. Log disk
- C. Reboot time
- D. Up time

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 30** What is the flow of SIP messages when an IP extension places an outbound call under normal operation?

- A. SIP messages go to the gateway directly before routing out of the trunk.
- B. SIP messages go to the branch system then to the central system before routing out the trunk.
- C. SIP messages go to the central system directly before routing out of the trunk.
- D. SIP messages go directly out to the trunk.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

