

DES-1221.VCEplus.premium.exam.54q

Number: DES-1221
Passing Score: 800
Time Limit: 120 min
File Version: 1.0



Website: <https://vceplus.com>
VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>
Facebook: <https://www.facebook.com/VCE.For.All.VN/>
Twitter : https://twitter.com/VCE_Plus

DES-1221

Specialist - Implementation Engineer, PowerStore Solutions Exam

Version 1.0

Exam A

QUESTION 1

When planning rack layout, why should base enclosures be grouped together?

- A. Power distribution requirements
- B. Rack weight balance
- C. Ease of cable management
- D. Hot aisle requirement

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2 What does the remote replication Failover operation do?

- A. Fully synchronizes the source and destination data states and reverses the replication direction
- B. Fully synchronizes the source and destination data states and stops the current replication session
- C. Promotes the destination system to production with its replica data consistent to the last successful RPO synchronization state
- D. Promotes the destination system to production and resets the RPO synchronization cycle in the protection policy

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore-25-dae/pwrstr-protect-data/replication?guid=guid-7641aeec-982e-4e4e-85fb-c50f525635db&lang=en-us>

QUESTION 3 What describes the Import External Storage feature?

- A. An external plugin feature for hosts to tune application workload IO on PowerStore NVMe based storage
- B. A native network configuration feature of PowerStore that configures external Ethernet switching for PowerStore installation
- C. A feature external to PowerStore that orchestrates vMotion movement of virtual machines onto PowerStore X systems
- D. A native data migration feature of PowerStore that imports external block storage to PowerStore

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore-1000/pwrstr-import/importing-external-storage-to-powerstore-overview?guid=guid-6fef77c4-d4c9-49c6-8de2-efd67aa52ca5>

QUESTION 4 What is the recommended Windows multi-pathing policy for block volumes on a PowerStore array?

- A. Least QueueDepth
- B. Round-Robin
- C. FailOver
- D. Least Weighted Paths

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.delltechnologies.com/en-us/collaterals/unauth/technical-guides-support-information/products/storage-2/docu5134.pdf>

QUESTION 5

While configuring a Dell switch with PowerStore, what are the recommended license outputs from a show license status command?

- A. Type: Term-Based, Status: Active
- B. Status: Perpetual, Type: Open
- C. Type: Perpetual, Status: Active
- D. Status: Term-Based, Type: Unlimited

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-cfg/validate-the-top-of-rack-tor-switch-versions-and-licensing?guid=guid-40c30b91-7fb2-4a26-bac7-4ae67c07bdfb&lang=en-us>

QUESTION 6 A protection policy with snapshot and replication rules is applied to a file system. What is the result?

- A. Applying the protection policy to the file system fails
- B. Replication rules get ignored and only snapshot rules get applied
- C. Both replication and snapshot rules get applied
- D. Snapshot rules get ignored and only replication rules get applied

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-protect-data/data-protection-in-powerstore?guid=guid-19c6d0e1-fa20-4fb5-9983-61c17abaf21b&lang=en-us>

QUESTION 7 Which IP addresses are required when adding an appliance to the cluster?

- A. DNS and NTP
- B. Storage and NTP
- C. Management and Storage
- D. Management and DNS

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-plang/ip-address-requirements-for-initial-configuration?guid=guid-cdb61296-b698-47fb-92ce-284f784cbc2d&lang=en-us>

QUESTION 8 A storage administrator has configured the addition of a VNX2 as a remote system for migration.

Which Import External Storage migration feature architectural components are now established?

- A. Host iSCSI initiators are registered on the VNX2 storage system
- B. Data path and management control path to the source storage system
- C. Data path and management control path to the access host
- D. Host Fibre Channel initiators are registered on the VNX2 storage system

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9

What is a way to verify the data path connectivity between a source VNX2 storage system and the PowerStore system when configuring an import session?

- A. Examine Fibre Channel zoning
- B. Verify host initiators on PowerStore Manager
- C. Review Server Manager MPIO properties
- D. Use the VNX2 SP ping operation

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10 What is the correct power up sequence for a PowerStore?

- A. 1. Base Enclosure Node B, 2. Base Enclosure Node A, 3. Expansion Enclosure
- B. 1. Base Enclosure, 2. Expansion Enclosure
- C. 1. Base Enclosure Node A, 2. Base Enclosure Node B, 3. Expansion Enclosure
- D. 1. Expansion Enclosure, 2. Base Enclosure

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-pwdwn-reboot/power-on-a-powerstore-t-model-appliance?guid=guid-1a60464d-b2e6-45bf-86a1-d5ab5f716361&lang=en-us>

QUESTION 11 What is the total number of NVRAM devices used in PowerStore 3000?

- A. 2
- B. 4
- C. Up to 6
- D. Up to 21

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: [https://volumes.blog/2020/05/05/whats-is-powerstore-part-2-hardware/#:~:text=On%20the%20PowerStore%201000%20and,\(2\)%20NVMe%20NVRAM%20devices.&text=PowerStore%20supports%20four%20types%20of.in%20specific%20locations%20and%20enclosures.](https://volumes.blog/2020/05/05/whats-is-powerstore-part-2-hardware/#:~:text=On%20the%20PowerStore%201000%20and,(2)%20NVMe%20NVRAM%20devices.&text=PowerStore%20supports%20four%20types%20of.in%20specific%20locations%20and%20enclosures.)

QUESTION 12 Which API does PowerStore use to communicate with ESXi server during vVols provisioning operation?

- A. REST
- B. SOAP
- C. VAAI

D. VASA

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://volumes.blog/2020/05/06/what-is-powerstore-part-4-vvols/>

QUESTION 13 What is a requirement for the Import External Storage migration feature?

- A. PowerStore Global Storage Discovery IP address must be configured
- B. PowerPath host-based multipathing software
- C. PowerStore LACP bonded ports are tagged for replication
- D. Direct Fibre Channel connections between storage systems

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore-1000/pwrstr-import/general-requirements-for-importing-data?guid=guid-3b7c512c-55c4-43cc-9b57-3d22eaa85d5c&lang=en-us>

QUESTION 14 A PowerStore T cluster has 3 appliances. Users are unable to access NAS services. What might be the issue?

- A. Master appliance is off-line
- B. NAS appliance failover is incorrectly configured
- C. Trial license is expired
- D. Resource balancer service has failed

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15 What are the IP requirements for ICW on PowerStore X and PowerStore T models?

- A. PowerStore T requires three storage IP addresses and PowerStore X requires five storage IP addresses
- B. PowerStore T requires four management IP addresses and PowerStore X requires six management IP addresses
- C. PowerStore T requires five management IP addresses and PowerStore X requires six management IP addresses
- D. PowerStore T requires seven storage IP addresses and PowerStore X requires three storage IP addresses

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-plang/ip-address-requirements-for-initial-configuration?guid=guid-cdb61296-b698-47fb-92ce-284f784cbc2d&lang=en-us>

QUESTION 16 Which network is used by the PowerStore for communication to the cluster database?

- A. inter-node
- B. ICM
- C. IDN

D. ICD

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore-1000t/pwrstr-ntwk-plang/powerstore-t-model-appliance-networks?guid=guid-97a3e988-c1bc-4f51-a445-3af23f19da1b>

QUESTION 17 What does the data import session Pause operation do?

- A. Deactivates the host to PowerStore control path
- B. Stops the source to PowerStore background copy operation
- C. Stops the source to PowerStore cutover operation
- D. Deactivates the host to PowerStore data path

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore-1000/pwrstr-import/import-workflow?guid=guid-a19dff3-8def-4a50-a4ed-14650500f567&lang=en-us>

QUESTION 18 An administrator received the following alert from PowerStore regarding a previously created NAS server?

Description:

The SMB server of the NAS server PowerStore_NAS_01 is configured to be joined to the domain test.mid, but is currently not joined.

Which setting should the administrator change?

- A. UDS
- B. SMB
- C. LDAP
- D. NTP

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/article/en-pk/sln317202/powerstore-alerts-smb-server-alerts?lang=en>

QUESTION 19 What is the logical block size when creating and formatting volumes on PowerStore for Windows hosts?

- A. 512 bytes
- B. 520 bytes
- C. 4096 bytes
- D. 64 kilobytes

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-hcg/disk-formatting?guid=guid-27740e37-8432-4241-a3d7-bf18843a94ce&lang=en-us>

QUESTION 20

When a Volume is selected for the intercluster migration, what other data services associated with the volume will also be moved with it?

- A. Thin Clones and snapshots
- B. Thin Clones and File systems
- C. Replications and Volume Groups
- D. NAS Servers and File.systems

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21 An administrator receives an alert on a PowerStore Cluster with three appliances:

The appliance A1 is projected to run out of space in 8 days Capacity utilization is above 90 percent

Which tools are available to assist the Administrator with a potential resolution?

- A. Thin provision conversion wizard
- B. System Optimization
- C. Space reclamation wizard
- D. Assisted Migration

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://volumes.blog/2020/05/18/what-is-powerstore-part-11-resource-balancer/>

QUESTION 22

An administrator is trying to set a performance policy while creating a Thin Clone of a volume group. Why is the option to set performance policy unavailable?

- A. Volumes in the volume group are not mapped to any hosts
- B. No Volumes are added in the volume group
- C. Thin Clones cannot be created using a volume group
- D. Performance policy can only be set on a Thin Clone volume

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-cfg-vols/remove-a-volume-from-a-volume-group?guid=guid-4b974223-26e4-40fe-a1b8-01beb210c305&lang=en-us>

QUESTION 23

A storage administrator has provisioned a 50GB volume and presented it to an application. The application owner has requested that the volume be replicated to a secondary array. Which policy should be assigned to the volume to enable replication?

- A. Protection
- B. Performance
- C. Remote
- D. Replication

Correct Answer: D
Section: (none)
Explanation

Explanation/Reference:

QUESTION 24

A PowerStore X system is being implemented using Dell EMC S5248F-ON Ethernet switching as data switches.

What is required when configuring the VLT interconnects on the data switches?

- A. Assign the switch default route for the VLT traffic
- B. Set the VLT connection to the switch default VLAN
- C. On each switch, select the switch management port MAC as the VLT MAC
- D. Configure the VLT MACs with a matching unique made-up address

Correct Answer: C
Section: (none)
Explanation

Explanation/Reference:

QUESTION 25

What is the final configuration step when installing the ImportKit for a Windows host accessing VNX2 storage?

- A. Select the folder location on the host for the program installation
- B. Select the RSA key for configuring the control path HTTPS certificate
- C. Configure the network port and interface for the host data path
- D. Configure the network port and interface for the management control path

Correct Answer: C
Section: (none)
Explanation

Explanation/Reference:

QUESTION 26 How many cables are required for minimum support for PowerStore T Front-End storage connectivity?

- A. 1
- B. 2
- C. 4
- D. 6

Correct Answer: B
Section: (none)
Explanation

Explanation/Reference:

QUESTION 27

An administrator assigns a protection policy to a volume group. Volume1, Volume2, Volume3 are put into the volume group. Later it is decided that Volume2 should be replicated at a different time. Volume2 is removed from the volume group. The administrator attempts to assign a new protection policy to Volume2 and the option is greyed out.

Why is the option greyed out?

- A. Already has a protection policy from the Volume-Group
- B. Requires a replication rule not a protection policy
- C. Requires a snapshot rule and a replication rule
- D. Still has associated Volume-Group snapshots

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28 What describes the process used in the Import External Storage migration architecture?

- A. Orchestrator on PowerStore communicates over the control path to the host plugin and controls the multipathing active path to storage
- B. Plugin on PowerStore communicates over the control path to orchestrator on the host and controls the multipathing active path to storage
- C. Orchestrator on PowerStore communicates over the data path to the host plugin and controls the multipathing active path to storage
- D. Plugin on PowerStore communicates over the data path to orchestrator on the host and controls the multipathing active path to storage

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore-1000/pwrstr-import/importing-external-storage-to-powerstore-overview?guid=guid-6fef77c4-d4c9-49c6-8de2-efd67aa52ca5>

QUESTION 29 How is the upgrade process on a multi-appliance cluster run?

- A. Master appliance primary node first, then the peer node
- B. On one node at a time
- C. On all primary nodes first, then peer nodes
- D. In parallel on all nodes

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30 An administrator has performed the Cutover operation for an import session from a VNX2 source storage system.

What is a result of the operation?

- A. Host is removed from the VNX2 Storage Group
- B. Imported LUN is removed from the VNX2 Storage Group
- C. Storage Group containing the imported LUN is deleted
- D. Imported LUN is deleted from the VNX2

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://laptrinhx.com/what-is-dell-emc-powerstore-part-7-importing-external-storage-146661351/>

QUESTION 31

A storage administrator has provisioned 10 × 2GB volumes. 400MB of data is written to each of the ten volumes. What is the Thin Savings ratio for this configuration?

- A. 3:1
- B. 4:1
- C. 5:1
- D. 6:1

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32 Which type of network is used for storage migration between appliances?

- A. Inter-node network
- B. Intra-Cluster Management network
- C. Intra-Cluster Data network
- D. Storage network

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-plang/powerstore-t-model-appliance-networks?guid=guid-97a3e988-c1bc-4f51-a445-3af23f19da1b&lang=en-us>

QUESTION 33

DRAG DROP

Match the correct Base Enclosure port in column A to the Expansion Enclosure port in column B to show the correct cabling for adding a single expansion enclosure to a base enclosure.

Select and Place:

Correct Answer:

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-isg/cable-the-base-enclosure-to-the-expansion-enclosure?guid=guid-d68d049f-2b77-489f-b1ab-553f4f3de8aa&lang=en-us>

QUESTION 34 How is the VASA provider registered with vSphere when connecting to a PowerStore X system?

- A. VASA is unsupported in PowerStore X models
- B. Built into the PowerStore X system code
- C. Automatically added during Initial Configuration
- D. Manually added from vCenter server using add storage provider option

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.delltechnologies.com/en-ca/collaterals/unauth/white-papers/products/storage/h18116-dell-emc-powerstore-vmware-vsphere-best-practices.pdf> (17)

QUESTION 35 What does a Storage Administrator need to consider about Resource Balance when assigning volumes?

- A. Whether the Cluster is offline
 - Node failure status
 - I/O utilization
- B. Whether the appliance is online
 - Appliance failure status
 - Cluster utilization
- C. Whether the Node is offline
 - Appliance failure status
 - Node utilization
- D. Whether the appliance is offline
 - Appliance failure status
 - Capacity utilization

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://volumes.blog/2020/05/18/what-is-powerstore-part-11-resource-balancer/>

QUESTION 36

Which administrator tasks are needed to increase the size of a VMFS datastore without the use of the VSI plugin, mounted to an external ESXi host?

- A. Change the volume size in PowerStore Manager and refresh the size of the datastore in vSphere
- B. Change the volume size in PowerStore Manager and restart the VASA service in vSphere
- C. Change the size of the datastore in vSphere and refresh the size of the volume in PowerStore Manager
- D. Change the size of the datastore in vSphere and restart the VAAI service in PowerStore Manager

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.delltechnologies.com/en-us/collaterals/unauth/white-papers/products/storage/h18116-dell-emc-powerstore-vmware-vsphere-best-practices.pdf>

QUESTION 37 What describes the remote replication

Failover operation?

- A. It is run automatically by the replication destination system in the event of a source system outage
- B. It is run from the replication destination system by the administrator in the event of a source system outage
- C. It is run automatically by the replication source system in the event of a source system outage
- D. It is run from the replication source system by the administrator in the event of an outage on the system

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-protect-data/replication?guid=guid-7641aeec-982e-4e4e-85fb-c50f525635db&lang=en-us>

QUESTION 38 Match the CLI command to the appropriate configuration.

Select and Place:

Correct Answer:


Section: (none)

Explanation

Explanation/Reference:

QUESTION 39

Refer to the Exhibit.



Note the yellow arrow. A Data Center Engineer notices that the LED is blinking blue and amber alternating at one second intervals. What does this indicate?

- A. Node is Degraded
- B. System is booting
- C. Node in Service Mode
- D. System not initialized

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-isg/embedded-module-leds?guid=guid-bc07892c-75cf-43b6-8f17-8a4c49001aeb&lang=en-us>

QUESTION 40 A PowerStore T administrator discovers that only one port on each node is active and passing traffic. The other port is healthy and online, but total bandwidth is only half of what the customer expects. Which action could resolve the issue?

- A. Configure VLT and Link Aggregation Control Protocol
- B. Implement VLT and Dynamic Link Aggregation Group
- C. Configure Link Aggregation Control Protocol and Dynamic Link Aggregation Group
- D. Implement Dynamic Link Aggregation Group

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.delltechnologies.com/resources/en-us/asset/white-papers/products/storage/h18157-dell-emc-powerstore-clustering-high-availability.pdf>

QUESTION 41 A customer wants to add capacity to their PowerStore 5000T. The system is populated with 6 NVMe SCM 750 GB drives. What is the maximum number and type of drives that can be added to the base enclosure?

- A. 15 NVMe SCM
- B. 15 NVMe SSD
- C. 17 NVMe SCM
- D. 17 NVMe SSD

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42

Refer to the Exhibit.

```

#(config) interface vlan 1501
#(conf-if-vl-1501) interface ethernet 1/1/54
#(conf-if-eth1/1/54) description Discovery_Laptop
#(conf-if-eth1/1/54) switchport access vlan 1501
#(conf-if-eth1/1/54) no shutdown

```

A Network administrator is failing to discover a PowerStore T system using the PowerStore Discovery Utility. What might be the issue?

- A. Discovery network uses only native VLAN
- B. Port 54 needs to be enabled
- C. Dedicated port needs to be used for discovery network
- D. Port 54 has not been set to trunk mode

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 43 What is the significance of the warning given when a volume with data services is deleted?

- A. Volume is mapped to a host
- B. Volume is participating in a migration
- C. Snapshot is present on the volume
- D. Protection policy is configured on the volume

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-cfg-vols/delete-a-volume?guid=guid-26e8c12d-a3df-4d4d-8012-ae2ef9e53721&lang=en-us>

QUESTION 44

Refer to the Exhibit.



Which port location in the graphic is used for network management connectivity on a PowerStore T?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 45

A customer is new to PowerStore and asks if there are any differences between the A and B back-end ports. What is the correct response?

- A. All ports on the base enclosure are input ports
- B. All ports on the base enclosure are output ports
- C. “A” ports are input ports and “B” ports are output ports
- D. “A” ports are output ports and “B” ports are input ports

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 46

A SQL Cluster with attached PowerStore storage has Volumes SQL1, SQL2, SQL4, SQL5 which all require write order preservation. The SQL administrator no longer requires SQL4 and has removed it from the database. The Storage Administrator goes to delete volume SQL4 and finds that the option is grayed out.

Why is the option to delete the volume unavailable?

- A. SQL4 was renamed from SQL3
- B. SQL4 still has replications
- C. SQL4 is part of a volume group
- D. SQL4 still has snapshots

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 47 1.a.1 What is the maximum number of appliances that can be connected to form a cluster?

- A. 1 in a PowerStore T cluster, 4 in a PowerStore X cluster
- B. 1 in a PowerStore T cluster, 1 in a PowerStore X cluster
- C. 4 in a PowerStore T cluster, 4 in a PowerStore X cluster
- D. 4 in a PowerStore T cluster, 1 in a PowerStore X cluster

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.delltechnologies.com/en-us/collaterals/unauth/white-papers/products/storage/h18149-dell-emc-powerstore-platform-introduction.pdf>

QUESTION 48

Which ports are recommended for use as the interconnect between the two Dell supplied Data Switches connected to PowerStore?

- A. Two 10 GigE
- B. Two 25 GbE
- C. Two 100 GigE
- D. Four 1 GbE

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.delltechnologies.com/en-us/collaterals/unauth/white-papers/products/storage/h18241-dell-emc-powerstore-best-practices-guide.pdf> (12)

QUESTION 49

At what point in the configuration of an External Storage Import session does the data path from the host to the PowerStore system become the active IO path?

- A. When the import session begins
- B. Before launching the Import Storage wizard
- C. During the ImportKit installation
- D. As MPIO restarts on the host

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 50 A Storage Administrator removed an appliance from the cluster. What is the status of the removed appliance's licenses?

- A. Licenses are erased
- B. No licensing impact
- C. Licenses becomes void
- D. New licenses are created

Correct Answer: C


Section: (none)

Explanation

Explanation/Reference:

QUESTION 51

Refer to the Exhibit.



What happens to the parent resource of thin clone 3 if thin clone 2 is deleted?

- A. Snapshot 3 becomes the parent
- B. Thin clone 3 becomes parent
- C. Thin clone 1 becomes parent
- D. Thin clone 3 has an empty parent

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.delltechnologies.com/en-us/documentation/unity-family/unity-p-config-luns/03-configuring-block-thin-clones.htm>

QUESTION 52

DRAG DROP

Correctly arrange the sequence of the write operation in PowerStore.

Select and Place:

Correct Answer:

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.delltechnologies.com/resources/en-us/asset/white-papers/products/storage/h18151-dell-emc-powerstore-data-efficiencies.pdf>

QUESTION 53

A VM administrator uses their PowerStore user account and noticed they are unable to change their password. Why?

- A. Extended schema for Unix users in Active Directory not set
- B. VM Administrator role cannot set password
- C. In settings > users: enable allow user to change password not set
- D. Validate user in Active Directory not set

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 54 What is the maximum number of snapshot rules per cluster?

- A. 8
- B. 16
- C. 32
- D. 64

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.delltechnologies.com/da-dk/collaterals/unauth/data-sheets/products/storage/h18143-dell-emc-powerstore-family-spec-sheet.pdf>