

HP.Premium.HPE0-J69.30q - DEMO.vce

Number: HPE0-J69  
Passing Score: 800  
Time Limit: 120 min



**Exam Code:** HPE0-J69  
**Exam Name:** HPE Storage Solutions  
**Website:** <https://VCEup.com/>  
**Team-Support:** <https://VCEplus.io/>



**QUESTION 1**

A customer asks you for a recommendation on setting up their new StoreOnce appliance. They plan to use NetBackup and need the highest performance setup they can get. Their local hosts are connected via FC and the rest are connected via a WAN.  
Which backup target type should you recommend?

- A. VTL
- B. S3
- C. CIFS
- D. Catalyst

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 2**

A customer successfully implemented an HPE Primera solution.  
Which tool can be used to verify performance counters, such as IOPS, match customer requirements?

- A. NinjaCrawler
- B. OneView
- C. Recovery Manager Central
- D. Primera on-node management GUI

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 3**

A customer successfully implemented an HPE Primera solution.  
Which tool can be used to verify achieved savings from deduplication and compression in the customer solution?

- A. NinjaSTARS
- B. 3PAR Service Processor
- C. NinjaCrawler
- D. StoreServ System Management Console

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 4**

A customer has the following requirements for a storage solution:

VMware environment

20 ?? of standard business data

400 TB of video archive files

10 GB iSCSI connectivity

They are most concerned with the cost of the solution.

Which HPE storage solution offers the lowest cost while meeting the customer requirements?

www.VCEplus.io

- A. HPE Nimble
- B. HPE SimpliVity
- C. HPE Primera
- D. HPE MSA

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

#### QUESTION 5

You are proposing a StoreOnce solution to a customer that has always used tape for a backup target. What should you suggest to ensure that the StoreOnce deduplication is correctly sized?

- A. StoreOnce timeless storage
- B. DDAnalyzer
- C. proof of concept with StoreOnce VSA
- D. OCA

**Correct Answer: B**

**Section: (none)**


**Explanation**

**Explanation/Reference:**

Explanation:

#### QUESTION 6

Refer to the exhibit.



You are configuring a new HPE array and verifying properties of a set of volumes. Which RAID level is used on the VMwareDatastores-GF volume?

- A. RAID 0
- B. RAID 6

- C. Triple Parity+
- D. RAID 5

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**  
Explanation:

#### QUESTION 7

You have proposed that a customer replace their legacy SAN switches with new ?-Series switches. They are concerned about the management of all the devices, so you have included SANnav in the proposal. What are the benefits of SANnav that you should emphasize to this customer? (Choose two.)

- A. It runs in a dedicated JVM
- B. It offers automated SPOCK validation
- C. It runs in a browser
- D. It provides a global View
- E. It provides fine-grain visibility into Storage Fabrics (FC + Ethernet)

**Correct Answer:** CD  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**  
Explanation:

#### QUESTION 8

A customer has completely virtualized their datacenter with VMware. You propose a SimpliVity solution to replace their aging hardware. Which SimpliVity features should you emphasize in your presentation? (Choose two.)

- A. It uses native hypervisor management tools for management
- B. It utilizes the Storage Management Utility for management and monitoring
- C. It utilizes a unified ASIC for performance
- D. It includes deduplication and backup capabilities
- E. It provides S3 file access

**Correct Answer:** BD  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**  
Explanation:

#### QUESTION 9

You want to deploy Recovery Manager Central to a customer environment. How can you accomplish this? (Choose two.)

- A. Install RMC on top of the virtual or physical RHEL system using the GUI wizard
- B. Deploy an RMC virtual appliance to Microsoft Hyper-V hypervisor
- C. Deploy RMC on top of the virtual CentOS system using the CLI
- D. Deploy RMC on top of the virtual CentOS system using the GUI wizard
- E. Install RMC on the top of the virtual or physical RHEL system using the CLI
- F. Deploy an RMC virtual appliance to VMware ESXi hypervisor

**Correct Answer:** BF  
**Section:** (none)  
**Explanation**

www.VCEplus.io

**Explanation/Reference:**  
Explanation:

**QUESTION 10**

A customer uses Veeam to backup their entire datacenter.  
Which Veeam feature allows them to recover a single email from their Exchange server?

- A. Changed block tracking
- B. Explorer for Storage Snapshots
- C. Data Mover Service
- D. SureBackup

**Correct Answer: B**  
**Section: (none)**  
**Explanation**

**Explanation/Reference:**  
Explanation:

**QUESTION 11**

Refer to the exhibit.



You are designing a new Primera solution and demonstrating performance numbers to the customer.  
The customer reviews the configuration and requests a change to the configuration that will increase Random Write IOPS.  
Which action will satisfy the customer request?

- A. Add more disks of smaller capacity
- B. Upgrade the HPE Primera base model
- C. Change to larger SSDs
- D. Add more FC Ports

**Correct Answer: C**  
**Section: (none)**  
**Explanation**

**Explanation/Reference:**  
Explanation:

**QUESTION 12**

Which of the following are part of the SimpliVity Data Virtualization Platform architecture? (Choose two.)

- A. Presentation Layer
- B. User Management Layer
- C. Security Layer
- D. Data Management Layer

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 13**

A customer is implementing a new high performance database environment.  
What type of storage should you recommend?

- A. scale-out storage
- B. object store
- C. system-defined storage
- D. network-attached storage

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 14**

You are designing a new enterprise array solution. The customer is interested in a caching tier that provides extremely low-latency and persistent storage at the same time. They also need to support more than 500GB.  
Which technology should you recommend?

- A. DRAM
- B. SRAM
- C. NVMe SCM
- D. NAND SSD

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 15**

A customer is implementing an SAP HANA environment and is looking for an alternative to an entirely in-memory database.  
Which storage technology should you recommend?

- A. SAS SSD
- B. NVMe SSD
- C. NVMe SCM
- D. Intel Optane

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 16**

Which tool is used to determine current compaction ratios on Primera arrays?

- A. WebUI
- B. Storage Management Utility (SMU)
- C. NinjaStars
- D. SSMC System Reporter

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 17**

A customer wants to make a full copy replica of a database to use for performance testing.  
Which technology should they use to create the copy?

- A. deduplication
- B. snapshot
- C. clone
- D. synthetic full

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 18**

A customer implemented the HPE StoreEver MSL6480 Tape Library.  
Which HPE Software can the system administrator use to check the health of the library and monitor its utilization?

- A. OneView
- B. StoreServe TapeAssure Advanced
- C. StoreEver Data Verification
- D. InfoSight

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 19**

A customer environment includes:  
10 DL380 Gen8 servers in a VMware Cluster  
2 MSA storage arrays  
2 8GB b-series fibre channel switches  
The customer needs to replace their environment because it is end of life. They have limited budget.  
The customer is primarily concerned with management because they have limited IT staff, and they want to move away from fibre channel.  
Which HPE Storage should you recommend?

- A. HPE Primera

www.VCEplus.io

- B. HPE XP8
- C. HPE Nimble dHCI
- D. HPE StoreOnce

**Correct Answer:** A  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**  
Explanation:

**QUESTION 20**

You are designing an HPE MSA iSCSI for a customer.  
Which components are typically part of the solution? (Choose two.)

- A. Drives
- B. SFPs
- C. Service Processor
- D. All-inclusive Multi-system software
- E. Switch zones

**Correct Answer:** AB  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**  
Explanation:

**QUESTION 21**

A customer is planning to upgrade their HF40 controllers to support additional I/O requirements.  
To which model can they upgrade to meet their new requirements?

- A. AF60
- B. AF40
- C. HF60
- D. HF40C

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**  
Explanation:

**QUESTION 22**

A customer is planning to replace their existing LTO-6 tape library with a new HPE StoreEver MSL2024 tape library. They want to reuse their existing LTO-6 tape cartridges for reads and writes.  
What is the latest tape drive technology that will provide backward compatibility?

- A. LTO8
- B. LTO5
- C. LTO6
- D. LTO7

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**  
Explanation:

www.VCEplus.io

**QUESTION 23**

A customer is purchasing an HPE MSA 2050 for a branch office. They will use it for critical data services. The customer is concerned that 64 snapshots will not be adequate as they grow. What can be added to the array to address the customer's concerns?

- A. Advanced Data Services Suite license
- B. All-inclusive Multi-system license
- C. Virtual Copy license
- D. Adaptive Optimization license

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 24**

You have proposed a Primera array to a customer for new primary storage. The customer currently has an older 3PAR array that they will continue to use moving forward. The customer would like high availability configured. Which RMC Peer Copy pre-requisites do you need to point out to the customer? (Choose two.)

- A. No license is required
- B. 2-port 10 Gb Ethernet Adapter (NIC) is required
- C. 4-port 1 Gb Ethernet Adapter (NIC) is required in each array
- D. RMC 6.2 is required
- E. Target drive type must match source drive type

**Correct Answer:** CD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 25**

Which protocol can be used for accessing StoreOnce VTL target from Veeam?

- A. FC
- B. NFSv4
- C. iSCSI
- D. SMBv3

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 26**

Which StoreOnce Gen4 features are included with the system software without additional licenses? (Choose two.)

- A. Encryption
- B. Cloud Bank
- C. Catalyst
- D. VTL/NAS replication
- E. Flexible I/O HBAs

www.VCEplus.io

**Correct Answer:** CD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 27**

You are proposing a new Nimble solution to a customer that recently experienced data loss in their existing storage array. Which features of the Nimble array should you emphasize to your customer to address their concerns? (Choose two.)

- A. quick RAID rebuild
- B. deduplication
- C. compression
- D. encryption
- E. triple party

**Correct Answer:** BC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 28**

Which tool is used to configure an HPE MSA 2052?

- A. InfoSight
- B. SMU
- C. CMC
- D. SSMC

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 29**

A customer has a VMware environment running vSphere 6.5. They are running DL380 Gen10 servers with HPE 82Q adapters connected through a HPE SN3000B switch to a Nimble HF40. They plan to upgrade the hypervisor. What should they use to identify the latest firmware and compatibility information?

- A. SAN Health Diagnostics
- B. SPOCK
- C. OneView
- D. SAN Design Reference Guide

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 30**

A customer needs a centralized solution for storing departmental data to be accessed by Windowsbased laptops and other personal devices. Which solution should you recommend?

www.VCEplus.io

- A. Block storage, directly accessed over FC
- B. Block storage, directly accessed over SAS
- C. Object storage, accessed over S3 connector
- D. File-oriented storage, accessed over SMB

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

[www.VCEplus.io](http://www.VCEplus.io)